# Safety Data Sheet

Regulation (EC) No. 1907/2006 and 1272/2008

Printing Date: November 21, 2023

Version No.: 1.0

Revision: November 21, 2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking
• 1.1 Product identifier
· Trade name:
<u>Air freshener-Gold Wood</u>
• Other means of identification:
Registration number: No available data.
UFI code:2GQJ-F075-000M-C8GC
$\cdot$ 1.2 Relevant identified uses of the substance or mixture and uses advised against on
• Application of the substance/ mixture:
Consumer uses, produce fragrance and purify the air.
· Uses advised against:
No available data.
· Reason why uses advised against:
No available data.
$\cdot$ 1.3 Details of the supplier of the safety data sheet
• Manufacturer/Supplier:
SC Trade & Services GmbH
Schmiedeweg 4, 45731 Waltrop, Germany
Post code: 45731
Email:info@kaeltebringer.de
National contact: Malte Schlienkamp
• Only Representative/other EU contact point:
No information available.
• Further information obtainable from:
SC Trade & Services GmbH
· 1.4 Emergency telephone number
Giftinformationszentrum Mainz - Tel. +49 (0) 6131 19240 (24h)

### SECTION 2: Hazards identification

#### $\cdot$ 2.1 Classification of the substance or mixture

· 2.1.1	Classification	according to	regulation	(EC)	1272/2008:
---------	----------------	--------------	------------	------	------------

Regulation (EC) No 1272/2008 [CLP]	Classification procedure
Asp. Tox. 1, H304	Summation approach
Skin Sens. 1, H317	Cut-off values/concentration limits approach
Aquatic Chronic 3, H412	Summation method

#### • 2.1.2 Additional information:

For full text of Hazard- and EU Hazard-statements: see SECTION 16.

- · 2.2 Label elements
- · Labeling according to Regulation (EC) No 1272/2008:
- The product is labelled according to CLP Regulation.
- Hazard pictograms:

Printing Date: November 21, 2023

Version No.: 1.0

Revision: November 21, 2023

GHS07 GHS08	
• Signal word:	
Danger	
	g components of labelling:
C13-C16 Isoparaffin	
Bicyclohomofarnesal	
• Hazard statements:	
H304	May be fatal if swallowed and enters airways
H317	May cause an allergic skin reaction
H412	Harmful to aquatic life with long lasting effects
• Precautionary state	ment:
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children
P103	Read carefully and follow all instructions
P264	Wash hands and face after handling.
P273	Avoid release to the environment.
P280	Wear protective gloves.
P301+P310+P331	IF SWALLOWED: Immediately call a POISON CENTER/doctor. Do NOT induce vomiting.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international regulation.
• Supplemental label	elements:

### $\cdot$ 2.3 Other hazards

None of the ingredients ( $\geq 0.1\%$ ) meets the criteria for PBT/vPvB in accordance with Annex XIII. None of the ingredients ( $\geq 0.1\%$ ) is identified as having endocrine disrupting properties according to Regulation (EU) 2017/2100.

### SECTION 3: Composition/information on ingredients

### · 3.1 Substance

Not applicable

· 3.2 Mixtures

### • Description of the mixture:

Air freshener.

Ingredients:						
Substance	CAS No.	Index No.	EC No.	w/w, %	CLP Classification	SCL/M-factor/ATE
C13-C16 Isoparaffin	68551-20-2	-	271-370-0	89.9	Asp. Tox. 1, H304	-
Bicyclohomofarnesal	3243-36-5	-	-	2-3.1	Skin Irrit. 2, H315	M=1
					Skin Sens. 1, H317	M(Chronic)=1
					H400	
					Aquatic Chronic 1,	
					H410	

Printing Date: November 21, 2023

Version No.: 1.0

Revision: November 21, 2023

Trade Name: Air freshener

Dihydromyrcenol	18479-58-8	-	242-362-4	0.1-0.9	Skin Irrit. 2, H315	-
					Eye Irrit. 2, H319	
2-Benzylideneoctanal	101-86-0	-	202-983-3	0.779	Skin Sens. 1B, H317	M=1
					Aquatic Acute 1,	
					H400	
					Aquatic Chronic 2,	
					H411	
Orange terpene	8028-48-6	-	232-433-8	0.1-0.6	Flam. Liq. 3, H226	-
					Asp. Tox. 1, H304	
					Skin Irrit. 2, H315	
					Skin Sens. 1, H317	
					Aquatic Chronic 2,	
					H411	
Acetyl hexamethyl	21145-77-7	-	244-240-6	0.1-0.6	Acute Tox. 4, H302	ATE (oral)=500
tetralin					Aquatic Acute 1,	mg/kg
					H400	<i>M</i> =1
					Aquatic Chronic 1,	M(Chronic)=1
					H410	
Patchouli oil	84238-39-1	-	282-493-4	0.1-0.4	Asp. Tox. 1, H304	-
Ethyl vanillin	121-32-4	-	204-464-7	0.1-0.4	Acute Tox. 4, H302	ATE (oral)= 1590
					<i>Eye Irrit.</i> 2, <i>H</i> 319	mg/kg
Pigment	-	-	-	0.1	None	-
Coumarin	91-64-5	-	202-086-7	0.236	Acute Tox. 3, H301	ATE (oral)=293
					Skin Sens. 1, H317	mg/kg
					Aquatic Chronic 3,	
					H412	
Linalyl acetate	115-95-7	-	204-116-4	0.168	Skin Irrit. 2, H315	-
					Skin Sens. 1B, H317	
					<i>Eye Irrit.</i> 2, <i>H319</i>	
Linalool	78-70-6	603-235-00-2	201-134-4	0.156	Skin Irrit. 2, H315	-
					Skin Sens. 1B, H317	
					Eye Irrit. 2, H319	
Eugenol	97-53-0	-	202-589-1	0.115	Skin Sens. 1B, H317	-
					<i>Eye Irrit. 2, H319</i>	
Geraniol	106-24-1	603-241-00-5	203-377-1	0.106	Skin Irrit. 2, H315	-
					Skin Sens. 1, H317	
					Eye Dam. 1, H318	
Eucalyptol	470-82-6	-	207-431-5	0-0.1	Flam. Liq. 3, H226	-
					Skin Sens. 1B, H317	
Vanillin	121-33-5	-	204-465-2	0.015	<i>Eye Irrit.</i> 2, <i>H</i> 319	-
Geranyl acetate	105-87-3	-	203-341-5	0.005	Skin Irrit. 2, H315	-
					Skin Sens. 1, H317	
					Aquatic Chronic 3,	
					H412	

Version No.: 1.0 Printing Date: November 21, 2023 Revision: November 21, 2023 Trade Name: Air freshener Citral 5392-40-5 605-019-00-3 226-394-6 0.001 Skin Irrit. 2, H315 Skin Sens. 1, H317 Eve Irrit. 2, H319 Additional information: For full text of H-statements, see SECTION 16. SECTION 4: First aid measures • 4.1 Description of first aid measures General advice: If medical advice is needed, have product container or label at hand. After inhalation: Supply with fresh air. Get medical attention if you feel unwell. After skin contact: Wash with plenty of soap and water. If there are signs of irritation or other symptoms seek medical attention. After eye contact: Rinse cautiously with water for several minutes. If eye irritation occurs: Get medical advice/attention. After swallowing: Rinse mouth. Call a POISON CENTER/doctor if you feel unwell. • 4.2 Most important symptoms and effects, both acute and delayed: Acute and delayed effects are as indicated in sections 2 and 11. • 4.3 Indication of any immediate medical attention and special treatment needed: Treat according to symptom, there is not known specific medicine.

### SECTION 5: Fire-fighting measures

• 5.1 Extinguishing media

 $\cdot$  Suitable extinguishing agents:

Use CO2, chemical powder, water spray or alcohol resistant foam to extinguish.

• Unsuitable extinguishing media:

Water with full jet.

• 5.2 Special hazards arising from the substance or mixture: May produce irritant/allergic vapor in air under fire.

• 5.3 Advice for firefighters

#### Protective equipment:

Wear self-contained breathing apparatus for firefighting.

Printing Date: November 21, 2023

Version No.: 1.0

Revision: November 21, 2023

Trade Name: Air freshener

#### **SECTION 6: Accidental release measures**

· 6.1 Personal precautions, protective equipment and emergency procedures

• 6.1.1 For non-emergency personnel

**Protective equipment:** 

Protective gloves/respiration protection.

#### **Emergency procedures:**

Ensure good ventilation

Avoid breathing vapor/mist.

Avoid contact with skin.

Avoid release to the environment.

• 6.1.2 For emergency responders

#### Personal protective equipment:

Protective gloves/respiration protection.

#### · 6.2 Environmental precautions:

Prevent further leakage or spillage if safe to do so. Prevent spillage from entering drains, sewer, basement or confined areas. If the spillage contaminates rivers, lakes or drains inform respective authorities.

#### $\cdot$ 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13.

#### · 6.4 Reference to other sections:

See section 7 for information on safe handing. See section 8 for information on personal protection equipment. See section 13 for disposal in formation.

#### SECTION 7: Handling and storage

#### • 7.1 Precautions for safe handling:

Read label before use.

Ensure good ventilation/exhaustion at the workplace.

Avoid breathing vapor.

Avoid contact with skin.

Avoid release to the environment.

• Information about fire and explosion protection:

Normal measures for preventive fire protection.

· 7.2 Conditions for safe storage, including any non-compatibility

• Requirements to be met by storerooms and receptacles:

Store in a cool and well-ventilated place.

· Information about storage in one common storage facility:

Keep out of reach of children.

• Further information about storage conditions:

Store locked up.

Printing Date: No	ovember 21, 2023	Version	n No.: 1.0	Revision: November 21, 2023
Trade Name: Air	freshener			
· Storage class:				
10.				
· 7.3 Specific end u	se(s):			
See section 1.2.				
SECTION 8: E	xposure controls/per	sonal protection		
· 8.1 Control param	notors	_		
_	imit values that require 1	nonitoring at the wo	rknlace:	
Country	Limit value - Eight hou	-	Limit value - Short te	2rm
5392-40-5 Citra	-			
Belgium	5ppm; 32mg/m <sup>3</sup> Inhalal	ole fraction and vapor	ır -	
Poland	$27mg/m^3$	· •	$54mg/m^3$	
Spain	5ppm		-	
· DNELs:				
DNEL type			DNEL worker value	DNEL consumer value
	ydromyrcenol			
Systemic effects	Long-term, inhalation of	exposure	24.7 mg/m <sup>3</sup>	4.35 mg/m <sup>3</sup>
5 55	Long-term, dermal exp	-	7 mg/kg bw/day	2.5 mg/kg bw/day
	Long-term, oral exposu			2.5 mg/kg bw/day
8028-48-6 Oran	ge terpene			
Systemic effects	Long-term, inhalation	exposure	31.1 mg/m <sup>3</sup>	7.78 mg/m <sup>3</sup>
	Long-term, dermal exp	osure	8.89 mg/kg bw/day	4.44 mg/kg bw/day
	Long-term, oral exposu	ıre	-	4.44 mg/kg bw/day
Local effects	Acute /short term, derm	ual exposure	185.8 μg/cm²	92.9 μg/cm <sup>2</sup>
· PNECs:		-		
PNEC type		Value		
18479-58-8 Dih	ydromyrcenol			
Freshwater		27.8 μg/L		
Intermittent releas	ses (freshwater)	278 µg/L		
Marine water		2.78 μg/L		
Sewage treatment	• • •	10 mg/L		
Sediment (freshwa		594 μg/kg sediment dw		
Sediment (marine water)		59.4 µg/kg sediment dw		
Soil		$103 \ \mu g/kg \ soil \ dw$		
Secondary poisoning		111 mg/kg food		
8028-48-6 Oran	ge terpene	5 4 11		
Freshwater		5.4 μg/L		
Intermittent releas	ses (fresnwater)	5.77 μg/L		
Marine water	- Laure (CTD)	540 ng/L		
Sewage treatment	-	2.1 mg/L	du	
Sediment (freshwater)		1.3 mg/kg sediment	aw	

130 µg/kg sediment dw

Sediment (marine water)

Printing Date: November 21, 2023	Version No.: 1.0	<i>Revision: November 21, 2023</i>
Trade Name: Air freshener		
Soil	261 μg/kg soil dw	
• Additional information:	201 µg/kg son aw	
The lists valid during the marking were used	as basis	
The fists value and fing the marking were used	us busis.	
· 8.2 Exposure controls		
$\cdot$ Based on the composition shown in section	1 3, the following measures are suggested	for occupational safety measure.
• Appropriate engineering controls:		
Handle in accordance with good industrial h	ygiene and safety practice.	
Wash hands and face before breaks and at th	ne end of work.	
Take off contaminated clothing and wash it b	pefore reuse.	
See section 7 for information about design of	f technical facilities.	
· Personal protective equipment		
• Eye and face protection:		
Not required under normal conditions of use		
For industrial applications, following protec	tion required:	
Safety glasses Protective goggles with side-shields.		
· Skin protection		
• Hand protection:		
Not required under normal conditions of use		
For industrial applications, following protec	tion required:	
Protective gloves		
Gloves made from butyl rubber Neoprene™	rubber, nitrile rubber (thickness> 0.3mm;	breakthrough times up to 480 minutes).
• Other skin protection:		
Not required under normal conditions of use		
For industrial applications, following protec	tion required:	
• •	ety boots Safety overalls	
Face shield, gauntlets, boots, bodysuit are re	commended.	
· Respiration protection:		
Not required under normal conditions of use		
For industrial applications, following protec	tion required:	
<b>Respiratory equipment</b> Use positive pressure breathing mask if conc	entrations in air could exceed occupationd	ıl exposure standard.
• Thermal hazards:		
Not required under normal conditions of use		

For industrial applications, following protection required:

# Safety Data Sheet

Regulation (EC) No. 1907/2006 and 1272/2008

Printing Date: November 21, 2023

Version No.: 1.0

Revision: November 21, 2023

Trade Name: Air freshener

The gauntlets, boots, bodysuit and other personal protective equipment must be flame retardant and no heat-conducting.

· Environmental exposure controls:

Control measures must be made in accordance with Community environmental protection legislation.

### SECTION 9: Physical and chemical properties

#### $\cdot$ 9.1 Information on basic physical and chemical properties

· 9.1 Information on basic physical and chemical properties			
· Physical state	Liquid		
· Color	Colorless		
• Odor & Odor threshold	Characteristic smell		
• Melting point/freezing point (or softening point/range)	Not determined		
$\cdot$ Boiling point or initial boiling point and boiling range	Not determined		
• Flammability	Not flammable liquid		
· Lower and upper explosion limit	Not determined		
• Flash point	>60°C		
• Auto-ignition temperature	Not determined		
• Decomposition temperature	Not determined		
· pH	Not determined		
• Kinematic viscosity (mm2/s)	<20.5 (40°C)		
• Solubility	Not determined		
· Partition coefficient n-octanol/water (log value)	Not applicable		
· Vapor pressure	Not determined		
· Density and/or relative density	Not determined		
· Relative vapor density	Not determined		
· Particle characteristics	Not determined		
• 9.2 Other information			
• 9.2.1 Information with regard to physical hazard classes:			
• Explosives	Not applicable		
· Flammable gases	Not applicable		
• Aerosols	Not applicable		
• Oxidising gases	Not applicable		
• Gases under pressure	Not applicable		
• Flammable liquids	Not applicable		
• Flammable solids	Not applicable		
• Self-reactive substances and mixtures	Not applicable		
· Pyrophoric liquids	Not applicable		
· Pyrophoric solids	Not applicable		
• Self-heating substances and mixtures	Not applicable		
$\cdot$ Substances and mixtures, which emit flammable gases	Not applicable		
in contact with water			
• Oxidizing liquids	Not applicable		
· Oxidizing solids	Not applicable		
· Organic peroxides	Not applicable		

Printing Date: November 21, 2023	Version No.: 1.0	Revision: November 21, 2023
Trade Name: Air freshener		
• Corrosive to metals	Not applicable	
· Desensitised explosives	Not applicable	
• 9.2.2 Other safety characteristics		
• Mechanical sensitivity	Not applicable	
$\cdot$ Self-accelerating polymerisation temperature	Not applicable	
· Formation of explosible dust/air mixtures	Not applicable	
• Acid/alkaline reserve	Not applicable	
• Evaporation rate	Not determined	
• Miscibility	Not determined	
• Conductivity	Not applicable	
• Corrosiveness	Not applicable	
· Gas group	Not applicable	
· Redox potential	Not applicable	
• Radical formation potential	Not applicable	
• Photocatalytic properties	Not applicable	
• Other physical and chemical parameters	Not determined	

### SECTION 10: Stability and reactivity

#### · 10.1 Reactivity:

The product is non-reactive under normal conditions of use, storage and transport.

#### • 10.2 Chemical stability:

Under storage at normal ambient temperatures, the product is stable.

#### • 10.3 Possibility of hazardous reactions:

No known hazardous reaction.

#### • 10.4 Conditions to avoid:

High temperature.

#### • 10.5 Incompatible materials:

Strong oxidizing agent and acids.

#### • 10.6 Hazardous decomposition products:

Does not decompose when used for intended uses.

### SECTION 11: Toxicological information

#### · 11.1 Information on toxicological effects

• Acute toxicity:

Based on available data, the classification criteria are not met.

1	based on available data, the classification chierta are not met.			
	· LD50/LC50 values relevant for classification:			
	18479-58-8 Dihydromyrcenol			
	Rabbit	LD50-skin	> 5000mg/kg	
	Rat	LD50-oral	3600mg /kg	

Printing Date: November 21, 2023

Version No.: 1.0

Revision: November 21, 2023

Trade Name: Air freshener

101-86-0 2-Benzylideneoctanal				
Rat	LD50-oral	3100mg/kg		
Mouse	LD50-oral	2300mg/kg		
121-32-4	121-32-4 Ethyl vanillin			
Rabbit	LD50-skin	> 7940mg/kg		
Rat	LD50-oral	1590mg/kg		
Remark: A	Remark: All the above data are from literature.			

#### · Skin corrosion/irritation:

Based on available data, the classification criteria are not met.

#### • Serious eyes damage/ irritation:

Based on available data, the classification criteria are not met.

#### · Respiratory or skin sensitization:

May cause an allergic skin reaction.

#### · Germ cell mutagenicity:

Based on available data, the classification criteria are not met.

#### · Carcinogenicity:

Based on available data, the classification criteria are not met.

#### • Reproductive toxicity:

Based on available data, the classification criteria are not met.

#### · STOT-single exposure:

Based on available data, the classification criteria are not met.

#### · STOT-repeated exposure:

Based on available data, the classification criteria are not met.

#### • Aspiration hazard:

May be fatal if swallowed and enters airways.

#### • 11.2 Information on other hazards

#### • 11.2.1 Endocrine disrupting properties:

None of the ingredients ( $\geq 0.1\%$ ) is considered to have endocrine-disrupting properties with respect to humans, as none of them meet the criteria set out in section A of Regulation (EU) No 2017/2100.

#### • 11.2.2 Other information:

No known other relevant information on adverse health effects.

#### SECTION 12: Ecological information

#### · 12.1 Toxicity:

LC50/EC50/NOEC values relevant for classification:

18479-58-8 Dihydromyrcenol		
Short–term toxicity to fish	LC50 (4 days) 27.8 mg/L	
Short-term toxicity to aquatic invertebrates	EC50 (48 h) 38 mg/L	

Printing Date	e: November 21, 2023	Version No.: 1.0	Revision: November 21, 2023		
Trade Name: Air freshener					
		NOEC (48 h) 10 mg/L			
Long-term toxicity to aquatic invertebrates	exicity to aquatic invertebrates	NOEC (21 days) 9.5 mg/L			
		EC50 (21 days) 17 mg/L			
Toxicity to aquatic algae and cyanobacteria		EC50 (72 h) 65 - 80 mg/L			
		NOEC (72 h) 25 mg/L			
Toxicity to m	icroorganisms	EC50 (3 h) 100 mg/L			
8028-48-6	Orange terpene				
Toxicity to aquatic algae and cyanobacteria		EC50 (72 h) 4.3 mg/L			
		NOEC (72 h) 50 mg/L			
21145-77-7	Acetyl hexamethyl tetralin				
Toxicity to aquatic algae and cyanobacteria		EC50 (72 h) 612 - 816 µg/L			
		NOEC (72 h) 278 - 409 µg/L			
· 12.2 Persister	nce and degradability:				
18479-58-8	Dihydromyrcenol	Readily biodegradable in water			
8028-48-6	Orange terpene	Readily biodegradable in water			
21145-77-7	Acetyl hexamethyl tetralin	Inherently biodegradable, not fulfilling spec	rific criteria		

#### • 12.3 Bio-accumulative potential:

18479-58-8	Dihydromyrcenol	Log Pow = 3.25
8028-48-6	Orange terpene	Log Pow = 4.38
21145-77-7	Acetyl hexamethyl tetralin	Log Pow = 5.4

· 12.4 Mobility in soil: No available data.

#### • 12.5 Results of PBT and vPvB assessment:

This mixture does not contain any substances ( $\geq 0.1\%$ ) that are assessed to be a PBT or a vPvB.

#### • 12.6 Endocrine disrupting properties:

None of the ingredients ( $\geq 0.1\%$ ) is considered to have endocrine-disrupting properties with respect to non-target organisms, as none of them meet the criteria set out in section B of Regulation (EU) No 2017/2100.

#### · 12.7 Other adverse effects:

No known other adverse effects.

#### · 12.8 Additional ecological information

#### • General notes:

WGK2 (German Regulation) (self-assessment): obviously hazardous to water.

Do not allow large quantities of the product to reach ground water, water course or sewage system.

### SECTION 13: Disposal consideration

#### $\cdot$ 13.1 Waste treatment methods

· Recommendation:

Must not be disposed together with household garbage.

#### · 13.2 Un-cleaned packaging

· Recommendation:

Printing Date: November 21, 2023

Version No.: 1.0

Revision: November 21, 2023

Trade Name: Air freshener

Dispose of contents/container in according to the local/regional/national/ international regulation.

SECTION 14: Transport information		
· ADR/ADN/RID (2023 Edition)	This product is not subject to ADR/ADN/RID.	
· IATA-DGR (64th)	This product is not subject to IATA-DGR.	
• IMO/IMDG (40-20)	This product is not subject to IMO/IMDG code.	

#### SECTION 15: Regulatory information

• 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· MAK (German Maximum Workplace Concentration):

None of the ingredients is listed.

· Directive 2012/18/EU

· Named dangerous substances-ANNEX I:

None of the ingredients is listed.

· Seveso category:

E2 Hazardous to the Aquatic Environment

• Qualifying quantity (tonnes) for the application of lower-tier requirements: 200

- Qualifying quantity (tonnes) for the application of upper-tier requirements: 500
- · National regulations.

• Water hazard class:

WGK2 (German Regulation) (self-assessment): obviously hazardous to water.

- · Other regulations, limitations and prohibitive regulations
- · SVHC Candidate list of REACH Regulation Annex XIV Authorization:

None of the ingredients is listed.

· REACH Regulation Annex XVII Restriction:

None of the ingredients is listed.

#### • REACH Regulation Annex XIV Authorization List:

None of the ingredients is listed.

• 15.2 Chemical safety assessment:

A Chemical Safe Assessment has not been carried out.

#### SECTION 16: Other information

• 16.1 Indication of changes:

None.

 $\cdot$  16.2 Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road).

IMDG: International Maritime Code for Dangerous Goods.

IATA: International Air Transport Association.

CAS: Chemical Abstracts Service (division of the American Chemical Society)

Version No.: 1.0 Printing Date: November 21, 2023 Revision: November 21, 2023 Trade Name: Air freshener DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) PBT: Persistent, Bio accumulative and Toxic vPvB: very persistent and very bio accumulative SVHC: Substance of Very High Concern LD50: Lethal dose, 50 percent LC50: Lethal concentration, 50 percent EC50: Concentration of maximal effect, 50 percent NOEC: No observed effect concentration Flam. Liq. 3: Flammable liquids, hazard category 3 Acute Tox. 3: Acute toxicity, hazard category 3 Asp. Tox. 1: Aspiration toxicity, hazard category 1 Skin Irrit. 2: Skin corrosion/irritation, hazard category 2 Skin Sens. 1: Skin sensitization, hazard category 1 Skin Sens. 1B: Skin sensitization, hazard category 1B Eye Irrit. 2: Eye damage/irritation, hazard category 2 Aquatic Acute 1: Short-term (acute) aquatic hazard, hazard category 1 Aquatic Chronic 1: Long-term (chronic) aquatic hazard, hazard category 1 Aquatic Chronic 2: Long-term (chronic) aquatic hazard, hazard category 2 Aquatic Chronic 3: Long-term (chronic) aquatic hazard, hazard category 3 • 16.3 Key literature references and sources for data: https://echa.europa.eu/ https://chem.nlm.nih.gov/ https://www.osha.gov/ http://www.unece.org/ http://www.imo.org/ https://www.dguv.de/ https://epa.govt.nz/ http://www.ilo.org/ https://www.phmsa.dot.gov/ • 16.4 Classification for mixtures and used evaluation method according to regulation (EC) 1272/2008 [CLP]: See section 2.1 (classification). · 16.5 Relevant H- and EUH-phrases (number and full text): H226 Flammable liquid and vapour H301 Toxic if swallowed H304 May be fatal if swallowed and enters airways H315 Causes skin irritation H317 May cause an allergic skin reaction H319 Causes serious eye irritation

H400 Very toxic to aquatic life

H410 Very toxic to aquatic life with long lasting effects

H411 Toxic to aquatic life with long lasting effects

H412 Harmful to aquatic life with long lasting effects

Printing Date: November 21, 2023

Version No.: 1.0

Revision: November 21, 2023

Trade Name: Air freshener

#### • 16.6 Training advice:

Workers must be trained in general and specific aspects of safe work procedures for this chemical. Workers need easy to understand guidelines and instructions for safe working with this chemical. Instructions, guidelines and legally required documents need to be available for workers in easy to understand language.

#### • 16.7 Further information:

The contents and format of this SDS are in accordance with Regulation (EC) No 1907/2006, its amendment Regulation (EU) No 2020/878 and (EC) No 1272/2008.

#### DISCLAIMER OF LIABILITY:

The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

End of safety data sheet