Printing Date: November 21, 2023 Version No.: 1.0 Revision: November 21, 2023

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name:

Air freshener-Woodland Fig

· Other means of identification:

Registration number: No available data. UFI Code: FXRJ-10XW-7001-M2DF

· 1.2 Relevant identified uses of the substance or mixture and uses advised against on

· Application of the substance/ mixture:

Consumer uses, produce fragrance and purify the air.

· Uses advised against:

No available data.

· Reason why uses advised against:

No available data.

- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

SC Trade & Services GmbH

Schmiedeweg 4, 45731 Waltrop, Germany

Post code: 45731

Email: info@kaeltebringer.de

National contact: Malte Schlienkamp

· Only Representative/other EU contact point:

No information available.

· Further information obtainable from:

SC Trade & Services GmbH

· 1.4 Emergency telephone number

Giftinformationszentrum Mainz - Tel. +49 (0) 6131 19240 (24h)

## SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · 2.1.1 Classification according to regulation (EC) 1272/2008:

Regulation (EC) No 1272/2008 [CLP]	Classification procedure
Asp. Tox. 1, H304	Summation approach
Skin Irrit.2, H315	Additivity approach
Skin Sens. 1, H317	Cut-off values/concentration limits approach
Eye Irrit. 2, H319	Additivity approach
Aquatic Chronic 3, H412	Summation method

#### · 2.1.2 Additional information:

For full text of Hazard- and EU Hazard-statements: see SECTION 16.

- · 2.2 Label elements
- · Labeling according to Regulation (EC) No 1272/2008:

Printing Date: November 21, 2023 Version No.: 1.0 Revision: November 21, 2023

Trade Name: Air freshener

The product is labelled according to CLP Regulation.

· Hazard pictograms:





GHS07 GHS08

· Signal word:

Danger

· Hazard-determining components of labelling:

C13-C16 Isoparaffin

Bicyclohomofarnesal

Eugenol

Isomethylionone, alpha-

· Hazard statements:

H304 May be fatal if swallowed and enters airways

H315 Causes skin irritation

H317 May cause an allergic skin reaction

H319 Causes serious eye irritation

H412 Harmful to aquatic life with long lasting effects

· Precautionary statement:

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children

P103 Read carefully and follow all instructions
 P264 Wash hands and face after handling.
 P273 Avoid release to the environment.

*P280 Wear protective gloves/eye protection/face protection.* 

P301+P310+P331 IF SWALLOWED: Immediately call a POISON CENTER/doctor. Do NOT induce vomiting.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulation.

· Supplemental label elements:

Contains: cinnamaldehyde; linalyl acetate; cinnamic aldehyde; linalool; delta - damas cone; coumarin.

· 2.3 Other hazards

None of the ingredients (≥0.1%) meets the criteria for PBT/vPvB in accordance with Annex XIII.

None of the ingredients ( $\geq 0.1\%$ ) is identified as having endocrine disrupting properties according to Regulation (EU) 2017/2100.

## SECTION 3: Composition/information on ingredients

## · 3.1 Substance

Not applicable

- · 3.2 Mixtures
- · Description of the mixture:

Air freshener.

Ingredients:						
Substance	CAS No.	Index No.	EC No.	w/w, %	CLP Classification	SCL/M-factor/ATE

Printing Date: November 21, 2023 Version No.: 1.0 Revision: November 21, 2023

Trade Name: Air freshener

C13-C16 Isoparaffin	68551-20-2	-	271-370-0	59.9	Asp. Tox. 1, H304	-
Methyl	24851-98-7	-	246-495-9	6-9.6	None	-
dihydrojasmonate						
Citrus reticulata	8008-31-9	-	-	2-5.2	None	-
(tangerine) fruit extract						
Bicyclohomofarnesal	3243-36-5	-	-	2-4.8	Skin Irrit. 2, H315	M=1
					Skin Sens. 1, H317	M(Chronic)=1
					Aquatic Acute 1,	
					H400	
					Aquatic Chronic 1,	
					H410	
Sandenol	3407-42-9	-	222-294-1	0.4-2	Eye Irrit. 2, H319	-
					Aquatic Chronic 2,	
					H411	
Eugenol	97-53-0	-	202-589-1	0.4-2	Skin Sens. 1B, H317	-
					Eye Irrit. 2, H319	
Isomethylionone, alpha-	127-51-5	-	204-846-3	0.4-2	Skin Irrit. 2, H315	-
					Skin Sens. 1B, H317	
					Eye Irrit. 2, H319	
					Aquatic Chronic 2,	
					H411	
Vanillin	121-33-5	-	204-465-2	0.4-1.6	Eye Irrit. 2, H319	-
Cinnamaldehyde	14371-10-9	-	-	0.4-1.6	Acute Tox. 4, H312	ATE
					Skin Irrit. 2, H315	(dermal)=1260
					Skin Sens. 1, H317	mg/kg
					Eye Irrit. 2, H319	
					Aquatic Chronic 3,	
					H412	
Linalyl acetate	115-95-7	-	204-116-4	0.4-1.6	Skin Irrit. 2, H315	-
					Skin Sens. 1B, H317	
					Eye Irrit. 2, H319	
Ethyl maltol	4940-11-8	-	225-582-5	0.4-1.6	Acute Tox. 4, H302	ATE (oral)=1150
						mg/kg
Benzyl acetate	140-11-4	-	205-399-7	0.4-1.6	Aquatic Chronic 3,	-
					H412	
Cinnamic aldehyde	104-55-2	-	203-213-9	0.712	Acute Tox. 4, H312	ATE
					SkinIrrit.2, H315	(dermal)=1100
					Skin Sens. 1, H317	mg/kg
					EyeIrrit.2, H319	
Linalool	78-70-6	603-235-00-2	201-134-4	0.472	Skin Irrit. 2, H315	-
					Skin Sens. 1B, H317	
					Eye Irrit. 2, H319	
Delta - Damas cone	57378-68-4	-	260-709-8	0-0.4	Acute Tox. 4, H302	ATE (oral)=1821
					Skin Irrit. 2, H315	mg/kg

Printing Date: November 21, 2023 Version No.: 1.0 Revision: November 21, 2023

Trade Name: Air freshener

					Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	M=1 M(Chronic)=1
Coumarin	91-64-5	-	202-086-7	0.18	Acute Tox. 3, H301 Skin Sens. 1, H317 Aquatic Chronic 3, H412	ATE (oral)=293 mg/kg
Pigment	-	-	-	0.1	None	-

#### Additional information:

For full text of H-statements, see SECTION 16.

## SECTION 4: First aid measures

### · 4.1 Description of first aid measures

#### General advice:

If medical advice is needed, have product container or label at hand.

#### After inhalation:

Supply with fresh air.

Get medical attention if you feel unwell.

## After skin contact:

Wash with plenty of soap and water.

If there are signs of irritation or other symptoms seek medical attention.

### After eye contact:

Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do.

Continue rinsing.

If eye irritation occurs: Get medical advice/attention.

#### After swallowing:

Rinse mouth.

Call a POISON CENTER/doctor if you feel unwell.

#### · 4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are as indicated in sections 2 and 11.

#### · 4.3 Indication of any immediate medical attention and special treatment needed:

Treat according to symptom, there is not known specific medicine.

## SECTION 5: Fire-fighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

Use CO<sub>2</sub>, chemical powder, water spray or alcohol resistant foam to extinguish.

· Unsuitable extinguishing media:

Water with full jet.

Printing Date: November 21, 2023 Version No.: 1.0 Revision: November 21, 2023

Trade Name: Air freshener

#### · 5.2 Special hazards arising from the substance or mixture:

May produce irritant/allergic vapor in air under fire.

· 5.3 Advice for firefighters

Protective equipment:

Wear self-contained breathing apparatus for firefighting.

## SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures
- · 6.1.1 For non-emergency personnel

#### Protective equipment:

Protective gloves/eye protection/face protection and respiration protection.

#### Emergency procedures:

Ensure good ventilation

Avoid breathing vapor/mist.

Avoid contact with skin and eyes.

Avoid release to the environment.

#### · 6.1.2 For emergency responders

#### Personal protective equipment:

Protective gloves/eye protection/face protection and respiration protection.

#### · 6.2 Environmental precautions:

Prevent further leakage or spillage if safe to do so.

Prevent spillage from entering drains, sewer, basement or confined areas.

If the spillage contaminates rivers, lakes or drains inform respective authorities.

## · 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

#### · 6.4 Reference to other sections:

See section 7 for information on safe handing.

See section 8 for information on personal protection equipment.

See section 13 for disposal in formation.

## SECTION 7: Handling and storage

## · 7.1 Precautions for safe handling:

Read label before use.

Ensure good ventilation/exhaustion at the workplace.

Avoid breathing vapor.

Avoid contact with skin and eyes.

Avoid release to the environment.

#### · Information about fire and explosion protection:

Normal measures for preventive fire protection.

Printing Date: November 21, 2023 Version No.: 1.0 Revision: November 21, 2023

Trade Name: Air freshener

· 7.2 Conditions for safe storage, including any non-compatibility

· Requirements to be met by storerooms and receptacles:

Store in a cool and well-ventilated place.

· Information about storage in one common storage facility:

Keep out of reach of children.

· Further information about storage conditions:

Store locked up.

· Storage class:

10.

 $\cdot$  7.3 Specific end use(s):

See section 1.2.

## SECTION 8: Exposure controls/personal protection

#### · 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

Country	Limit value - Eight hours	Limit value - Short term		
140-11-4 Benzyl	acetate			
Belgium	10ppm; 62mg/m³	-		
Denmark	10ppm; 61mg/m <sup>3</sup>	20ppm; 122mg/m³		
Latvia	$5mg/m^3$	-		
Romania	8ppm; 50mg/m <sup>3</sup>	13ppm; 80mg/m³15 minutes average value		
Spain	10ppm; 62mg/m³	-		

#### · DNELs:

DNEL type		DNEL worker value	DNEL consumer value	
3407-42-9 Sana	lenol			
Systemic effects	Long-term, inhalation exposure	$13.2 \ mg/m^3$	$3.26 \text{ mg/m}^3$	
	Long-term, dermal exposure	3.75 mg/kg bw/day	1.88 mg/kg bw/day	
	Long-term, oral exposure	-	1.88 mg/kg bw/day	
97-53-0 Eugeno	!	·		
Systemic effects	Long-term, inhalation exposure	$21.2 \ mg/m^3$	$5.22 \text{ mg/m}^3$	
	Long-term, dermal exposure	6 mg/kg bw/day	3 mg/kg bw/day	
	Long-term, oral exposure	-	3 mg/kg bw/day	

#### · PNECs:

PNEC type	Value	
3407-42-9 Sandenol		
Freshwater	2.96 μg/L	
Intermittent releases (freshwater)	25.9 µg/L	
Marine water	296 ng/L	
Intermittent releases (marine water)	2.59 µg/L	
Sewage treatment plant (STP)	100 μg/L	
Sediment (freshwater)	72.5 μg/kg sediment dw	

Printing Date: November 21, 2023 Version No.: 1.0 Revision: November 21, 2023

Trade Name: Air freshener

Sediment (marine water)	7.25 µg/kg sediment dw
Soil	12.8 μg/kg soil dw
97-53-0 Eugenol	
Freshwater	201.5 μg/L
Intermittent releases (freshwater)	11.3 µg/L
Marine water	$20.15 \mu g/L$
Sediment (freshwater)	14.488 μg/kg sediment dw
Sediment (marine water)	1.449 μg/kg sediment dw
Soil	15.5 μg/kg soil dw

## $\cdot \textit{Additional information:}$

The lists valid during the marking were used as basis.

#### · 8.2 Exposure controls

- · Based on the composition shown in section 3, the following measures are suggested for occupational safety measure.
- · Appropriate engineering controls:

Handle in accordance with good industrial hygiene and safety practice.

Wash hands and face before breaks and at the end of work.

Take off contaminated clothing and wash it before reuse.

See section 7 for information about design of technical facilities.

- · Personal protective equipment
- · Eye and face protection:

Not required under normal conditions of use.

For industrial applications, following protection required:



### Safety glasses

Protective goggles with side-shields.

- · Skin protection
- · Hand protection:

Not required under normal conditions of use.

For industrial applications, following protection required:



### Protective gloves

Gloves made from butyl rubber Neoprene™ rubber, nitrile rubber (thickness> 0.3mm; breakthrough times up to 480 minutes).

#### · Other skin protection:

Not required under normal conditions of use.

For industrial applications, following protection required:









Safety overalls

Face shield, gauntlets, boots, bodysuit are recommended.

### · Respiration protection:

Not required under normal conditions of use.

Printing Date: November 21, 2023 Version No.: 1.0 Revision: November 21, 2023

Trade Name: Air freshener

For industrial applications, following protection required:



#### Respiratory equipment

Use positive pressure breathing mask if concentrations in air could exceed occupational exposure standard.

#### · Thermal hazards:

Not required under normal conditions of use.

For industrial applications, following protection required:

The gauntlets, boots, bodysuit and other personal protective equipment must be flame retardant and no heat-conducting.

### · Environmental exposure controls:

Control measures must be made in accordance with Community environmental protection legislation.

SECTION 9: Physical and chemical properties		
• 9.1 Information on basic physical and chemical propertie		
· Physical state	Liquid	
· Color	Colorless	
· Odor & Odor threshold	Characteristic smell	
· Melting point/freezing point (or softening point/range)	Not determined	
· Boiling point or initial boiling point and boiling range	Not determined	
· Flammability	Not flammable liquid	
· Lower and upper explosion limit	Not determined	
· Flash point	>60°C	
· Auto-ignition temperature	Not determined	
· Decomposition temperature	Not determined	
· pH	Not determined	
· Kinematic viscosity (mm2/s)	<20.5 (40°C)	
· Solubility	Not determined	
· Partition coefficient n-octanol/water (log value)	Not applicable	
· Vapor pressure	Not determined	
· Density and/or relative density	Not determined	
· Relative vapor density	Not determined	
· Particle characteristics	Not determined	
· 9.2 Other information		
$\cdot$ 9.2.1 Information with regard to physical hazard classes:		
·Explosives	Not applicable	
· Flammable gases	Not applicable	
· Aerosols	Not applicable	
· Oxidising gases	Not applicable	
· Gases under pressure	Not applicable	
· Flammable liquids	Not applicable	
· Flammable solids	Not applicable	

Printing Date: November 21, 2023 Version No.: 1.0 Revision: November 21, 2023

Trade Name: Air freshener

Not applicable
Not applicable
Not applicable
Not applicable
Not applicable
Not applicable
Not applicable
Not applicable
Not applicable
Not applicable
Not determined
Not determined
Not applicable
Not determined

## SECTION 10: Stability and reactivity

#### · 10.1 Reactivity:

The product is non-reactive under normal conditions of use, storage and transport.

#### · 10.2 Chemical stability:

Under storage at normal ambient temperatures, the product is stable.

### · 10.3 Possibility of hazardous reactions:

No known hazardous reaction.

### · 10.4 Conditions to avoid:

High temperature.

## · 10.5 Incompatible materials:

Strong oxidizing agent and acids.

### · 10.6 Hazardous decomposition products:

Does not decompose when used for intended uses.

Printing Date: November 21, 2023 Version No.: 1.0 Revision: November 21, 2023

Trade Name: Air freshener

## SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity:

Based on available data, the classification criteria are not met.

· LD50/LC50	) values relevant fo	or classification:	
97-53-0 Eu	97-53-0 Eugenol		
Guinea pig	LD50-oral	2130mg/kg	
Mouse	LD50-oral	3000mg/kg	
Rat	LD50-oral	1930mg/kg	
127-51-5 I.	somethylionone, al	pha-	
Rat	LD50-oral	>5000mg/kg	
	LD50-skin	>5000mg/kg	
115-95-7 L	inalyl acetate		
Rat	LD50-oral	13934mg/kg	
Mouse	LD50-oral	12000mg/kg	
Remark: All	Remark: All the above data are from literature.		

#### · Skin corrosion/irritation:

Causes skin irritation.

#### · Serious eyes damage/irritation:

Causes serious eye irritation.

#### · Respiratory or skin sensitization:

May cause an allergic skin reaction.

## · Germ cell mutagenicity:

Based on available data, the classification criteria are not met.

#### · Carcinogenicity:

Based on available data, the classification criteria are not met.

#### · Reproductive toxicity:

Based on available data, the classification criteria are not met.

### · STOT-single exposure:

Based on available data, the classification criteria are not met.

### · STOT-repeated exposure:

Based on available data, the classification criteria are not met.

#### · Aspiration hazard:

May be fatal if swallowed and enters airways.

#### · 11.2 Information on other hazards

#### · 11.2.1 Endocrine disrupting properties:

None of the ingredients ( $\geq 0.1\%$ ) is considered to have endocrine-disrupting properties with respect to humans, as none of them meet the criteria set out in section A of Regulation (EU) No 2017/2100.

Printing Date: November 21, 2023 Version No.: 1.0 Revision: November 21, 2023

Trade Name: Air freshener

### · 11.2.2 Other information:

No known other relevant information on adverse health effects.

## SECTION 12: Ecological information

#### · 12.1 Toxicity:

LC50/EC50/NOEC values relevant for classification:				
97-53-0 Eugenol				
Short–term toxicity to fish	LC50 (4 days) 13 mg/L			
Short–term toxicity to aquatic invertebrates	EC50 (48 h) 1.05 - 1.13 mg/L			
Toxicity to aquatic alogo and evanobacteria	EC50 (72 h) 23 - 36 mg/L			
Toxicity to aquatic algae and cyanobacteria	NOEC (72 h) 23 mg/L			
127-51-5 Isomethylionone, alpha-				
Short–term toxicity to fish	LC50 (4 days) 6.8 - 10.9 mg/L			
	EC50 (4 days) 1.428 mg/L			
	NOEC (4 days) 7.8 mg/L			
Short–term toxicity to aquatic invertebrates	EC50 (72 h) 4.7 mg/L			
	NOEC (48 h) 1 mg/L			
Toxicity to aquatic algae and cyanobacteria	EC50 (72 h) 20 mg/L			
121-33-5 Vanillin				
Short–term toxicity to fish	LC50 (4 days) 57 - 123 mg/L			
Short–term toxicity to aquatic invertebrates	EC50 (48 h) 36.79 mg/L			
	NOEC (48 h) 26.8 mg/L			
Long–term toxicity to aquatic invertebrates	NOEC (21 days) 5.9 - 10 mg/L			
	EC50 (21 days) 16 - 24 mg/L			
Toxicity to aquatic algae and cyanobacteria	EC50 (72 h) 120 mg/L			

## · 12.2 Persistence and degradability:

97-53-0	Eugenol	Readily biodegradable in water
127-51-5	Isomethylionone, alpha-	Readily biodegradable in water
121-33-5	Vanillin	Readily biodegradable in water

### · 12.3 Bio-accumulative potential:

97-53-0	Eugenol	Log Pow = 1.83
127-51-5	Isomethylionone, alpha-	Log Pow = 4.288
121-33-5	Vanillin	$Log \ Pow = 1.17 - 1.33$

#### · 12.4 Mobility in soil:

127-51-5	Isomethylionone, alpha-	$Log\ Koc = 3.486$
----------	-------------------------	--------------------

#### · 12.5 Results of PBT and vPvB assessment:

This mixture does not contain any substances ( $\geq 0.1\%$ ) that are assessed to be a PBT or a vPvB.

#### · 12.6 Endocrine disrupting properties:

None of the ingredients ( $\geq 0.1\%$ ) is considered to have endocrine-disrupting properties with respect to non-target organisms, as none of them meet the criteria set out in section B of Regulation (EU) No 2017/2100.

Printing Date: November 21, 2023 Version No.: 1.0 Revision: November 21, 2023

Trade Name: Air freshener

· 12.7 Other adverse effects:

No known other adverse effects.

- · 12.8 Additional ecological information
- · General notes:

WGK2 (German Regulation) (self-assessment): obviously hazardous to water.

Do not allow the product to reach ground water, water course or sewage system.

## SECTION 13: Disposal consideration

- · 13.1 Waste treatment methods
- · Recommendation:

Must not be disposed together with household garbage.

- · 13.2 Un-cleaned packaging
- · Recommendation:

Dispose of contents/container in according to the local/regional/national/ international regulation.

SECTION 14: Transport information		
· ADR/ADN/RID (2023 Edition)	This product is not subject to ADR/ADN/RID.	
· IATA-DGR (64th)	This product is not subject to IATA-DGR.	
· IMO/IMDG (40-20)	This product is not subject to IMO/IMDG code.	

## SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · MAK (German Maximum Workplace Concentration):

None of the ingredients is listed.

- · Directive 2012/18/EU
- · Named dangerous substances-ANNEX I:

None of the ingredients is listed.

- · Seveso category: Not applicable
- · Qualifying quantity (tonnes) for the application of lower-tier requirements: Not applicable
- · Qualifying quantity (tonnes) for the application of upper-tier requirements: Not applicable
- · National regulations.
- · Water hazard class:

WGK2 (German Regulation) (self-assessment): obviously hazardous to water.

- · Other regulations, limitations and prohibitive regulations
- · SVHC Candidate list of REACH Regulation Annex XIV Authorization:

None of the ingredients is listed.

· REACH Regulation Annex XVII Restriction:

None of the ingredients is listed.

· REACH Regulation Annex XIV Authorization List:

None of the ingredients is listed.

Printing Date: November 21, 2023 Version No.: 1.0 Revision: November 21, 2023

Trade Name: Air freshener

#### · 15.2 Chemical safety assessment:

A Chemical Safe Assessment has not been carried out.

## SECTION 16: Other information

#### · 16.1 Indication of changes:

None.

#### · 16.2 Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the

International Carriage of Dangerous Goods by Road).

IMDG: International Maritime Code for Dangerous Goods.

IATA: International Air Transport Association.

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

PBT: Persistent, Bio accumulative and Toxic

vPvB: very persistent and very bio accumulative

SVHC: Substance of Very High Concern

LD50: Lethal dose, 50 percent

LC50: Lethal concentration, 50 percent

EC50: Concentration of maximal effect, 50 percent

NOEC: No observed effect concentration

Flam. Liq. 3: Flammable liquids, hazard category 3

Acute Tox. 3: Acute toxicity, hazard category 3

Acute Tox. 4: Acute toxicity, hazard category 4

Asp. Tox. 1: Aspiration toxicity, hazard category 1

Skin Irrit. 2: Skin corrosion/irritation, hazard category 2

Skin Sens. 1: Skin sensitization, hazard category 1

Skin Sens. 1B: Skin sensitization, hazard category 1B

Eye Irrit. 2: Eye damage/irritation, hazard category 2

STOT SE 3: Specific target organ toxicity after single exposure, hazard category 3

Aquatic Acute 1: Short-term (acute) aquatic hazard, hazard category 1

Aquatic Chronic 1: Long-term (chronic) aquatic hazard, hazard category 1

Aquatic Chronic 2: Long-term (chronic) aquatic hazard, hazard category 2

#### · 16.3 Key literature references and sources for data:

https://echa.europa.eu/

https://chem.nlm.nih.gov/

https://www.osha.gov/

http://www.unece.org/

http://www.imo.org/

https://www.dguv.de/

https://epa.govt.nz/

http://www.ilo.org/

Printing Date: November 21, 2023 Version No.: 1.0 Revision: November 21, 2023

Trade Name: Air freshener

https://www.phmsa.dot.gov/

· 16.4 Classification for mixtures and used evaluation method according to regulation (EC) 1272/2008 [CLP]:

See section 2.1 (classification).

#### · 16.5 Relevant H- and EUH-phrases (number and full text):

H226 Flammable liquid and vapour

H301 Toxic if swallowed

H302 Harmful if swallowed

H304 May be fatal if swallowed and enters airways

H312 Harmful in contact with skin

H315 Causes skin irritation

H317 May cause an allergic skin reaction

H319 Causes serious eye irritation

H335 May cause respiratory irritation

H400 Very toxic to aquatic life

H410 Very toxic to aquatic life with long lasting effects

H411 Toxic to aquatic life with long lasting effects

#### · 16.6 Training advice:

Workers must be trained in general and specific aspects of safe work procedures for this chemical. Workers need easy to understand guidelines and instructions for safe working with this chemical. Instructions, guidelines and legally required documents need to be available for workers in easy to understand language.

#### · 16.7 Further information:

The contents and format of this SDS are in accordance with Regulation (EC) No 1907/2006, its amendment Regulation (EU) No 2020/878 and (EC) No 1272/2008.

#### DISCLAIMER OF LIABILITY:

The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

\*

End of safety data sheet