



HOMEFIRE SERIES

Built-in Flush Mount Electric Fireplaces











HOMEFIRE SERIES

Built-in Flush Mount Electric Fireplaces

The HomeFire 36" flush mount electric fireplace has the versatility of a contemporary glass or traditional authentic LED log set that looks extremely realistic whether it's on or off. This handsomely styled electric fireplace will make you proud to show friends and is available with an optional choice of 2 matchless real wood cabinets. The larger 42" & 60" sizes have exceptional viewing areas making these models one of a kind in the marketplace. The versatility of a single model can tailor to the room décor by a contemporary glass or traditional log appearance. The design of these models is built to gas fireplace specifications and provides a perfect substitute for such applications while providing supplemental heat up to 450 square feet.



STANDARD FEATURES

-  Low Energy LED Flame Technology
-  Flame Operates With or Without Heat
-  1500 Watt / 5000 BTU Heater
-  Can be Installed Beneath a TV
-  Deeper Firebox for 3D Burner & Flame
-  Designed to Match Standard Gas Fireplace Sizes
-  Customizable Side Panel Options
-  Customizable Burners
-  Hard Wire or Plug-in Cord Option
-  Touch Screen and Remote Control

HOMEFIRE SERIES

Traditional or Contemporary



Traditional Juniper Log Set



Contemporary Large Glacier Glass

CUSTOMIZE

Must pick one of each:


- Firebox
- Media (logs or glass)
- Firebox Side Panels



Brick Herringbone



Brick Straight



Black Glass




HOMEFIRE SERIES

Technical Specs



REMOTE CONTROL

Separate controls for on/off, variable heat, and variable flame.




TOUCH SCREEN TECHNOLOGY

Directly below the flame on the right hand side you will find a series of touch controls. The 3 icons (in order) operate the power, heat (on/off) and light intensity. All touch controls fade to black after 4 seconds.

MODEL #	VOLTS	WATTS	BTU's	FRAMING (FINISHED OPENING)	INSTALLATION TYPE
HF36CBI	AC 120V / 60Hz	1,520	5,000	33" L x 27 1/4" H x 12" D	Fully Recessed
HF42CBI	AC 120V / 60Hz	1,530	5,000	39" L x 27 1/4" H x 12" D	Fully Recessed
HF60CBI	AC 120V / 60Hz	1,570	5,000	57" L x 27 1/4" H x 12" D	Fully Recessed

MODEL #	A	B	C	D	E	F	G
HF36CBI	17 1/2"	30"	11 7/16"	32 5/16"	26 13/16"	36"	29 1/4"
HF42CBI	17 1/2"	36"	11 7/16"	38 5/16"	26 13/16"	42"	29 1/4"
HF60CBI	17 1/2"	54"	11 7/16"	56 5/16"	26 13/16"	60"	29 1/4"

HF36CBI TECHNICAL DRAWING SHOWN



MODEL SHOWN - HF36CBI

