



On a tous
droit au
design



invicta.fr

PROFESSIONAL
CATALOG

8,99€ - 0320



3 244330 910968

made in
france

INVICTA

CAST IRON STOVES

GAYA SLATE

Get comfortable in your armchair and enjoy the fantastic show provided by the Gaya Slate chimney stove.

H 1143 x W 1200 x D 500 mm - Diameter of nozzle: 180 mm. Smoke exhaust: Top. (Comparative tables: p 144). Design: B. Dequet.



ECO-DESIGN 2022



5 YEARS WARRANTY

100% CAST IRON

POST-COMBUSTION

ECO-LABEL A

Heating surface 65 to 145 m ²
Optimal Power 12 kW
Consumption 4 kg WOOD / 1hour
Power modulation 8 to 18 kW
Maximum length of the logs 71 cm

Colour selection

● PB11744



FRANCE CAST IRON

BVCFE 2306272

ITAYA

Sophisticated and unique, our Itaya cast iron stove provides a touch of exquisite warmth to any interior.

H 815 x W 1051 x D 431 mm - Diameter of nozzle: 180 mm. Smoke exhaust: Top. (Comparative tables: p 145). Design: B. Dequet.



ECO-DESIGN 2022



5 YEARS WARRANTY

100% CAST IRON

POST-COMBUSTION

ECO-LABEL A

Heating surface 65 to 145 m ²
Optimal Power 12 kW
Consumption 4 kg WOOD / hour
Power modulation 8 to 18 kW
Maximum length of the logs 71 cm

Colour selection

● PB11044



FRANCE CAST IRON

BVCFE 2306272

GAYA LEAF

Gaya Leaf offers a unique take on the cast-iron stove, with a surprising yet elegant design that enhances the beauty of the flames.

H 1300 x W 1213 x D 500,5 mm - Diameter of nozzle: 180 mm. Smoke exhaust: Top. (Comparative tables: p 144). Design: B. Dequet.



ECO-DESIGN 2022



5 YEARS WARRANTY

100% CAST IRON

POST-COMBUSTION

ECO-LABEL A

Heating surface 65 to 145 m ²
Optimal Power 12 kW
Consumption 4 kg wood / hour
Power modulation 8 to 18 kW
Maximum length of the logs 71 cm

Colour selection

● PB11844



FRANCE CAST IRON

BVCFE 2306273

TECHNICAL DATA


						
P613744	P612744	P64794X	P64804X	P64806X	P611744	P611844
CHATEL	ELTON	FIFTY ARCHE	FIFTY on pedestal	FIFTY on pedestal	GAYA SLATE	GAYA LEAF
75	92	80	81	81	88	89
Cast iron stoves	Cast iron stoves	Cast iron stoves	Cast iron stoves	Cast iron stoves	Cast iron stoves	Cast iron stoves

DIMENSIONS AND WEIGHT

Height	803	930	733	828	828	1143	1300
Width	476	910	922	922	922	1200	1213
Depth	375	480	442.5	442.5	442.5	503	500.5
Flue diameter	150	180	150	150	150	180	180
Flue height	-	791	-	-	663	-	-
Log length (cm)	34	80	60	60	60	71	71
Weight (kg)	80	210	176.5	180	176.5	206	214

HEATING PERFORMANCE

Optimal heat output (kW) ¹⁾	8	14	10	10	10	12	12
Heat output adjustment ²⁾	5 to 12	9.5 to 21	6.5 to 15	6.5 to 15	6.5 to 15	8 to 18	8 to 18
Efficiency (%) ³⁾	77	75	76	76	76	77	77
CO level (%) ⁴⁾	0.09	0.15	0.08	0.08	0.08	0.1	0.1
Performance rate ⁵⁾	0.4	0.8	0.5	0.5	0.5	0.7	0.7
Flamme verte ⁶⁾ / Ecolabel	7 ★ / A	6 ★ / A	7 ★ / A	7 ★ / A	7 ★ / A	7 ★ / A	7 ★ / A
Compatible with BBC RT 2012 ⁷⁾	No	No	No	No	No	No	No
Ductable	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Eligible for tax credit in France ⁸⁾	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Autonomy	8 H	8 H	8 H	8 H	8 H	8 H	8 H
Extended burning ⁹⁾	105/240	185/425	135/300	135/300	135/300	160/360	160/360
Heating volume (m ³) ¹⁰⁾	40/100	75/170	55/120	55/120	55/120	65/145	65/145
Heating surface (m ²) ¹¹⁾	No	Yes	Yes	Yes	Yes	Yes	Yes
Post combustion system ¹²⁾	No	Yes	Yes	Yes	Yes	Yes	Yes
Adjustable secondary air ¹³⁾	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Warranty ¹⁴⁾	5 years	5 years	5 years	5 years	5 years	5 years	5 years
Standard	EN13240 BlmSchV2	EN13240	EN13240 BlmSchV2	EN13240 BlmSchV2	EN13240 BlmSchV2	EN13240 BlmSchV2	EN13240 BlmSchV2
Finish	Anthracite	Anthracite	Anthracite, Ivory, Red	Anthracite, Ivory, Red	Red	Anthracite	Anthracite



TECHNICAL DATA

									
P615844	P611044	P610644	P647844	P6104XX	P645444	P614544	P918044	P618064	P613644
GOMONT	ITAYA	INAKI	KAORI	KAZAN KAZAN GA	LA BORNE 2	MAIRY	MANDOR	MANDOR	MESNIL
90	88	72	76	76	70	78	85	85	75
Cast iron stoves	Cast iron stoves	Cast iron stoves	Cast iron stoves	Cast iron stoves	Cast iron stoves	Cast iron stoves	Cast iron stoves	Cast iron stoves	Cast iron stoves

DIMENSIONS AND WEIGHT

Height	1103	815	850	740	768	684	1071	770	770	959
Width	550	1051	372	754	652	548	524	852	852	486.5
Depth	447.5	431	394	404	372	400	426.5	492	492	385
Flue diameter	150	180	150	150	150	150	150	150	150	150
Flue height	-	-	718	601	636	-	-	608	-	-
Log length (cm)	45	71	34	58	58	45	40	66	66	34
Weight (kg)	128	187	118	152	157/162	89	107	144	144	88

HEATING PERFORMANCE

Optimal heat output (kW) ¹⁾	12	12	7	9	9	7	10	12	12	8
Heat output adjustment ²⁾	8 to 18	8 to 18	4.5 to 10.5	6 to 13.5	6 to 13.5	4.5 to 10.5	6.5 to 15	8 to 18	8 to 18	5 to 12
Efficiency (%) ³⁾	75	77	78	75	76	78	76	77	77	77
CO level (%) ⁴⁾	0.10	0.1	0.07	0.10	0.08	0.12	0.09	0.10	0.10	0.09
Performance rate ⁵⁾	0.6	0.7	0.4	0.6	0.5	0.5	0.5	0.6	0.6	0.4
Flamme verte ⁶⁾ / Ecolabel	7 ★ / A	7 ★ / A	7 ★ / A	7 ★ / A	7 ★ / A	7 ★ / A	7 ★ / A	7 ★ / A	7 ★ / A	7 ★ / A
Compatible with BBC RT 2012 ⁷⁾	No	No	No	No	No	No	No	No	No	No
Ductable	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Eligible for tax credit in France ⁸⁾	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Autonomy	8 H	8 H	8 H	8 H	8 H	8 H	8 H	8 H	8 H	8 H
Extended burning ⁹⁾	160/360	160/360	100/210	125/275	125/275	100/210	135/300	160/360	160/360	105/240
Heating volume (m ³) ¹⁰⁾	65/145	65/145	40/85	50/110	50/110	40/85	55/120	65/145	65/145	40/100
Heating surface (m ²) ¹¹⁾	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No
Post combustion system ¹²⁾	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No
Adjustable secondary air ¹³⁾	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Warranty ¹⁴⁾	5 years	5 years	5 years	5 years	5 years	5 years	5 years	5 years	5 years	5 years
Standard	EN13240 BlmSchV2	EN13240 BlmSchV2	EN13240 BlmSchV2	EN13240 BlmSchV2	EN13240 BlmSchV2	EN13240 BlmSchV2	EN13240 BlmSchV2	EN13240 BlmSchV2	EN13240 BlmSchV2	EN13240 BlmSchV2
Finish	Anthracite	Anthracite	Anthracite	Anthracite	Anthracite	Anthracite	Anthracite	Anthracite	Anthracite	Anthracite

