COIL OVER PLUG KIT

Kawasaki KRX1000 Installation Guide

PARTS LIST

2 IGNITION COILS

X

1 WIRING HARNESS

PLEASE READ ALL DIRECTIONS BEFORE STARTING INSTALLATION




e

INSTALLATION

Remove the cargo bed and any other bodywork needed to access the engine area from the top.

Remove the stock spark plug wires.

Remove the stock ignition coils.



STOCK COIL AND PLUG WIRES

Push the new Dynojet ignition coils securely over the spark plugs.

Plug the male spade connectors of the Dynojet wiring harness into the stock female spade connectors for the ignition coils. Stock BLACK to Dynojet GREEN. Stock BLACK/RED to Dynojet BLUE. Stock BROWN (left) to Dynojet RED.

Stock BROWN (right) to Dynojet RED/WHITE.

Plug the Dynojet ignition coil connector with the GREEN wire into the LEFT coil. Plug the one with the BLUE wire into the RIGHT coil.

Secure the wires with the stock wire tie clip.

Reinstall the cargo bed and removed bodywork.



DYNOJET COILS AND WIRING HARNESS

INSTALLATION GUIDE

PUSH THE LINIT

2191 MENDENHALL DRIVE, NORTH LAS VEGAS, NV 89081 - 800-992-4993 - DYNOJET.COM © 2019 DYNOJET RESEARCH ALL RIGHTS RESERVED