



TOP BOX 154 PCE 3 DRAWER & TOP TRAY 535X X255 X 315MM

Specification Sheet

| Company Name | Vermont Sales (Pty) Ltd |
|----------------------------|---|
| Trade Name (Brand) | Tork Craft |
| Product Description | TOP BOX 154 PCE 3 DRAWER & TOP TRAY 535X X255 X 315MM |
| Product Code | TCTB154 |
| Barcode | 6009515888534 |



| Packaging Type | Cardboard Box | | |
|-----------------------------|---|--|--|
| Packaging Dimensions | 575(L) x 270(W) x 350mm (H) | | |
| Trolley Dimensions | 575(L)(Including Handle) (581 Excluding) x 270(W) x 350mm(H) | | |
| Packaging Weight | 23.35kg | | |
| | Aluminium: Drawer handle | | |
| | Mild Steel: Top box body, drawers | | |
| | Chrome Vanadium Steel (CR-V): Sockets, spanners, hand tools | | |
| Material | Rubber: handles | | |
| Material | Plastic: Body panels, handles | | |
| | Foam: Drawer inserts | | |
| | High Carbon Steel: hammer | | |
| | Fibreglass: Hammer Handle | | |
| | Top box lid and foam inserts for tool storage | | |
| | 3 x Standard Lockable drawers | | |
| | 35mm Ball bearing drawer slides | | |
| Features | Powder coated with plastic panels | | |
| | Lockable top box and drawers | | |
| | Drawer lock release button | | |
| | Steel box construction | | |
| | Automotive maintenance | | |
| | Steel fabrication | | |
| Application | General machine repairs | | |
| Application | Electrical work | | |
| | Wood working | | |
| | DIY | | |
| Safety | Using any tool can be dangerous, always select the right tool | | |
| | for the job. | | |

CONTENT LIST:



Screwdrivers

- Chrome Vanadium (CrV) steel shank
- Magnetic tip
- Soft rubber grip handle with hanging hole

| SL 8 x 150mm (Slotted) | PH 3 x 150mm (Phillips) | PZ 2 x 100mm |
|------------------------|-------------------------|--------------|
| SL 6 x 100mm (Slotted) | PH 2 x 100mm (Phillips) | |
| SL 5 x 125mm (Slotted) | PH 1 x 75mm (Phillips) | |
| SL x 38mm (Slotted) | PH 2 x 38mm (Phillips) | |
| Drive Handle x 100mm | | |

Drive Handle

- CrV (Chrome Vanadium) steel
- ¼" Drive (Male & Female Square)
- Plastic Handle
- Length: 150mm

Tape Measure

- Length: 3m x 19mm
- Auto lock
- Rubber casing matt finish
- Lanyard loop
- Belt hook

Mechanical vernier


- Range: 150mm
- Accuracy: 0.02mm
- Stainless steel vernier

Torch

- 75 Lumens
- 2½ hours running time
- 50m beam
- 1m Impact resistant
- Water resistant
- Takes Three AAA batteries

Telescopic Magnet pickup

- Rubber casing
- 1.5kg pickup
- Pocket clip
- Closed length 169mm
- Open length 665mm



Spark Plug Sockets

- CrV (Chrome Vanadium) steel
- Matt chrome Plated
- ¹/₂" Drive
- 6 Point (16mm & 21mm) and 12 point (17mm &19mm)

| 17mm x 78mm | 19mm x 78mm |
|-------------|-------------|
| 16mm x 65mm | 21mm x 65mm |

Reversible Ratchet

- CrV (Chrome Vanadium) steel
- Matt chrome plated
- Steel handle
- Reversible rocker switch
- Socket release button

| ¾" x 150mm | ½" x 244mm |
|------------|------------|
|------------|------------|

Extension Bar

- CrV (Chrome Vanadium) steel
- Matt chrome plated

| ¾", 76mm | ½", 125mm |
|----------|-----------|
|----------|-----------|

Sliding T-Bar

- CrV (Chrome Vanadium) steel
- Matt chrome Plated

| ¼" x 110mm | ½" Sliding Adapter, ½"drive |
|-------------|------------------------------|
| /4 /\ I I U | 72 Shanig Maapter, 72 arrive |

Universal Joint

- CrV (Chrome Vanadium) steel
- Matt chrome Plated

| ¼" x 38mm | |
|-----------|--|
|-----------|--|

Sockets

- CrV (Chrome Vanadium) steel
- Matt chrome Plated

| ½" 12 Point | 1/4", 12 Point |
|-------------|----------------|
| 10mm | 4mm |
| 11mm | 5mm |
| 12mm | 6mm |
| 13mm | 7mm |
| 14mm | 8mm |
| 15mm | 9mm |
| 16mm | 10mm |
| 17mm | 11mm |
| 18mm | 12mm |
| 19mm | 13mm |
| 20mm | 14mm |
| 21mm | |
| 22mm | |
| 23mm | |
| 24mm | |
| 25mm | |
| 27mm | |
| 30mm | |
| 32mm | |

Flexible shaft

• For bit: 1/4' Hex

• Shank: 1/4' Hex male

• Length: 150mm

• CrV (Chrome Vanadium) steel

• Matt chrome Plated

Bit Sockets

• CrV (Chrome Vanadium) steel

• ¼" Drive

• Length: 38mm

| H4 (Hex) | T10 (Torx) | T27 (Torx) |
|----------|------------|------------|
| H5 (Hex) | T15 (Torx) | T30 (Torx) |
| H6 (Hex) | T20 (Torx) | T40 (Torx) |
| H8 (Hex) | T25 (Torx) | |

• ½" Drive

• Length: 56mm

| T40H(Security Torx) | H6 (Hex) | M5 |
|-----------------------|-----------|-----|
| T45H (Security Torx) | H7 (Hex) | M6 |
| T50H (Security Torx) | H8 (Hex) | M8 |
| T55H(Security Torx) | H10 (Hex) | M9 |
| T60H (Security Torx) | H12(Hex) | M10 |
| | H14 (Hex) | M12 |

Screwdriver Bits

• 6150 Tool steel


• Matt chrome Plated

• Length: 25mm

| H2.5(Hex) | T20 (Torx) | T50 (Torx) | PH0 ((Phillips) (Phillips) |
|-----------|------------|----------------|----------------------------|
| H3(Hex) | T25 (Torx) | SL3 ((Slotted) | PH1 (Phillips) |
| H4(Hex) | T27 (Torx) | SL4 (Slotted) | PH2 (Phillips) |
| H5 (Hex) | T30 (Torx) | SL5 (Slotted) | PZ3 (Pozi) |
| H6 (Hex) | T35 (Torx) | SL6 (Slotted) | |
| H8 (Hex) | T40 (Torx) | SL7 (Slotted) | |

Drive Adapter: ¼" Hex to ¼" SQ Drive

Bit holder 65mm length x ¼" Hex Shank



Combination Spanner

- CrV (Chrome Vanadium) steel
- Matt chrome Plated
- Hardened and tempered
- Drop forged
 Open ended and 12 point ring spanner

| 6mm | 11mm | 16mm |
|------|------|------|
| 7mm | 12mm | 17mm |
| 8mm | 13mm | 19mm |
| 9mm | 14mm | 21mm |
| 10mm | 15mm | 24mm |

Hex Key Set

- Ball Point
- CrV (Chrome Vanadium) steel, Matt chrome Plated
- Key Holder

| 1.5mm | 3mm | 6mm |
|-------|-----|------|
| 2mm | 4mm | 8mm |
| 2.5mm | 5mm | 10mm |

Circlip Pliers

- CrV (Chrome Vanadium) steel
- Rubber grip
- Spring loaded jaws
- Length: 178mm


Pincer Plier

- CrV (Chrome Vanadium) steel
- PVC vinyl grip
- Length: 205mm

Torx Key Set

• CrV (Chrome Vanadium) steel

| T10 (Torx) | T20 (Torx) | T27 (Torx) |
|------------|------------|------------|
| T15 (Torx) | T25 (Torx) | T30 (Torx) |



Machinist Hammer

- Bevelled square striking force
- Taper peen for splitting applications
- PP coated fibreglass handle, Length: 290mm
- Weight: 500g

Locking Plier

- CrV (Chrome Vanadium) steel
- Curved Jaw Locking
- Length: 220mm
- Nickel plated body
- Release lever and adjusting screw

Pliers

- CrV (Chrome Vanadium) steel
- Hardened edges
- Rubber grip

| Long Nose, 163mm | Water Pump Box Joint, 250mm |
|-------------------------|-----------------------------|
| Combination, 183mm | Side Cutter, 161mm |
| Shifting spanner, 209mm | |