



Ribs Bench

The Ribs Bench is made from using glue laminated timber. The piece features a unique flexible metal spine and is able to move fluidly into various positions.

Available as a flexible or static item.

DESIGNED BY

Stefan Lie

MATERIAL

Glue laminated timber, aluminium spine/links.

FINISH

Stained or coated in water based polyurethane

WEIGHT

Small - 17-22kg
Large - 30kg

WARRANTY

5 year warranty based on observance of product maintenance procedures. Excludes fair wear and tear, improper use or vandalism.

STANDARD TIMBERS



Ash

OPTIONS

Custom measurements, timber, stains and finishes available upon specification. Please contact info@designbythem.com for details.


DIMENSIONS

Small - 1500 W x 744 D x 350 H mm
Large - 1650 W x 800 D x 450 H mm

1500/1650




744/800



350/450

Note: Dimensions and diagrams depict the Ribs Bench in its straight position only. See following page for images of curved positions.

IMAGE REFERENCES



Ribs Bench moved into various positions.

CARE & MAINTENANCE**Timber**

To clean, begin with a gentle wipe with a soft microfiber cloth going in the direction of the grain to remove any hard grains or dirt that may scratch the surface. Wipe with a damp soft cloth using warm soapy water and mild detergent or with furniture appropriate cleaner ensuring to wipe in the direction of the grain.

Always test any new detergent or cleaner on underside or non visible area first a day before to see if there are any adverse effects. Always ensure to completely dry any detergent or cleaner. Avoid steam cleaning, abrasive cleansers, steel brushes/wools and cleaners containing chlorine. Do not allow dirt to accumulate or liquids to dry out and harden. Never use strong solvents to clean surfaces.

For solid timber, light scuff marks or scratches can be repaired using a wipe on polyxoil. Contact DesignByThem for further information.

Metal

Clean surfaces with a damp, lint free, non abrasive cloth and then wipe dry after cleaning. Ensure all cleaning solutions do not contain any bleaching agents, abrasives or solvents.

Make sure to test on underside or non visible surface of the product first to ensure cleaner is compatible with material. Ensure that all the cleaning solution is wiped off the surface and is not allowed to sit for any extended period of time. Keep away from water.