

Manufacturing Date: /20



RGK Head Office: Units 8 A/C Ring Road, Zone 2, Burntwood Business Park, Burntwood, Staffordshire, WS7 3JQ, UK Telephone:+44 (0) 1543 670077 - Fax:+44(0)1543 670088 - info@rgkwheelchairs.com - www.rgkwheelchairs.com To place order: chairorders@rgkwheelchairs.com

To request quotation: quotes@rgkwheelchairs.com




Distributor Name: Contact Name:				Notes/Comments	:
Purchase Order No: Delivery Address:					
Postcode:					
Contact Name:					
Telephone: Email:					
		FOR RG	K OFF	FICE USE ONLY	
A/C No:				Net Value:	<u>f</u>
	Who	Date		Freight:	<u>f</u>
OK to Quote:				Invoice Value:	£
OK to Confirm:				Payment Received:	<u>£</u>
Document No:	DOC				

_	AF)		Serial Nu	mber:			RO
			Manuf	acturing Date:	/20		-9
	Base Product		\wedge	Mandatory Information	1	Information R	equired for Option
	Standard Configura	tion		Option with No extra c	ost	O Option with Ex	tra cost
•	FXAXZ010 TIGA	FX					ĥ
•	XA070 Open de	ign					
	Max User Weight	125kg					Δ
0		drawing for approv	val				
0	XW011 Quick CA	D drawing for appi	roval				
-	(Basic ou	tline of chair withii		days*) *Approximate ti FRAME MEASURE			
						n	ĥ
	XY010 Seat widt	h (Inside of sidegu	ards) (Max - 4	60mm)			XY010
	<u>/!</u>	mm	(Min - 25				
	XY020 Seat leng	th					
		mm	(Max - 4 (Min - 2)				
			(101111 25			P.	R
	XY030 Extra sea	t length (Provides	additional le	g support & hand grip)			0₽
	(i)	mm					f
	XY050 Front fra	me height				XY030	-1
		mm	(Max - 5 (Min - 48		1	XY020::	
		ne height			XV050	10 Min	THE KT
	XY060 Rear fran	ne height	(Max - 5	50mm)	×		
		mm	(Min - 36		KAR		
	XY070 Frame le	ngth			Z		
		mm	(Min XY) (Max 62	020 + XY030 + 140mm) 5mm)		VV070	
	XY072 Castor po		,		XY072	XY070	
-	(i)	mm					D
		otimise measureme	ents			XA020	1
0	XA020 Ergonom					TTTT TT	
-	Specify le	ength	101-	ud - 120m		E.	J
	(i)	mm	(Standaı	d = 120mm)		0	









Manufacturing Date: /20




			CASTOR WHEELS, FORKS & WHEEL LOCKS
			Castor Wheels 3"
	0	XC150	Froglegs Aluminium centre 3"x1.4" (Silver hub and black urethane tyre)
			4"
		XC060	Soft roll 4"x1.3" (<i>Black</i>)
	0	XC110	Froglegs Aluminium centre 4"x1" (Silver hub and black urethane tyre)
yln	0	XC137	Froglegs Carbon composite centre 4"x1.25" (Black hub & black urethene tyre)
Choose one castor option only	0	XC130	Froglegs Aluminium centre 4"x1.4" (choose colour below)
e castor	ſ		Silver hub & black tyre (Std) Black hub & blue tyre Silver hub & black tyre Silver hub & blue tyre
e one			Black hub & black tyre Gold hub & black tyre Silver hub & red tyre
Choos			Black hub & red tyre Blue hub & black tyre Green hub & black tyre
			5"
		XC070	Soft roll 5"x1.3"NC120Froglegs Aluminium centre 5"x1"(Black)(Silver hub and black urethane tyre)
	0	XC100	Pneumatic Aluminium centre 5"x1" O XC140 Froglegs Aluminium centre 5"x1.4" (Grey) (Silver hub and black urethane tyre)
			6"
	0	XC145	Frog Legs aluminium centre 6"x1.4" (Silver hub and black urethane tyre)
			Castor Forks
		C190	Low ride castor fork O XC210 Froglegs suspension castor (Std when no option selected) fork
		No	te: Colour follows accent
		Y330	Castor Pin Width (XY010 plus 70mm)
			Wheel Lock Options (Choose one)
)	(D020	Underseat Scissor XD050 Push to lock
() ×	(D030	Compact scissor O XD046 Out Front push to lock
) ×	D035	Compact scissor with lightweight fixing XD010 Omit wheel locks (Only with fixed centre of gravity)
() ,	(D045	Out Front Compact scissor






			SIDEGUARDS	AND) ARN	/RES	TS	
		Sideguard Aluminium Optio	nc				Sideguard with Fend	
-		Aluminium Optio	ns	~			Aluminium Options	5
0	XE080	Lift out aluminium		0	XE090	0	Lift out aluminium with fen	nder
0	FXAXE130)Fold flat aluminium		0	FXAXI	E140	Fold flat aluminium with fe	nder
		Carbon Fibre Option	ons				Carbon Fibre Optior	าร
0	XE100	Lift out carbon fibre		0	XE110	C	Lift out carbon fibre with fe	ender
0	FXAXE150)Fold flat carbon fibre		0	FXAXI	E160	Fold flat carbon fibre with f	fender
		ABS Plastic Optio	ns				Sideguard Measureme	
0	XE120	Lift out ABS plastic					Fender height	
•						10mm (Stand	n above tyre dord)	
0	FXAXE170)Fold flat ABS plastic				Indivi	dual above tyre	
		Armrest Option	S		()	(Min =	= <u>10mm)</u> mm	
0	XF010	Lift out armrest with plasti (Indicate fixed height)	ic sideguard		•		Fender positio	
0	XF020	Lift out armrest with alum	inium sideguard		_			
		(Indicate fixed height)		nents			e of tyre dard if no option selected)	
	(j	Height (Top of seatrail to t	op of armrest)	asuren				
	U	mm		mea				
		Sideguard Measurer Optimised measurer		idual				
SI		mm above tyre		Choose optimised or individual measurements		Outsid	de of tyre	
men.		ollow tyre)		sed o				
sure		dividual above tyre ollow tyre)		otimi				
mea	(j)	mm		se of				
idual				Choo				
r indiv		vel with tyre ollow tyre)		Ū				
sed c		Individual measu	rements					
Choose optimised or individual measurements	Sic	deguard length mm						
Choc	Sic	deguard height						
		mm	- <u>@</u>					















			WHEELS eel Size	
	XY420	24" Wheels XY430	25" Wheels	XY440 26" Wheels
		Wh	eel Gap	
	XY460	Rear wheel gap $xy460$		
<u>_1</u>				
		Wheel Optio	ns (Choose one)	
	XK010	Fusion 16 spoke (Silver Hub, black spokes)	O XI	(320 Spinergy XLX 12 spoke, cross/radial spoked
0	XK050	Spinergy LX 12 spoke	O xi	K060 Spinergy SPOX 18 spoke
0	XK150	Spinergy CLX 18 carbon blade spoke	O xi	K070 Spinergy BLXL 18 blade spoke
Spin	ergy Colo	ur Options:	-	
	Black / Si		O xi	(180 Custom spoke design
	Red / Bla			(Specify colour)
	Pink / Bla	Black hub Green / Black hub		Inside:
	Purple / I			<i></i>
Cust		se Options		
C	ХК190	Black hub O XK200 Silver hub	Охк201	Red hub/rims (LX, XLX & BLXL only)
C)хк202	Purple hub/rims O XK203 Blue hub/rims (LX, XLX & BLXL only) (LX, XLX & BLXL only)	(у) Охк204	Custom hub/rims Select colour:
		Handri	m Position	
	XY480	Narrow set handrim	X	/485 Wide set handrim
0	XL090	Remove excess mounting tabs (recommended for small wheel gaps)		
_			m Options	
	XL010	Aluminium hard anodised 6 tab (Standard if no option selected)	O xi	.040 Titanium 6 tab
0	XL030	Surge LT 6 tab	O XI	.050 Stainless steel 6 tab
0	XL020	Tetra grip 6 tab	O xi	.140 Ergo gripp 6 tab wide
0	XL100	Para grip 6 tab		
		<u> </u>	Options	
	XM010	Kenda (i) 🗖 Grey (std)	Blue
0	XM130	Kenda black		
0	XM020	Schwalbe Marathon Plus	О хмое	50 Schwalbe One (24",25" only)
0	XM040	Shox solid airless (Black) (24",25" only)	O XMOS	50 Kenda K885 mountain bike tyre (24",25" only)
	XY500	Schraeder inner tube valve (Standard if no option selected)	Valve Options	D Presta inner tube valve
\cap	XK220	Wheel <i>i</i> Titanium 130mm quick release axle pins (<i>pair</i>)	Accessories O XK30	0 Offroad wheel set 22" rim with handrim, MTB tyre and
	717220	(N/A with XK010 & XK070)		axle pins (<i>Replaces 24" wheel with XM010</i>)
0	XK240	Quad release axle nuts (pair)	О хкз1	O Offroad wheel set 24" rim with handrim, MTB tyre and axle pins (<i>Replaces 25" wheel with XM010</i>)





		Manufacturing Da	te: <u>/</u>	20	-		
			OPTIONS	- I-			
XN010	Devuden er ete diference	Frame & Co	mponent Finis	sh	XN150 F		
	Powder coated frame				XN130 F	owder coated con	ponents
Frame Comp.	<u>Gloss</u>	Frame Comp.	<u>Matt</u>		Frame Co	mp. <u>Spec</u>	<u>cial</u>
В	ack gloss 103	Blac	k matt 105			Chrome Mir	ror 300
	/hite gloss 100	Whi	te matt 101			Sparkle silve	r 170
G	rey gloss 132	Grey	/ matt 131			Metallic black	matt 104
	ream gloss 135	Ligh	t grey matt 133			Metallic grey	matt 130
	ed gloss 108	Nav	y blue matt 152			Black sandpa	aper 201
	ellow gloss 120					Grey sandpa	per 202
Fo	rest green gloss 143					White sandpa	per 200
G	reen gloss 107		<u>Custom</u>				
Di	ark blue gloss 151	O XN200 0	Custom paint co	olour			
R	oyal blue gloss 154						
В	ue gloss 174	Frame Comp. Selec	t colour/RAL:				
Du	uckegg blue gloss 141						
Pi	nk gloss 188						
	range gloss 180						
	urple gloss 157						
O FXAXN03	0 Brushed frame			0	XN160 E	Brushed componen	ts
C FXAXN05				\frown	XN170 F		
	0 Polished frame			0	XN170 F	Polished componer	its
		Accent Color	ur (Choose On	e)			
<u>Note:</u> Accent colour	includes, forks & castor cap	s.					
	Black accent				Silver accent		
$\overline{\mathbf{I}}$	Red accent				Blue accent		
	Purple accent				Carbon accent		
				_	(Castor caps or	nly, black for rest)	
			DLSTERY				
		Seat U	pholstery				
XP040	Seat sling adjustable tensi	on with straps	0	XR050	Carbon fibre se	eat plate	
		Backrest	Upholstery				
XP050	Airtech backrest strap adj						
			~	VB 5			
О хробо	Backrest upgrade to full le (select colour)	eatner	0	XP070		de to leather corno own push handles)	
	Black (std)	Red			Black (st		Red
		Backrest Upholste	ery Stitching C	Options			-
	Silver		Black			Blue	
	(Standard if not indicated,		-				
	Red		Light blue			Purple	
		Backrest Uphol	stery Logo On	tions			
	Silver		Black			Blue	
	(Standard if not indicated)		-				
	Red		Light blue			Purple	
^		Backrest	Accessories				
O XP110	Backrest with zip pocket		0	XP170		rest embroidery .jpeg file and posi	tioning)





				SHION	
\cap	VD000	Cushian faam with aulan asuan	Cushion	foam options	
0	XP080	Cushion foam with nylon cover (select density and size below)			
	(j) [Soft (CMS040)		Medium (CMS050)	Hard (9lb recon)
	Ľ	50mm		75mm	100mm
			Cushion	cover options	
0	XP090	Air Lite cushion cover (Black)			
0	XP100	Leather cushion cover (select colour below)			
	(j) [Black (std) Red			
			Jay	Cushion	
0	XP250	JAY Extreme Active fluid pad (Price subject to change dependant o	on size)	select size	
0	XP251	JAY Easy Visco (Price subject to change dependant c	on size)	select size	
	Other Ja	v cushion, please specify code, cost, siz	e and descriptio	on:	
			ACCE	SSORIES	
0	XR080	Frontwheel assembly (Only with XB010, TGAXB080, XB150)		
(Office use o	nly)	Frontwheel serial number:			
0	XP120	Frame protectors neoprene zip faste velcro fasten with XR060)	en with TIGA log	go (Nylon with	
0	XR010	Seat pouch velcro attach (Black)			
0	XR200	Rucksack with RGK logo (Black)			
0	XR100	TIGA FX carry bag			
	XR090	Tool kit			
	XS060	Calf strap			



Manufacturing Date: /20



NOTES

	 									 		 1							



Manufacturing Date:

RGK

Data Privacy - Customer Order Forms

/20

This data privacy notice tells you about the personal data we collect from you when you purchase one or more of our products. In collecting this personal data, we are acting as a data controller and, by law, we are required to provide you with information about us, about why and how we use your data, and about the rights you have over your data.

Who are we?

We are RGK Wheelchairs. Our address is Units 8a/b/c Ring Road, Zone 2, Burntwood Business Park ,Burntwood, Staffordshire, WS7 3JQ UK

You can contact us by post at the above address, by email at data.enquiries@rgklife.com or by telephone on +44 (0)1543 670077 - Any enquiries about our use of your personal data should use the contact details above.

What personal data do we collect?

When you purchase products from us, we ask you for your name, address, contact telephone number, email address. Where necessary some personal details such, as; height, weight, limb measurements and any disability or disease will be required. To fulfil your order (unless under contract) we will also need your bank account details.

Why do we collect this personal data?

We will use your personal data to allow the configuration and/or customisation of your purchase, process your order and to send you your goods. We will also send you an invoice and a delivery note. If we have a question about your delivery we will use your telephone number or email address to contact you.

We process special personal data (Health) for the purposes of the provision of healthcare treatment and manufacturing of your product. The Lawful basis for processing normal personal data is Legitimate Interest this enables us to complete your order, process your payment, deliver your goods and fulfil our contract with you.

What do we do with your information?

Your information is stored in our order processing system which is based within the European Union.

We use a third-party courier companies to deliver your goods and we share with them your name, address and telephone number in order to complete the delivery.

We do not use the personal data you provide to make any automated decisions that might affect you. Your data will be shared with an external dealer (if required) and internally with our Sales Team, Customer Services, Financial Services and Quality/Warranty departments to enable fulfilment of your order and provide support services.

How long do we keep your personal data for?

Your non-financial data will be stored for the period of the warranty of the particular product purchased for a maximum of five years.

Your financial data will be stored for seven years as is required by UK Law.

Your rights over your personal data

By law, you can ask us what personal data we hold about you. You can request a copy, correct it if it is inaccurate, request we erase it, and transfer a copy to another data controller.

You can also ask us to stop using your data if you believe we are not processing it lawfully.

To submit a request by email, post or telephone, please use the contact information provided in the 'Who are we?' section.

Your right to complain

If you have a complaint about our use of your information, you can contact the Information Commissioner's Office via their website at www.ico.org/concerns or write to them at:

Information Commissioner's Office Wycliffe House Water Lane Wilmslow Cheshire SK9 5AF