

INGLESE - cod.22081 - 09/11/2020



**ORMESA®**  
• MADE IN ITALY SINCE 1980 •

**MINI STANDY**



# MINI STANDY

## Your daily support.

**Mini Standy is a stabilizing standing frame for children and teenagers** needing support to independently maintain an upright standing position.


**Mini Standy contains without forcing and is available in 3 sizes.**



PRODUCT  
MARKED **CE**



# Technical features and adjustments



## Frame

no edge frame, in order to enable trunk rotation and side-arm motion. Height adjustable frame with "safety locking system".



## Tools free

adjustment without tools but with special knobs, designed by Ormesa, with effective and safe grip. The knobs effectively maintain tightening thanks to an internal mechanism that does not mark and ruin the tube.




## Graduated bars




to help finding the right postural setting chosen by the therapist.



# Pelvic support and thoracic support

**independently adjustable** in circumference, height and forward-backward. If the user has sufficient trunk control, the thoracic support can be removed.





## Birch plywood table

designed for educational purposes and for supporting upper limbs, can be removed to facilitate upper limb and trunk exercises. Height, inclination and forward-backward adjustment.



## Knee pads

with removable, washable padding and with holes for patella discharge. Independent height, forward-backward, rotation and abductive adjustments.



## Heel stops

width and depth adjustments.



## Birch plywood footrest

wide and safe reference.




## Twin swivel wheels

75 mm diameter twin swivel wheels, with rear brakes. The wheels allow movement from one room to another, even during use.





# other components



**944 Circumference reducers**  
each 3 cm thick, can be inserted into supports for thinner users.






**865 Multiadjustable headrest**  
with height, inclination and forward-backward adjustment knobs.





# Mini Standby sizes and weight

|  | size 1            | size 2            | size 3             |
|--|-------------------|-------------------|--------------------|
| A: base encumbrance                    | 60 cm             | 70 cm             | 80 cm              |
| B: length encumbrance                  | from 74 to 86 cm  | from 78 to 90 cm  | from 83 to 95 cm   |
| C: footrest to table height            | from 49 to 77 cm  | from 59 to 87 cm  | from 69 to 100 cm  |
| D*: width encumbrance                  | 64 cm             | 65 cm             | 70 cm              |
| E: footrest to knee pads height        | from 14 to 26 cm  | from 14 to 32 cm  | from 14 to 42 cm   |
| F: footrest to pelvic support height   | from 41 to 55 cm  | from 52 to 68 cm  | from 62 to 86 cm   |
| G: footrest to thoracic support height | from 53 to 72 cm  | from 67 to 94 cm  | from 82 to 110 cm  |
| L: minimum circumference of supports   | 60 cm             | 65 cm             | 70 cm              |
| M: user height                         | from 75 to 100 cm | from 95 to 125 cm | from 120 to 150 cm |
| Total weight                           | 19 kg             | 21 kg             | 23 kg              |
| Maximum load                           | 35 kg             | 45 kg             | 55 kg              |




Make sure that measures F and G indicated in the figure do not exceed the suggested range indicated for the supports.

\*in the size 1 the greatest encumbrance is given by the table. In the sizes 2 and 3 it is given by the knobs.









**A special thanks to the families who participated with enthusiasm in our project. It is thanks to our customers and their stories that we find the energy and stimuli to evolve day by day.**

COMPANY WITH  
QUALITY SYSTEM  
CERTIFIED BY DNV GL  
= **ISO 13485** =

---

**Ormesa srl** - Via A. Da Sangallo, 1 | 06034 Foligno (PG) - ITALY  
Tel. +39 0742 22927 | FAX +39 0742 22637 | [info@ormesa.com](mailto:info@ormesa.com)

**[www.ormesa.com](http://www.ormesa.com)**