

### **DELUXE PADDED COMMODE**



#### WARNING

- DNR Wheels Pte Ltd shall not be held liable for any damages, injuries or accidents arising from misusing, mishandling and negligence.
- DNR personnel shall demonstrate the basic handling of the commode.
- The safety features for operating the commode must be strictly observed.
- Any defects must be reported immediately to DNR Wheels Pte Ltd.
- When transporting the commode, brakes should be in an unlocked position. The castors are designed for use in an indoor environment and on even surface.
- Castors may be damaged when moving the commode along any rough & uneven surface.

#### **SAFETY INSTRUCTION**

- Commode should not be use if found damaged as it may injure the user or caregiver.
- Caregiver should be familiar with the functionality of the commode.
- Commode must not be overloaded (Maximum load capacity: 100 kg).



- Ensure all the castors are locked and leg rest is drawn back before transferring the user in/out of the equipment.
- If the user is on the commode, castors must be locked. An unlocked commode poses a risk of falling to the user.
- While using the commode, footrest should be drawn out and user's feet are to be well rested on footrest.
- Bucket can be removed by sliding out from rear end of the commode seat.
- Users with limited physical strength should be supervised or assisted while using commode.
- Do not leave user with poor stability unattended on the commode.

#### **CLEANING**

- Use a cloth to wipe the commode dry after use.
- Dry out in the sun if possible.
- Clean out debris from the castors regularly for easy manoeuvring.

### **Technical Specifications**


Seat Width:	43cm (17")	Overall Width:	56cm (22")
Seat Depth:	43cm (17")	Overall Depth:	75cm (29.5") (without footrests) 82cm (32.3") (with footrests)
Armrest to Armrest Width:	45cm (17.7")	Overall Height:	92.5cm (36.4")
Seat to Armrest Height:	19cm (7.5")	Seat Cushion Opening:	Front Opening: 8cm (3.1") (W) Middle Opening: 18cm (7") (W) Depth:36cm (14.2")
Seat to Backrest Height:	38.5cm (15.2")	Castors:	12.7x3cm (5"x1.18")
Floor to Seat Height:	51cm (20")	Material:	Aluminium Grade 6000
Footrest to Seat Height:	39 – 49cm (15.4"-19.3")	Max Weight Capacity:	100kg
Width between Rear Castors:	34cm (13.4")	Product Weight:	15 kg
Floor to Bucket Holder:	42cm (16.5")		



### Flip up the armrest



## Flip up the footplate



# Adjust the height of the footplate



- 1. Pull out the pin.
- 2. Adjust the footplate to desired height.



### **Detaching the footrest**







### Lock and unlock the castor



