



I

I

IMAGE
SKINCARE

peel protocols

FOR THE SKINCARE PROFESSIONAL

Age later[®]

O² LIFT TREATMENT



1. CLEANSE

On damp skin, massage 3-4 full pumps of **O² LIFT GEL TO MILK CLEANSER** for 1-5 minutes. Remove with sponges and warm water or warm towel. Optional steam.

2. LIFT

Apply 3-4 full pumps of the **O² LIFT ENZYMATIC FACIAL PEEL** to entire face. Perform relaxing effleurage massage movements for 5-7 minutes until the product liquefies. Continue to massage and exfoliate the skin for an additional 5-7 minutes.

Total massage time 10-15 minutes. Remove with warm sponges or warm towel.

3. OXYGENATE

Apply 3-4 full pumps of the **O² LIFT OXYGENATING FACIAL MASQUE** to entire face. Do not massage.

Upon application, the masque will thicken and settle in a cloud-like fashion. Let sit until all the effervescent bubbling is completed (approximately 15 minutes). Remove with warm towel.

4. REJUVENATE

Apply 1-3 full droppers of the **O² LIFT STEM CELL ENHANCER** to entire face, neck and décolleté. Gently massage for 10-15 minutes.

5. PROTECT

Apply **O² LIFT TINTED MOISTURIZER SPF 30** to entire treated area.

6. AGE LATER

the **MAX** or **ILUMA I TRAVEL/TRIAL KIT**

Instruct patient on how to use the post treatment home care products.

YANA: Offer the client a complimentary sample of **YANA™ DAILY COLLAGEN SHOTS** and educate on the benefits of the path to radiant skin.

*Prior to every treatment, review and have client initial and sign the **IMAGE INFORMED TREATMENT CONSENT FORM**

ORMEDIC LIFT TREATMENT



1. CLEANSE

Apply **ORMEDIC BALANCING FACIAL CLEANSER** and cleanse the skin for 1-2 minutes. Remove with tepid water and sponges.

2. PEEL

Measure 1/8 oz. - 1/4 oz. of **ORMEDIC LIFT** into a medicine cup. Apply peel with an **I SWAB** in a circular motion beginning at forehead, moving to right cheek, left cheek, nose and perioral area. Allow natural penetration for up to 5 minutes. Remove thoroughly with cool water and sponges until client feels **ZERO** activity.

ELEVATE

MASQUE

For clients who prefer less visible exfoliation post peel, apply **ORMEDIC BALANCING GEL MASQUE** with an **IMAGE MASQUE BRUSH**. Add 1 full dropper of **I ENHANCE** of choice according to specific skin needs. Leave on skin for 5 minutes. Remove with tepid water and sponges. (Optional: Perform arm and hand massage with **VITAL C HYDRATING HAND AND BODY LOTION**).

3. ENHANCE

Customize by combining 1 full dropper of chosen **I ENHANCE** based on client's skin needs with **ORMEDIC BALANCING ANTIOXIDANT SERUM** and apply to entire treated area.

ELEVATE

EYE REPAIR

Apply **VITAL C HYDRATING EYE RECOVERY GEL** to orbital area.

4. PROTECT

Apply a generous amount of **PREVENTION+ DAILY TINTED MOISTURIZER SPF 30** to entire treated area.

ELEVATE

PLUMP

Apply **ORMEDIC BALANCING LIP ENHANCEMENT COMPLEX** to entire lip area.

FLAWLESS FINISH

Apply **I CONCEAL** using **FOUNDATION BRUSH** to create a flawless finish.

HEAL: Provide **IMAGE POST TREATMENT KIT** to client and review post treatment care.

YANA: Offer the client a complimentary sample of **YANA™ DAILY COLLAGEN SHOTS**.

INDICATIONS: Unbalanced skin, teen skin, sensitive skin

TREATMENT TIME: 30 minutes

*Prior to every treatment, review and have client initial and sign the **IMAGE INFORMED TREATMENT CONSENT FORM**

SIGNATURE FACELIFT® TREATMENT



1. CLEANSE

Apply **AGELESS TOTAL FACIAL CLEANSER** and cleanse the skin for 1-2 minutes. Remove with tepid water and sponges.

2. PREP

Saturate rough gauze with **DEGREASING PREP SOLUTION**. Squeeze out excess solution. Using firm pressure, swipe gauze in both horizontal and vertical directions over the entire area to be treated.

3. PEEL

LAYER 1 Measure 1/8 oz. - 1/4 oz. of **SIGNATURE FACELIFT** into a medicine cup. Apply peel with an **I SWAB** in a circular motion beginning at forehead, moving to right cheek, left cheek, nose and perioral area. Massage for 1 minute. **DO NOT REMOVE**

LAYER 2 Apply a thin layer of **AGELESS TOTAL RESURFACING MASQUE**. Massage for 1 minute. **DO NOT REMOVE**

LAYER 3 Apply a second layer of **SIGNATURE FACELIFT**. Massage for 1 minute. **DO NOT REMOVE**

LAYER 4 Apply a thin layer of **VITAL C HYDRATING ENZYME MASQUE**. Massage for 1 minute.
(Optional: Perform arm and hand massage with **VITAL C HYDRATING HAND AND BODY LOTION**).

After 5 minutes, remove all 4 layers thoroughly with cool water and sponges until client feels **ZERO** activity.

4. ENHANCE

Customize by combining 1 full dropper of chosen **I ENHANCE** based on client's skin needs with **VITAL C HYDRATING ANTI-AGING SERUM** and apply to entire treated area.

ELEVATE

EYE REPAIR

Apply **VITAL C HYDRATING EYE RECOVERY GEL** to orbital area.

5. PROTECT

Apply a generous amount of **PREVENTION+ DAILY HYDRATING MOISTURIZER SPF 30** to entire treated area.

ELEVATE

PLUMP

Apply **ORMEDIC BALANCING LIP ENHANCEMENT COMPLEX** to entire lip area.

FLAWLESS FINISH

Apply **I CONCEAL** using **FOUNDATION BRUSH** to create a flawless finish.

HEAL: Provide **IMAGE POST TREATMENT KIT** to client and review post treatment care.

YANA: Offer the client a complimentary sample of **YANA™ DAILY COLLAGEN SHOTS**.

INDICATIONS: Redness prone skin, dry/dehydrated skin, sensitive skin, post-microdermabrasion, post-surgery

TREATMENT TIME: 30 minutes

*Prior to every treatment, review and have client initial and sign the **IMAGE INFORMED TREATMENT CONSENT FORM**

LIGHTENING LIFT® TREATMENT



1. CLEANSE

Apply **AGELESS TOTAL FACIAL CLEANSER** and cleanse the skin for 1-2 minutes. Remove with tepid water and sponges.

2. PREP

Saturate rough gauze with **DEGREASING PREP SOLUTION**. Squeeze out excess solution. Using firm pressure, swipe gauze in both horizontal and vertical directions over the entire area to be treated.

3. PEEL

Measure 1/8 oz. - 1/4 oz. of **LIGHTENING LIFT** into a medicine cup. Apply peel with an **I SWAB** in a circular motion beginning at forehead, moving to right cheek, left cheek, nose and perioral area. Massage peel for 1-3 minutes. Peel may be left on the skin an additional 1-7 minutes (gradually increasing with each treatment). Remove thoroughly with cool water and sponges until client feels **ZERO** activity.

ELEVATE MASQUE

For clients who prefer less visible exfoliation post peel, apply **VITAL C HYDRATING ENZYME MASQUE** with an **IMAGE MASQUE BRUSH**. Add 1 full dropper of **I ENHANCE** of choice according to specific skin needs. Leave on skin for 5 minutes. Remove with tepid water and sponges. (Optional: Perform arm and hand massage with **VITAL C HYDRATING HAND AND BODY LOTION**).

4. ENHANCE

Customize by combining 1 full dropper of chosen **I ENHANCE** based on client's skin needs with **ILUMA INTENSE BRIGHTENING SERUM** and apply to entire treated area.

ELEVATE EYE REPAIR

Apply **VITAL C HYDRATING EYE RECOVERY GEL** to orbital area.

5. PROTECT

Apply a generous amount of **PREVENTION+ ULTIMATE PROTECTION MOISTURIZER SPF 50** to entire treated area.

ELEVATE PLUMP

Apply **ORMEDIC BALANCING LIP ENHANCEMENT COMPLEX** to entire lip area.

ELEVATE FLAWLESS FINISH

Apply **I CONCEAL** using **FOUNDATION BRUSH** to create a flawless finish.

HEAL: Provide **IMAGE POST TREATMENT KIT** to client and review post treatment care.

YANA: Offer the client a complimentary sample of **YANA™ DAILY COLLAGEN SHOTS**.

INDICATIONS: Pigmentation, uneven skin tone, post-inflammatory hyperpigmentation

TREATMENT TIME: 30 minutes

*Prior to every treatment, review and have client initial and sign the **IMAGE INFORMED TREATMENT CONSENT FORM**

WRINKLE LIFT® TREATMENT



1. CLEANSE

Apply **AGELESS TOTAL FACIAL CLEANSER** and cleanse the skin for 1-2 minutes. Remove with tepid water and sponges.

2. PREP

Saturate rough gauze with **DEGREASING PREP SOLUTION**. Squeeze out excess solution. Using firm pressure, swipe gauze in both horizontal and vertical directions over the entire area to be treated.

3. PEEL

Measure 1/8 oz. - 1/4 oz. of **WRINKLE LIFT** into a medicine cup. Apply peel with an **I SWAB** in a circular motion beginning at forehead, moving to right cheek, left cheek, nose and perioral area. Massage peel for 1-3 minutes. Peel may be left on the skin an additional 1-7 minutes (gradually increasing with each treatment). Remove thoroughly with cool water and sponges until client feels **ZERO** activity.

ELEVATE

MASQUE

For clients who prefer less visible exfoliation post peel, apply **THE MAX STEM CELL MASQUE** with an **IMAGE MASQUE BRUSH**. Add 1 full dropper of **I ENHANCE** of choice according to specific skin needs. Leave on skin for 5 minutes. Remove with tepid water and sponges. (Optional: Perform arm and hand massage with **VITAL C HYDRATING HAND AND BODY LOTION**).

4. ENHANCE

Customize by combining 1 full dropper of chosen **I ENHANCE** based on client's skin needs with **VITAL C HYDRATING ANTI-AGING SERUM** and apply to entire treated area.

ELEVATE

EYE REPAIR

Apply **THE MAX STEM CELL EYE CRÈME** to orbital area.

5. PROTECT

Apply a generous amount of **PREVENTION+ ULTIMATE PROTECTION MOISTURIZER SPF 50** to entire treated area.

ELEVATE

PLUMP

Apply **ORMEDIC BALANCING LIP ENHANCEMENT COMPLEX** to entire lip area.

FLAWLESS FINISH

Apply **I CONCEAL** using **FOUNDATION BRUSH** to create a flawless finish.

HEAL: Provide **IMAGE POST TREATMENT KIT** to client and review post treatment care.

YANA: Offer the client a complimentary sample of **YANA™ DAILY COLLAGEN SHOTS**.

INDICATIONS: Aging skin, fine lines, wrinkles, lax skin

TREATMENT TIME: 30 minutes

*Prior to every treatment, review and have client initial and sign the **IMAGE INFORMED TREATMENT CONSENT FORM**



ACNE LIFT[®] TREATMENT

1. CLEANSE

Apply **CLEAR CELL SALICYLIC GEL CLEANSER** and cleanse the skin for 1-2 minutes. Remove with tepid water and sponges.

2. PREP

Saturate rough gauze with **DEGREASING PREP SOLUTION**. Squeeze out excess solution. Using firm pressure, swipe gauze in both horizontal and vertical directions over the entire area to be treated.

3. PEEL

Measure 1/8 oz. - 1/4 oz. of **ACNE LIFT** into a medicine cup. Apply peel with an **I SWAB** in a circular motion beginning at forehead, moving to right cheek, left cheek, nose and perioral area. Massage peel for 1-3 minutes. Peel may be left on the skin an additional 1-5 minutes (gradually increasing with each treatment). Remove thoroughly with cool water and sponges until client feels **ZERO** activity.

ELEVATE

MASQUE

For clients who prefer less visible exfoliation post peel, apply **VITAL C HYDRATING ENZYME MASQUE** with an **IMAGE MASQUE BRUSH**. Add 1 full dropper of **I ENHANCER** of choice according to specific skin needs. Leave on skin for 5 minutes. Remove with tepid water and sponges.
(Optional: Perform arm and hand massage with **VITAL C HYDRATING HAND AND BODY LOTION**).

4. ENHANCE

Customize by combining 1 full dropper of chosen **I ENHANCE** based on client's skin needs with **ILUMA INTENSE BRIGHTENING SERUM** and apply to entire treated area.

ELEVATE

EYE REPAIR

Apply **VITAL C HYDRATING EYE RECOVERY GEL** to orbital area.

5. PROTECT

Apply a generous amount of **PREVENTION+ DAILY MATTE MOISTURIZER SPF 32** to entire treated area.

ELEVATE

PLUMP

Apply **ORMEDIC BALANCING LIP ENHANCEMENT COMPLEX** to entire lip area.

FLAWLESS FINISH

Apply **I CONCEAL** using **FOUNDATION BRUSH** to create a flawless finish.

HEAL: Provide **IMAGE POST TREATMENT KIT** to client and review post treatment care.

YANA: Offer the client a complimentary sample of **YANA™ DAILY COLLAGEN SHOTS**.

INDICATIONS: Acne grades I - II

TREATMENT TIME: 30 minutes

*Prior to every treatment, review and have client initial and sign the **IMAGE INFORMED TREATMENT CONSENT FORM**

LIGHTENING LIFT® FORTE TREATMENT



1. CLEANSE

Apply **AGELESS TOTAL FACIAL CLEANSER** and cleanse the skin for 1-2 minutes. Remove with tepid water and sponges.

2. PREP

Saturate rough gauze with **DEGREASING PREP SOLUTION**. Squeeze out excess solution. Using firm pressure, swipe gauze in both horizontal and vertical directions over the entire area to be treated.

3. PEEL

Measure 1/8 oz. - 1/4 oz. of **LIGHTENING LIFT** into a medicine cup. Apply peel with an **I SWAB** in a circular motion beginning at forehead, moving to right cheek, left cheek, nose and perioral area. Massage peel for 1-3 minutes. Peel may be left on the skin an additional 1-7 minutes (gradually increasing with each treatment). Remove thoroughly with cool water and sponges until client feels **ZERO** activity.

ELEVATE

MASQUE

For clients who prefer less visible exfoliation post peel, apply **VITAL C HYDRATING ENZYME MASQUE** with an **IMAGE MASQUE BRUSH**. Add 1 full dropper of **I ENHANCER** of choice according to specific skin needs. Leave on skin for 5 minutes. Remove with tepid water and sponges.
(Optional: Perform arm and hand massage with **VITAL C HYDRATING HAND AND BODY LOTION**).

4. ENHANCE

Customize by combining 1 full dropper of chosen **I ENHANCE** based on client's skin needs with **ILUMA INTENSE BRIGHTENING SERUM** and apply to entire treated area.

ELEVATE

EYE REPAIR

Apply **VITAL C HYDRATING EYE RECOVERY GEL** to orbital area.

5. PROTECT

Apply a generous amount of **PREVENTION+ ULTIMATE PROTECTION MOISTURIZER SPF 50** to entire treated area.

ELEVATE

PLUMP

Apply **ORMEDIC BALANCING LIP ENHANCEMENT COMPLEX** to entire lip area.

FLAWLESS FINISH

Apply **I CONCEAL** using **FOUNDATION BRUSH** to create a flawless finish.

HEAL: Provide **IMAGE POST TREATMENT KIT** to client and review post treatment care.

YANA: Offer the client a complimentary sample of **YANA™ DAILY COLLAGEN SHOTS**.

INDICATIONS: Pigmentation, uneven skin tone, post-inflammatory hyperpigmentation

TREATMENT TIME: 30 minutes

*Prior to every treatment, review and have client initial and sign the **IMAGE INFORMED TREATMENT CONSENT FORM**



WRINKLE LIFT® FORTE TREATMENT



1. CLEANSE

Apply **AGELESS TOTAL FACIAL CLEANSER** and cleanse the skin for 1-2 minutes. Remove with tepid water and sponges.

2. PREP

Saturate rough gauze with **DEGREASING PREP SOLUTION**. Squeeze out excess solution. Using firm pressure, swipe gauze in both horizontal and vertical directions over the entire area to be treated.

3. PEEL

Measure 1/8 oz. - 1/4 oz. of **WRINKLE LIFT** into a medicine cup. Apply peel with an **I SWAB** in a circular motion beginning at forehead, moving to right cheek, left cheek, nose and perioral area. Massage peel for 1-3 minutes. Peel may be left on the skin an additional 1-7 minutes (gradually increasing with each treatment). Remove thoroughly with cool water and sponges until client feels **ZERO** activity.

ELEVATE

MASQUE

For clients who prefer less visible exfoliation post peel, apply **THE MAX STEM CELL MASQUE** with an **IMAGE MASQUE BRUSH**. Add 1 full dropper of **I ENHANCER** of choice according to specific skin needs. Leave on skin for 5 minutes. Remove with tepid water and sponges. (Optional: Perform arm and hand massage with **VITAL C HYDRATING HAND AND BODY LOTION**).

4. ENHANCE

Customize by combining 1 full dropper of chosen **I ENHANCE** based on client's skin needs with **VITAL C HYDRATING ANTI-AGING SERUM** and apply to entire treated area.

ELEVATE

EYE REPAIR

Apply **THE MAX STEM CELL EYE CRÈME** to orbital area.

5. PROTECT

Apply a generous amount of **PREVENTION+ ULTIMATE PROTECTION MOISTURIZER SPF 50** to entire treated area.

ELEVATE

PLUMP

Apply **ORMEDIC BALANCING LIP ENHANCEMENT COMPLEX** to entire lip area.

FLAWLESS FINISH

Apply **I CONCEAL** using **FOUNDATION BRUSH** to create a flawless finish.

HEAL: Provide **IMAGE POST TREATMENT KIT** to client and review post treatment care.

YANA: Offer the client a complimentary sample of **YANA™ DAILY COLLAGEN SHOTS**.

INDICATIONS: Aging skin, fine lines, wrinkles, lax skin

TREATMENT TIME: 30 minutes

*Prior to every treatment, review and have client initial and sign the **IMAGE INFORMED TREATMENT CONSENT FORM**

ADVANCED BHA LIFT TREATMENT



1. CLEANSE

Apply **CLEAR CELL SALICYLIC GEL CLEANSER** and cleanse the skin for 1-2 minutes. Remove with tepid water and sponges.

2. PREP

Saturate rough gauze with **DEGREASING PREP SOLUTION**. Squeeze out excess solution. Using firm pressure, swipe gauze in both horizontal and vertical directions over the entire area to be treated. (Optional: Repeat an additional 1-2 times for a deeper treatment)

3. PEEL

Measure 1/8 oz. - 1/4 oz. of **Advanced BHA LIFT** into a medicine cup. Saturate rough gauze with **Advanced BHA lift**. Squeeze out excess solution. Beginning at the forehead, firmly swipe gauze horizontally then vertically in a basket weave pattern. Continue this pattern on the right cheek, left cheek, nose, perioral area and neck. (Optional: an additional 1-2 layers may be applied to the face; wait 5-7 minutes between each layer. Limit the neck to one layer only. For increased client comfort, sit client up between layers to drink a glass of ice water.)

DO NOT NEUTRALIZE - Advanced BHA LIFT IS A SELF-NEUTRALIZING SOLUTION.

4. ENHANCE

Customize by combining 1 full dropper of chosen **I ENHANCE** based on client's skin needs with **AGELESS TOTAL RETINOL-A CRÈME** and apply to entire treated area.

ELEVATE

EYE REPAIR

Apply **VITAL C HYDRATING EYE RECOVERY GEL** to orbital area.

5. PROTECT

Apply a generous amount of **PREVENTION+ DAILY MATTE MOISTURIZER SPF 32** to entire treated area.

ELEVATE

PLUMP

Apply **ORMEDIC BALANCING LIP ENHANCEMENT COMPLEX** to entire lip area.

FLAWLESS FINISH

Apply **I CONCEAL** using **FOUNDATION BRUSH** to create a flawless finish.

HEAL: Provide **IMAGE POST TREATMENT KIT** to client and review post treatment care.

YANA: Offer the client a complimentary sample of **YANA™ DAILY COLLAGEN SHOTS**.

INDICATIONS: Acne grades III - IV

TREATMENT TIME: 30 minutes

*Prior to every treatment, review and have client initial and sign the **IMAGE INFORMED TREATMENT CONSENT FORM**



PERFECTION LIFT® (OR PERFECTION LIFT FORTE) TREATMENT



STEPS

1. CLEANSE

Apply **AGELESS TOTAL FACIAL CLEANSER** and cleanse the skin for 1-2 minutes. Remove with tepid water and sponges.

2. PREP

Saturate rough gauze with **DEGREASING PREP SOLUTION**. Squeeze out excess solution. Using firm pressure, swipe gauze in both horizontal and vertical directions over the entire area to be treated. (Optional: Repeat an additional 1-2 times for a deeper treatment)

For barrier protection, apply a generous amount of petroleum jelly under lower lash line, around the folds of the nose and around entire lip area.

3. PEEL

Measure 1/8 oz. - 1/4 oz. of **PERFECTION LIFT** or **PERFECTION LIFT FORTE** into a medicine cup. Saturate rough gauze and squeeze out excess solution. Beginning at the forehead, firmly swipe gauze horizontally then vertically in a basket weave pattern. Continue this pattern on the right cheek, left cheek, nose, perioral lip area and neck. (Optional: an additional 1-2 layers may be applied to the face; wait 5-7 minutes between each layer. Limit the neck to one layer only. For increased client comfort, sit client up between layers to drink a glass of ice water.)

DO NOT NEUTRALIZE - PERFECTION LIFT IS A SELF-NEUTRALIZING SOLUTION.

4. ENHANCE

Combine 1 full dropper of **RETINOL FACIAL ENHANCER** with **AGELESS TOTAL RETINOL-A CRÈME** and apply to entire treated area.

ELEVATE

EYE REPAIR

Apply **VITAL C HYDRATING EYE RECOVERY GEL** to orbital area.

5. PROTECT

Apply a generous amount of **PREVENTION+ DAILY ULTIMATE MOISTURIZER SPF 50** to entire treated area.

ELEVATE

PLUMP

Apply **ORMEDIC BALANCING LIP ENHANCEMENT COMPLEX** to entire lip area.

FLAWLESS FINISH

Apply **I CONCEAL** using **FOUNDATION BRUSH** to create a flawless finish.

HEAL: Provide **IMAGE POST TREATMENT KIT** to client and review post treatment care.

YANA: Offer the client a complimentary sample of **YANA™ DAILY COLLAGEN SHOTS**.

INDICATIONS: Advanced aging, advanced hyperpigmentation, advanced acne

TREATMENT TIME: 30 minutes

***Prior to every treatment, review and have client initial and sign the IMAGE INFORMED TREATMENT CONSENT FORM**