





To open the filter chamber



To close the filter chamber



Airpura 
AIR PURIFIERS

P600

OPERATING
&
FILTER REPLACEMENT
DIRECTIONS

Distributed by:
Pure n Natural Systems, Inc.
1-800-237-9199
www.purennatural.com

TO BEGIN USING YOUR AIRPURA

Inspect the exterior of your Airpura to verify there is no damage from shipping. If any damage is noted, please follow the instructions from the distributor returns policy.

Wipe the unit with a damp cloth to remove any dust from packaging

Plug the unit into a regular grounded 110 volt outlet

Turn on the unit to MAX and allow it to run for a few minutes

Set the variable speed control to the level you wish

The most efficient way to use your Airpura for regular air quality maintenance is to run it at a low speed **24 hours a day 7 days a week.**



FILTER MAINTENANCE AND REPLACEMENT

The Prefilter

Can be vacuumed from the exterior of the unit once a month or more often. Should be replaced at least after 12 months of use

To vacuum the Prefilter

Use the brush attachment on your vacuum cleaner
Vacuum slowly around the mesh surface of the filter chamber

IMPORTANT SAFETY NOTE

Please ensure air purifier is turned OFF when plugging into a power source. Failure to do so may result in motor potentially stalling and/or burning.



Replacing the UV bulb

Open the filter chamber following the instructions


Pull the bulb upward out of the connector

Push the replacement bulb firmly into the connector

Close the filter chamber following instructions



Titanclean
18-20 months



HEPA 600RVHU Filter
(99.97% efficient @ 0.3 Microns)
3 to 5 years



UV bulb
18-20 months



Poly Prefilter 600 2-pack
12 months

P614: HEPA 14 Filter
(99.99% efficient @ 0.3 Microns)
P600+: HEPA 600 Filter w/ TiO2
(99.97% efficient @ 0.3 Microns)
P614+: HEPA 14 Filter
(99.99% efficient @ 0.3 Microns) + TiO2



18 lbs, Coconut Shell Carbon Filter (100% Blend)
24 months

Technical specifications

Particle removal

Over 100 ft² true HEPA
(Measured only 1 side)
12 pleats per inch
Pleats warm rolled with separators

Activated carbon filter

18 lbs carbon filter
13"H X 13.25"OD X 9"ID

Carbon Bed

2" deep X 570 sq. surface

Air Flow 560 cfm

More cfm than any other home unit available

Prefilter

570 in² x 1 in

Housing

Powder coat steel

Size

23 in x 15 in

Weight

35 lbs total

Watts

120 on high / 40 on low

Sound Level

28.1 db on low (at 6 feet)
62.3 db on high (560 cfm)
(Room level 25.1 db)

Voltage options

115 or 220 volts

ETL Certified

Conforms to CSA C22.2
no 113 ANSI / UL 507



Air purifiers models and filter configurations

	Prefilter	Particulate	Carbon
Alternates	Cotton Prefilter TarBarrier Prefilter		18 lbs anthracite carbon filter (100%)
Upgrade		HEPA 14 Filter (99.99% efficient @ 0.3 Microns) ULPA Filter (99.9999% efficient @ 0.1 Microns)	18 lbs impregnated carbon 18 lbs carbon (17% potassium permagnate carbon, 83% coconut shell)