

Item Bundle - Freeze Protection Control Center with Timer and Thermostat for 240V Applications, Type 3R Metal Enclosure

Item PF1112T



## **PRODUCT DESCRIPTION**

Protects pool/spa equipment against freeze damage.

## **FEATURES**

- ► GFCI and switch mounting capabilities
- ▶ Turns pump and heater ON when outdoor temperature drops below user-adjustable setpoint on thermostat
- ► Heavy-duty Type 3R metal indoor/outdoor enclosure
- ► Heavy-duty metallic rainproof enclosure
- ▶ For use with pool and spa, pond, fountain or marina type applications

## **APPLICATIONS**

- ► Protection
- ► Pump Control

## **TECHNICAL DATA**

**(1)** 

TEOTIMONE DATA	
General	
Model Number	PF1112T
Description	Freeze Protection Control Center with Timer and Thermostat for 240V Applications, Type 3R Metal Enclosure
UPC Code	078275071407
Brand	Intermatic
Country of Origin (Intermatic)	MEXICO
Warranty Period	1-Year limited
Markania I Onasifia di ana	

## **Mechanical Specifications**

Enclosure Type 3R Beige metal

# Dimensions

Product Dimensions (H x W x D) in 12 x 12.875 x 4.25 in

# Material Specifications

Color Beige

# Load Ratings

Motor Load Ratings Ranges 3 HP @ 240 VAC, 60 Hz

Electrical Specifications	
Number of Circuits	1
Switch Type	DPST
Maximum Power Consumption (W)	3 W
Power Center Ratings Display	120/240 VAC, 60 Hz, Single-Phase
Number of Receptacle/Switch Knockouts	2



Packaging	
Shipping Weight (lbs)	11.177
Unit Carton Dimensions (H x W x L) in	5.63 x 12.06 x 13.81 in
Operating Specifications	
Thermostat Range Minimum (°C)	0.5
Thermostat Range Minimum (°F)	33
Thermostat Range Maximum (°C)	6
Thermostat Range Maximum (°F)	42
Standards and Certifications	
CSA Certification	cCSAus
California Proposition 65	Lead



# **ACCESSORIES**









156T1978AMX

WH40

156T1978A 1 Set of ON/OFF Trippers for T100, T7000, and Extra/replacement trippers 1 ON and 1 OFF

21T166A Spacer-Standoff, 3" long - 2 pack

21T156A Spacer-Standoff, 3" long - 4 pack



178T24

Freeze Protection Thermostat