

SmartCabinet™

Intelligent, Integrated Containment for IT Infrastructure








Vertiv, formerly Emerson Network Power, designs, builds, and services mission critical technologies that enable vital applications for data centers, communication networks, and commercial & industrial environments

We support today's growing mobile and cloud computing markets with our portfolio of power, thermal and infrastructure management products, software and solutions, all complemented by our extensive global service network.

We help strengthen the world's most vital applications by bringing together global reach and local knowledge, and our decades-long heritage, including brands like ASCO. Chloride, Liebert, NetSure, and Trellis.

Vertiv Your Vision, our Passion

With a unique combination of industry expertise, technology, and resources, our mission is to support and power mission-critical technologies that drive possibility.



ASCO®

Our global critical power switching, control, and management solutions, engineered to the most demanding specifications, ensures power, reliability, compliance, and efficiency

Chloride ®

Our global industrial power solutions meet the most demanding technical specifications and provide safe, reliable power- no matter the challenge

Liebert®

Our global power and thermal management solutions are some of the world's most efficient and reliable power and cooling technologies

NetSure™

Our global intelligently engineered DC power systems deliver high availability, energy efficiency, and scalability for converged networks

Trellis ™

Our industryleading software gives customers an integrated view of operations across IT and facilities resources, enabling better decisions that save time and money



DAY-TO-DAY CONCERNS IN TYPICAL EDGE APPLICATIONS



Room Renovation

Housing all components Takes 15 - 20 days to build Footprint: 10 to 20 sqm.



Integrating Design activity

Time-consuming advances step-wise wastage of material



Power distribution

Separate UPS + Battery Tedious Power management Wall mounted panels



Aesthetics Balancing operations in an organized DC Fan noise exceeding 65dB levels



Monitoring

High CAPEX for integration Complex processes for integrating all systems.



Cooling system

Cooling requires N+1
Configuration
SHR > 0.95 requires Heaters/
Humidifier operation



Primary IT Infrastructure Areas of Concern in mission-critical Edge Applications

- Justifying the area for Edge Application facilities in crunched floor spaces
- Accommodating all the essential components in a minimal footprint
- Compromising your output capacity due to space constraints

Enterprises in today's dynamic era need to address these concerns with a streamlined solution in a well-planned ecosystem followed by easy upkeep, all in a low carbon, compact footprint.

There is a need for a turnkey infrastructure for edge applications that includes:

- Standardized configurations that are tailored to the application, factory integrated, validated and tested.
- High availability with network independent remote management and extensive emergency service coverage.
- Secure physical and remote access with on-site intrusion detection and user rights-driven remote management

Enter SmartCabinet[™] - a pre-configured, self-contained solution that offers the efficiency, economy, interoperability, and control to implement an exceptional infrastructure strategy

- **Economical** Reduces implementation costs compared to conventional solutions
- Simplified Maximize use of existing infrastructure and gets up-and-running in a matter of weeks
- Controllable Enforce add / change policies, speeds IT administration request response times significantly







SmartCabinet[™]- The Spirit of Innovation






SMARTCABINETTM - PERFECT SOLUTION FOR EDGE APPLICATIONS


Advanced monitoring solution to all the SmartCabinet™using RDU-M

Individual computer room /
Network closet



Centralized Management





Distinctive Benefits in small sizes

- Components work as an integrated force
- Fully-protected from dust, moisture, and rodents
- Emergency temperature control cooling
- Integral UPS & back-up autonomy
- Standard Class C lighting protection
- Integrated fire suppression system

Efficient I & C

- Rapid deployment with single day boot-up
- Factory-assembled and pre-loaded
- Doesn't require outdoor units to be installed
- Fits in your existing whitespace

SmartCabinet[™] Delivering value

Savings on Electricity Bills

- Equipped with a variable frequency compressor for capacity modulation at part loads
- Pre-defined path for cold air and hot air circulation
- Annualized PUE < 1.5

Think Smart, Act Smart

- 9-inch touch screen + remote WEB access
- Remote door access control
- Centralized control for 256 units
- SMS & Emails can be registered for notifications
- The door & in-cabinet lights operate intelligently
- Intelligent monitoring & control with RDU-M

KEY COMPONENTS



Built-in Power Management
Unit (PMU) - Provides MCB to
UPS, Cooling unit, PDU, and UPS
bypass. It also provides surge
protection to SmartCabinet™
solution

Lighting System - Low power consumption LED lights that automatically light up on opening the door



Intuitive LCD Display Panel -

9" Inch Touch Panel display that provides easy access to information for power, thermal management, and security



Centralized Monitoring Empowered by RDU - M

One stop management utility for supervision and management of power, thermal, environment and security ecosystem via the interactive touch-based LCD display



UPS & Batteries -

5kVA On-line double conversion UPS and battery cabinet ensures clean power feeding to critical IT equipment. It also provides backup power to emergency fans during power outages



Thermal Management & Emergency Fans

Provides up to 3.5kW cooling capacity directly to the IT equipment Front and rear emergency fans automatically run during power outages ensuring continuous air ventilation





Technical Specifications

Parameter	600 mm wide integrated unit	600 mm wide split unit	800 mm wide split unit
Cabinet Size (HxWxD)	2100 x 600 x 1200 (mm)	2000 x 600 x 1200 (mm)	2000 x 800 x 1200 (mm)
Usable U space	18U	29U	29U
Air Flow Management Panel	5U x 3, 2U x 3, 1U x 2	5U x 3, 2U x 3, 1U x 2	5U x 3, 2U x 3, 1U x 2
Outdoor Unit for Air conditioner	Integrated	Yes (Split)	Yes (Split)
Vertical Cable Management Panel	2	2	2
Area (incl. service space)	1.5 m2	1.5 m2	2.0 m2
Color		RAL7021 Black	
IP Marking		IP5X	
Display panel		9" Touch Panel LCD	
Display Languages		English / Chinese	
LED Lighting		2, Front & Rear	
System Luminance		88lux/1M	
UPS Capacity		5 kVA	
UPS Backup time		10 minutes @ 3 kW	
System Capacity		3 kW	
System Input Requirement	Single Phase 220 V, 230 V, 240 V		
System Frequency		50Hz or 60Hz	
Power Distribution Units (PDU)	16A input , 12 x C13 + 4 x C19 32A input , 18 x C13 + 6 x C19		
Lightning Protection / Surge Suppress	ion Level 3, 20KA		
Maintenance Bypass	Included		
Cooling Capacity	1,800W ~ 3,500W, variable speed		
Refrigerant		R410A	
Emergency fan	Two, one at front bottom and one at rear top		
ystem Management (UPS/Cooling/PDU) Yes			
Temperature Sensor		2	
Water Leak Detection	1 piece, 5 meters long		
Door Access Sensor		2	
Safety Standards	EN 60950-1:2006+A11:2009+A1:2010+A12:2011+A2:2013		
EMC Standards	EN 55022:2010 EN 61000-3-11:2000 EN 55024:2010 EN 61000-3-12:2011		
Noise Level	< 58 dB ¹ < 50 dB ¹ (excluding outdoor unit)		
Net Weight	290kg	230kg	255kg
Warranty	1 year	1 year	1 year

^{*}Conditions apply

^{*} Specification are subject to change without any further notification

*1- Higher than Class 2 Decibel level in Environmental Quality standard for Noise local standards



VertivCo.com | Asia Pacific

© 2017 Vertiv Co. All rights reserved. Vertiv and the Vertiv logo are trademarks or registered trademarks of Vertiv Co. All other names and logos referred to are trade names, trademarks or registered trademarks of their respective owners. While every precaution has been taken to ensure accuracy and completeness herein, Vertiv Co. assumes no responsibility, and disclaims all liability, for damages resulting from use of this information or for any errors or omissions. Specifications are subject to change without notice.