


**HEXAGON HEAD BOLTS - STAINLESS STEEL A4**

ZESKANTBOUTEN - ROESTVASTSTAAL A4

VIS A TETE HEXAGONALE - ACIER INOXYDABLE A4


TORNILLOS DE CABEZA HEXAGONAL PARCIALMENTE ROSCADOS - ACERO INOXIDABLE A4

SECHSKANTSCHRAUBEN MIT SCHAFT - ROSTFREISTAHL A4


 ISO : 4014  
 DIN : 931 \*  
 NEN : 1555  
 ANSI : B18.2.3.1M  
 BS : -  
 NF : E25-112

A4

CODE

**53510**

 Ordering example:  
**53510 M6 x 30**
**M**  
**St.st.**  
**80**

	M6	M8	M10	M12	M16	M20	M24
d							
P	1	1,25	1,5	1,75	2	2,5	3
b①	18	22	26	30	38	46	54
b②	24	28	32	36	44	52	60
k	4	5,3	6,4	7,5	10	12,5	15
s	10	13	17 (16)③	19 (18)③	24	30	36

**articlenumber**

d x L			d x L			d x L		
A4			A4			A4		
<b>53510</b>			<b>53510</b>			<b>53510</b>		
R11			R11			R11		
M6 x 30	060.030	100	M10 x 60	100.060	50	M16 x 70	160.070	25
M6 x 35	060.035	100	M10 x 70	100.070	50	M16 x 75	160.075	25
M6 x 40	060.040	100	M10 x 80	100.080	50	M16 x 80	160.080	25
M6 x 50	060.050	100	M10 x 90	100.090	50	M16 x 90	160.090	25
M6 x 60	060.060	100	M10 x 100	100.100	50	M16 x 100	160.100	25
M6 x 65	060.065	100				M16 x 120	160.120	25
M6 x 70	060.070	100	M12 x 45	120.045	25	M16 x 150	160.150	25
M6 x 80	060.080	100	M12 x 50	120.050	25			
M6 x 100	060.100	100	M12 x 55	120.055	25	M20 x 70	200.070	10
			M12 x 60	120.060	25	M20 x 80	200.080	10
M8 x 40	080.040	50	M12 x 65	120.065	25	M20 x 90	200.090	10
M8 x 45	080.045	50	M12 x 70	120.070	25	M20 x 100	200.100	10
M8 x 50	080.050	50	M12 x 75	120.075	25	M20 x 120	200.120	10
M8 x 60	080.060	50	M12 x 80	120.080	25	M20 x 150	200.150	10
M8 x 70	080.070	50	M12 x 90	120.090	25			
M8 x 80	080.080	50	M12 x 100	120.100	25	M24 x 80	240.080	10
M8 x 100	080.100	50				M24 x 90	240.090	10
			M16 x 55	160.055	25	M24 x 100	240.100	10
M10 x 40	100.040	50	M16 x 60	160.060	25	M24 x 120	240.120	10
M10 x 45	100.045	50	M16 x 65	160.065	25	M24 x 150	240.150	10
M10 x 50	100.050	50						

① L ≤ 125 mm.

② 125 mm &lt; L ≤ 200 mm.

 ③ Depending on availability it is possible that the sizes are supplied acc. to ISO 4014 with the appropriate values stated between brackets.  
 For technical data concerning stainless steel, see section 15.