



**Concealed
Ceiling
Systems
Complete Wall
and Ceiling
Solution**











Suspended Ceiling Systems



Criterion supplies a wide range of ceiling systems including concealed and exposed ceiling grid.




The Criterion concealed ceiling system offers a flexible and secure system that can be used for non-fire-rated and fire-rated applications and have been designed to meet the relevant Australian standards. The Criterion exposed ceiling system consists of a 24mm wide prefinished white main tee and cross tee which is used to create grid modules to support acoustic and plasterboard ceiling tiles.


Concealed Ceiling Systems

		Pack Qty
Primary Channels		
Primary Cross Rail to Support Furring Channels		
	781236	25mm Top Cross Rail 0.55 BMT - 3600mm *
	781336	25mm Top Cross Rail 0.75 BMT - 3600mm
	781348	25mm Top Cross Rail 0.75 BMT - 4800mm
	781336.R	25mm Top Cross Rail 0.75 BMT Radius - 3600mm
	781348.R	25mm Top Cross Rail 0.75 BMT Radius - 4800mm
	781048	38mm Top Cross Rail 0.75 BMT - 4800mm
Furring Channels		
28mm Deep Furring Channel for Heavier Applications. 38mm Wide Fixing Face.		
	782427	28mm Furring Channel - 2700mm
	782430	28mm Furring Channel - 3000mm
	782436	28mm Furring Channel - 3600mm
	782448	28mm Furring Channel - 4800mm
	782460	28mm Furring Channel - 6000mm
16mm Deep Furring Channel for Lighter Applications. 38mm Wide Fixing Face.		
	782224	16mm Furring Channel - 2400mm
	782227	16mm Furring Channel - 2700mm
	782230	16mm Furring Channel - 3000mm
	782236	16mm Furring Channel - 3600mm
	782248	16mm Furring Channel - 4800mm
	782260	16mm Furring Channel - 6000mm
Low Profile 13mm Deep Furring Channel for Direct Fixing. See also Smooth Face 726060 for Cladding.		
	782130	13mm Recessed Furring Channel - 3000mm
	782160	13mm Recessed Furring Channel - 6000mm
Wall Track		
To Be Fixed to Walls to Support End of Furring Channels or Battens		
	783430	28mm Furring Wall Track - 3000mm
	783230	16mm Furring Wall Track - 3000mm
Aluminium Wall Track		
	291036	10mm Shadowline Wall Channel - 3600mm
	291336	13mm Shadowline Wall Channel - 3600mm
Batten Sections		
Direct Fixing for Lighter Applications		
	784248	16mm Ceiling Batten - 4800mm
	784260	16mm Ceiling Batten - 6000mm
	784348	24mm Cyclonic Ceiling Batten - 4800mm
	784361	24mm Cyclonic Ceiling Batten - 6100mm

*Please check branch for availability

Concealed Ceiling Systems

		Pack Qty
Back Block Sections		
Radius Back Blocking Batten with a 2.5mm offset for blocking behind joints of plasterboard		
	784003	D005 Back Blocking Batten - 300mm
Direct Fixing Clips		
Clips to Support Battens for Direct Fixing		
	785016	D16 Direct Fix Batten Clip - Long 160mm
	785087	D13 Direct Fix Batten Clip - Short 87mm
	785401	D80 Wall Clip
Clips to Support Furring Channels for Direct Fixing		
	785095	D26 Direct Fix Clip - Short 95mm
	785019	D94 Direct Fix Clip - Long 190mm
	785202	D81 Direct Fix Angle Bracket
Clips to Support Furring Channels for Direct Fixing		
	785400	D237 Wall Clip
	785410	D239 Wall Clip Threaded
Adjustable Furring Channel Clips with 4 positions at 6mm increments to Adjust Furring Channel, Eliminating Packers		
	785301	DBF Adjustable Direct Fix Clip - Standard
	785302	DBFS Adjustable Direct Fix Clip - Long
Primary Couplings		
Couplings Used to Lock Primary Channels to Furring Channels		
	786003	D39 Locking Key
Section Joiners		
Joining Channel, Providing Continuous Span		
	786002	D38 Furring Channel Joiner
	786001	D272 Top Cross Rail Joiner
	786000	D140 Batten Joiner



Concealed Ceiling Systems

Pack Qty



Primary Suspension Clips


Suspension Clips that Lock onto Top Cross Rail Providing Adjustment in Height of System Being Suspended

785502	D534 Spring Hanger	250
785501	D520 Side Mount Spring Hanger	200



Clips to Hang and Support Primary Channels

785200	D24 Direct Fix Right Angle Bracket	100
785000	D66 Direct Fix Clip	100
786005	DR5 5mm Rod Joiner	100



Rod Suspension Clips

Rod Suspension clips to suit 5mm Galvanised Rod

786016	D74 Rod Bracket	100
786015	D47 Right Angle Rod Bracket	100
786006	Purlin Clip	100



Assemblies

Assemblies for Direct Fixing Furring Channels without using Primary Channel.


785185	Direct Fix Clip - 85mm Trubolt	100
785112	Direct Fix Clip -120mm Trubolt	100
785115	Direct Fix Clip -150mm Trubolt	100



Suspension Rod

Soft Galvanised Rod for Suspending Ceiling Systems

786136	5mm Galvanized Rod - 3600 mm	25
786206	5mm Rod With M6 Thread One End - 600mm	10
786209	5mm Rod With M6 Thread One End - 900mm	10
786212	5mm Rod With M6 Thread One End - 1200mm	10
786218	5mm Rod With M6 Thread One End - 1800mm	10
786236	5mm Rod With M6 Thread One End - 3600mm	10



Threaded Rod for Suspending Ceilings where Hard Bracing is required

786330	6mm Threaded Suspension Rod - 3000mm	10
786004	6mm Zinc Nuts	100

Concealed Ceiling Estimator

Concealed Ceilings Material Estimator

Concealed Ceiling (600mm Drop, Furring Channel 600mm centres, Steel Purlins 1200mm centres)

Part Number	Description	Length	Each per 100m2
781336	25mm Top Cross Rail 0.75	4800mm	18
782448	28mm Furring Channel	4800mm	35
786136	5mm Galvanised Rod	3600mm	14
785502	D534 Spring Hanger Clip		71
786003	D39 Locking Key		142
786002	Furring Channel Joiner		20
786006	Purlin Clip		71

Concealed Ceiling (600mm Drop, Furring Channel 450mm centres, Steel Purlins 1200mm centres)

Part Number	Description	Length	Each per 100m2
781336	25mm Top Cross Rail 0.75	4800mm	18
782448	28mm Furring Channel	4800mm	47
786136	5mm Galvanised Rod	3600mm	14
785502	D534 Spring Hanger Clip		71
786003	D39 Locking Key		192
786002	Furring Channel Joiner		27
786006	Purlin Clip		71

