Opti-Lite® Door Vision Panel

A Vision
Of Safety

% 1300 754 337

igtriangledown www.criterionindustries.com.au







Introducing the Opti-Lite® Door Vision Panel.

Safety must always be a key priority when building and designing commercial and residential spaces.

The Criterion Opti-Lite® Door Vision Panel is an innovative installation solution, designed to be installed in both new and existing doors. The Opti-Lite® Door Vision Panel allows for visual sightings and natural light into a workspace and is fully tested and certified to comply with AS1288, which creates for safer workplaces and residential spaces.

For more detailed information on the advantages of the Opti-Lite® Door Vision Panel visit www.criterionindustries.com.au or call 1300 754 337.

Improved style. Enhanced safety.

Manufactured and engineered with a durable metal secure fixing clip, the Opti-Lite® Door Vision Panel is easy-to-install and is a more affordable option than replacing existing doors on site.

The Opti-Lite® Door Vision Panel also features a pre-glazing design concept that saves installation time and eliminates the need to complete the tedious process associated with traditional glazing.

The Opti-Lite® Door Vision Panel can be installed in both internal and external applications and is available in a variety of sizes and shapes.

Key Features

- Glazed in 6.38mm clear safety laminate for extra security & durability.
- Suits a wide range of door thicknesses 32mm - 48mm.
- Available natural and anodized finish.
- Can be manufactured to suit specific customised requirements (including, size, colour and class type).

Ideal installation locations



Sporting facilities

Offices and commercial spaces

Cafés/ restaurants

Bathroom entrances



Before (top) and after (bottom) Opti-Lite® Door Vision Panel installation

Stock specifications sizes

Opti-Lite® Door Vision Panels are available in a wide range of stock sizes including:

Custom sizes are available on request. (Please note, the door panels are designed to fit into the actual cut out sizes listed below.)


300 x 200



600 x 200



900 x 200




1700 x 200




600 x 300




600 x 600



900 x 600




Opti-Lite® Door Vision Panel






Opti-Lite® Installation Instructions




Step 1.

Insert clip so that middle tab fits into upper groove and one side tab fits into lower groove.




Step 2.

Pry second side tab into lower groove using screw driver.



Step 3.

Ensure clip is installed correctly and repeat for all clips provided. Space clips proportionally on all four sides.



Step 4.

Place front frame into opening and press back frame into position from opposite side of the door, ensuring clips catch as shown.

Note

Using Silicon to seal to inside of flange will prevent movement within opening after installation. Removing the Opti-Lite® Door Vision Panel after installation may result in damage to the clips and possibly the frame.



Convenience and safety combined.

Looking to discover more?

Contact us to book your free demonstration:

% 1300 754 337

www.criterionindustries.com.au



VIC

23 Scanlon Drive Epping, VIC, 3076 T: 03 9355 0700

sales@criterionindustries.com.au

NSW

95 Victoria Street Smithfield, NSW, 2164 T: 02 9355 0700

sales.nsw@criterionindustries.com.au

W۵

58 Tacoma Circuit Canning Vale WA 6155 T: 08 9355 0700

sales.wa@criterionindustries.com.au

QLD

22 Holt Street Eagle Farm QLD 4009 T: 07 3193 8990

sales.qld@criterionindustries.com.au

■ Issued May 2019