

HAGERMAN

HALF WATT

Tube Amplifier



Made in USA

Copyrights & Trademarks

© Copyright Hagerman Amplification 2023. All rights reserved. No part of this document may be photocopied, reproduced, or translated to another language without prior written consent.

Disclaimer

The information contained in this document is subject to change without notice. Hagerman Amplification shall not be liable for errors contained herein or for consequential damages in connection with the furnishing, performance, or use of this material.

Warranty

Hagerman Amplification warrants this product free of defects in materials and workmanship for a period of 5 years (90 days tubes and footswitch). If you discover a defect, Hagerman Amplification will, at its option, repair or replace the product at no charge to you provided you return it during the warranty period, transportation charges prepaid to Hagerman Amplification. This warranty does not apply if the product has been damaged by negligence, accident, abuse or misuse or misapplication, has been damaged because it has been improperly connected to other equipment or has been modified without the express written permission of Hagerman Amplification. This warranty is limited to the replacement or repair of this product and not to damage to equipment of other manufacturers. Any applicable implied warranties, including warranty of merchantability, are limited in duration to a period of the express warranty as provided herein beginning with the original date of purchase and no warranties, whether express or implied shall apply to the product thereafter. Under no circumstances shall Hagerman Amplification be liable for any loss, direct, indirect, incidental, special, or consequential damage arising out of or in connection with the use of this product.

Hagerman Amplification

1521 Alexander St Apt 1701

Honolulu, HI 96822

808-383-2704

www.hagamps.com

Description

HALF WATT is an all-tube micro-amp intended for practice or studio work. It will easily drive any speaker cabinet (or none at all) without impedance or stability issues. A convenient headphone output allows for quiet practice (or for connection to DAW or PA).

Specifications

Item	Specification
Output Power	0.5W clean @8 ohm (1.5W dirty)
Tubes	1 x 12AY7, 1 x 12BH7
Controls	Bass, Treble, Volume
Bandwidth	65Hz to 6kHz
Size	6" x 6" x 4"
Input Power	15Vdc @800mA

Operation

As with all tube amplifiers, HALF WATT takes approximately 30 seconds to warm up and start working. For a line-level signal (recording or PA), use the PHONES output left channel (stereo plug). If you experience hum or buzz, use the supplied grounding wire to connect system to Earth.

Warnings

Do not operate without tubes installed!

