

HAGERMAN

REPLICATE

Ground Loop Eliminator Pedal



Made in USA

Copyrights & Trademarks

© Copyright Hagerman Amplification 2023. All rights reserved. No part of this document may be photocopied, reproduced, or translated to another language without prior written consent.

Disclaimer

The information contained in this document is subject to change without notice. Hagerman Amplification shall not be liable for errors contained herein or for consequential damages in connection with the furnishing, performance, or use of this material.

Warranty

Hagerman Amplification warrants this product free of defects in materials and workmanship for a period of 5 years (90 days tubes and footswitch). If you discover a defect, Hagerman Amplification will, at its option, repair or replace the product at no charge to you provided you return it during the warranty period, transportation charges prepaid to Hagerman Amplification. This warranty does not apply if the product has been damaged by negligence, accident, abuse or misuse or misapplication, has been damaged because it has been improperly connected to other equipment or has been modified without the express written permission of Hagerman Amplification. This warranty is limited to the replacement or repair of this product and not to damage to equipment of other manufacturers. Any applicable implied warranties, including warranty of merchantability, are limited in duration to a period of the express warranty as provided herein beginning with the original date of purchase and no warranties, whether express or implied shall apply to the product thereafter. Under no circumstances shall Hagerman Amplification be liable for any loss, direct, indirect, incidental, special, or consequential damage arising out of or in connection with the use of this product.

Hagerman Amplification

1521 Alexander St
Honolulu, HI 96822
808-383-2704
www.hagamps.com


Description

The REPLICATE pedal is designed to drive two or three amplifiers at the same time from a single guitar or pedal chain.

The main output is a direct connection to input, thereby providing the load seen by guitar. Copied outputs are each independently isolated from ground in order to prevent ground loops, which typically end up injecting hum or buzz into the signal path. Internal opto-isolators eliminate such undesirable noises.

Bandwidth is exceptional, operating all the way down to 10Hz, making the pedal useful for bass and synthesizer as well. Output impedance is superbly low, capable of driving long lines without treble loss.


Earth ground for guitar and pedals provided by Main Amplifier, as shown.



Specifications

Item	Specification
Gain	0dB
Input Impedance	100kohms
Bandwidth	10Hz to 10kHz
Maximum Signal	1.5Vrms
Distortion	1.7%
Size	4.4" x 2.4" x 1.2"
Input Power	9V to 12V @ 15mA

HAGERMAN AMPLIFICATION ISOLATOR



HAGERMAN AMPLIFICATION ISOLATOR

