

## THERMIONIC REINFORCER

### 12AX7 Preamplifier Pedal



Made in USA

#### **Copyrights & Trademarks**

© Copyright Hagerman Amplification 2022. All rights reserved. No part of this document may be photocopied, reproduced, or translated to another language without prior written consent.

#### Disclaimer

The information contained in this document is subject to change without notice. Hagerman Amplification shall not be liable for errors contained herein or for consequential damages in connection with the furnishing, performance, or use of this material.

#### Warranty

Hagerman Amplification warrants this product free of defects in materials and workmanship for a period of 5 years (90 days tubes and footswitch). If you discover a defect, Hagerman Amplification will, at its option, repair or replace the product at no charge to you provided you return it during the warranty period, transportation charges prepaid to Hagerman Amplification. This warranty does not apply if the product has been damaged by negligence, accident, abuse or misuse or misapplication, has been damaged because it has been improperly connected to other equipment or has been modified without the express written permission of Hagerman Amplification. This warranty is limited to the replacement or repair of this product and not to damage to equipment of other manufacturers. Any applicable implied warranties, including warranty of merchantability, are limited in duration to a period of the express warranty as provided herein beginning with the original date of purchase and no warranties, whether express or implied shall apply to the product thereafter. Under no circumstances shall Hagerman Amplification be liable for any loss, direct, indirect, incidental, special, or consequential damage arising out of or in connection with the use of this product.

Hagerman Amplification 808-383-2704 www.hagamps.com


# Description

THERMIONIC REINFORCER is the complete tube preamplifier section of my PP12 made into a pedal, offering up blistering tube tone and enough drive to bypass an effects loop. A second footswitch selects CLIP mode; either traditional tube saturation, or my novel high-gain tube clipper stage. Tubes are run at high voltage! Unique to this preamplifier is a tone control (CONTOUR) prior to clipping stages, akin to placing a Klon or Tube Screamer in front, improving your punch through a mix.

Use this pedal to add more channels to your existing amplifier or bless a solid-state power section with honest tube tone.

## **Specifications**

Item	Specification
Bypass	True
Gain	38dB maximum
Bandwidth	30Hz to 8kHz
Controls	Contour, Drive, Bass, Treble, Level
Tube	2 x 12AX7 (included)
Size	6.0" x 4.7" x 3.5"
Power	9V @ 700mA (included)



HAGERMAN AMPLIFICATION THERMIONIC REINFORCER

