

floorté

PRO series

Endura Plus

SPC pad plank




7089 Wild Dunes

	US Units	Metric Units
Style Number	0736V	
Construction	SPC	
Profile	Click	
Size	7" x 48"	17.78 cm x 121.92 cm
Overall Thickness	0.189"	4.8 mm
Wear Layer Thickness	12 mil (0.012")	0.3 mm
Finish	ArmourBead	
Edge Description	Micro Bevel	
Area per Carton	18.68 sq ft	1.74 sq m
Area per Pallet	1494.4 sq ft	138.83 sq m
Installation	Floating	
Installation Grade	Above, On, Below	
Ortho-Phthalates Free	Yes	
FloorScore Certified	Yes	
Residential Warranty	30 Years	
Commercial Warranty	7 Year Light Commercial	
Smoke Density (ASTM E662, Flaming Mode)	Passes, <450	
Radiant Panel (ASTM E648)	Passes, Class I	

Features

Top-selling style Endura Plus is perfect for those wanting a durable luxury vinyl floor with unrivaled value. Rich hues, combined with beveled edges and realistic embossing embody the tried-and-true character of real hardwood. Endura is 100% waterproof for a beautiful, high-performing floor and features Soft Silence® acoustical pad for noise reduction and added comfort.

Colors



Endura Plus



203 Tawny Oak



452 Sienna Oak



507 Wheat Oak



556 Smoky Oak



562 Neutral Oak



591 Oyster Oak



592 Shadow Oak



634 Sepia Oak



698 Auburn Oak



728 Jade Oak



734 Umber Oak



762 Hazel Oak



765 Tan Oak



820 Amber Oak



1055 Silver Dollar



1056 Driftwood



2012 Oceanfront



2013 White Sand




2014 Marina



5091 Lighthouse




5092 Sea Glass



7087 Castaway





7088 Boardwalk



7089 Wild Dunes

Coordinating Trim



Baby Threshold*

T-Molding*

Multi-Purpose Reducer

Quarter Round

Overlap Stairnose*

Flush Stairnose

BT3HS 94"	TM3HS 94"	RD3HS 94"	QTRHS 94"	VSSTN 94"	FS4HS 94"
VSBTH 94"	VSTMD 94"	VSMPR 94"	VSQTR 94"	VSST2 94"	VFSN2 94"
VSBT2 94"	VSTM2 94"	VSMP2 94"	VSQT2 94"		

*Packaged with molding track