



7221 Phoenix

Tenacious HD+ Accent


	US Units	Metric Units
Style Number	3011V	
Construction	SPC	
Profile	Fold-N-Tap	
Size	7" x 48"	17.78 cm x 121.92 cm
Overall Thickness	0.217"	5.5 mm
Wear Layer Thickness	20 mil (0.02")	0.5 mm
Finish	ScuffResist	
Edge Description	Accent Bevel	
Area per Carton	18.91 sq ft	1.76 sq m
Area per Pallet	1512.8 sq ft	140.54 sq m
Installation	Floating	
Installation Grade	Above, On, Below	
Ortho-Phthalates Free	Yes	
Embossed In Register	Yes	
FloorScore Certified	Yes	
Residential Warranty	Lifetime	
Commercial Warranty	10 Year Light Commercial	
Smoke Density (ASTM E662, Flaming Mode)	Passes, <450	
Radiant Panel (ASTM E648)	Passes, Class I	

Colors





Coordinating Trim




Baby Threshold*

BT3HS | 94"
VSBTH | 94"



T-Molding*

TM3HS | 94"
VSTM6 | 94"



Multi-Purpose Reducer

VSMP6 | 94"



Quarter Round

VSQT6 | 94"



Flush Stairnose

VFSN1 | 94"

*Packaged with molding track