

acc. to 29 CFR 1910.1200 App D

Foam Bomb

Version number: GHS 1.0 Date of compilation: 2023-03-15

SECTION 1: Identification

1.1 Product identifier

Trade name Foam Bomb

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses Vehicle shampoo and shine

Professional use Industrial use

1.3 Details of the supplier of the safety data sheet

Torque Detail 10963 Leroy Drive Northglenn, CO. 80233

hello@torquedetail.com torquedetail.com

1.4 Emergency telephone number

Emergency information service

USA 1.800.535.5053, INTL 1.352.323.3500

24 hour emergency number

SECTION 2: Hazard(s) identification

2.1 Classification of the substance or mixture

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Section	Hazard class	Category	Hazard class and category	Hazard state- ment
A.2	skin corrosion/irritation	2	Skin Irrit. 2	H315
A.3	serious eye damage/eye irritation	1	Eye Dam. 1	H318

For full text of abbreviations: see SECTION 16.

2.2 Label elements

Labelling acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

- Signal word danger

- Pictograms

GHS05



- Hazard statements

H315 Causes skin irritation.H318 Causes serious eye damage.

- Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 If on skin: Wash with plenty of water.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P310 Immediately call a poison center/doctor.
P321 Specific treatment (see on this label).

P362 Take off contaminated clothing and wash it before reuse.

United States: en Page: 1 / 13



acc. to 29 CFR 1910.1200 App D

Foam Bomb

Version number: GHS 1.0 Date of compilation: 2023-03-15

Hazardous ingredients for labelling

sodium laureth sulfate

2.3 Other hazards

Special danger of slipping by leaking/spilling product.

Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance in a concentration of ≥ 0,1%.

Endocrine disrupting properties

Does not contain an endocrine disruptor (EDC) in a concentration of $\geq 0.1\%$.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture)

3.2 Mixtures

Description of the mixture

Hazardous ingredients acc. to GHS						
Name of substance	Identifier	Wt%	Classification acc. to GHS			
sodium laureth sulfate	CAS No 68585-34-2	≥10	Acute Tox. 4 / H312 Skin Irrit. 2 / H315 Eye Dam. 1 / H318 HNOC001 HNOC009			
cocamidopropylhydroxysultaine	CAS No 68139-30-0	≥1	Eye Irrit. 2A / H319 HNOC001 HNOC002 HNOC008			
Sodium 2-(2-	CAS No	≥1	Skin Irrit. 2 / H315			

Eye Irrit. 2 / H319

3088-31-1

For full text of abbreviations: see SECTION 16.

dodecyloxyethoxy)ethyl sulphate

SECTION 4: First-aid measures

4.1 Description of first-aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician. Provide fresh air.

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

United States: en Page: 2 / 13



acc. to 29 CFR 1910.1200 App D

Foam Bomb

Version number: GHS 1.0 Date of compilation: 2023-03-15

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray, Alcohol resistant foam, BC-powder, Carbon dioxide (CO2)

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO2)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Coordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

6.2 Environmental precautions

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

United States: en Page: 3 / 13



acc. to 29 CFR 1910.1200 App D

Foam Bomb

Version number: GHS 1.0 Date of compilation: 2023-03-15

7.2 Conditions for safe storage, including any incompatibilities

Control of the effects

Protect against external exposure, such as

frost

7.3 Specific end use(s)

See section 16 for a general overview.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits) this information is not available

Relevant DNELs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshold level	Protection goal, route of expos- ure	Used in	Exposure time
sodium laureth sulfate	68585-34-2	DNEL	175 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
sodium laureth sulfate	68585-34-2	DNEL	2,750 mg/ kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
sodium laureth sulfate	68585-34-2	DNEL	132 μg/cm ²	human, dermal	worker (industry)	chronic - local ef- fects
Sodium 2-(2-dodecyl- oxyethoxy)ethyl sulphate	3088-31-1	DNEL	1.1 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
Sodium 2-(2-dodecyl- oxyethoxy)ethyl sulphate	3088-31-1	DNEL	0.63 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects

Relevant PNECs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time
sodium laureth sulfate	68585-34-2	PNEC	0.24 ^{mg} / _l	aquatic organisms	freshwater	short-term (single instance)
sodium laureth sulfate	68585-34-2	PNEC	0.024 ^{mg} / _l	aquatic organisms	marine water	short-term (single instance)
sodium laureth sulfate	68585-34-2	PNEC	10 ^g / _l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
sodium laureth sulfate	68585-34-2	PNEC	0.92 ^{mg} / _{kg}	aquatic organisms	freshwater sediment	short-term (single instance)
sodium laureth sulfate	68585-34-2	PNEC	0.092 ^{mg} / _{kg}	aquatic organisms	marine sediment	short-term (single instance)
sodium laureth sulfate	68585-34-2	PNEC	7.5 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)
Sodium 2-(2-dodecyl- oxyethoxy)ethyl sulphate	3088-31-1	PNEC	0.086 ^{mg} / _l	aquatic organisms	freshwater	short-term (single instance)

United States: en Page: 4 / 13



acc. to 29 CFR 1910.1200 App D

Foam Bomb

Version number: GHS 1.0 Date of compilation: 2023-03-15

Relevant PNECs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time
Sodium 2-(2-dodecyl- oxyethoxy)ethyl sulphate	3088-31-1	PNEC	0.009 ^{mg} / _I	aquatic organisms	marine water	short-term (single instance)
Sodium 2-(2-dodecyl- oxyethoxy)ethyl sulphate	3088-31-1	PNEC	0.86 ^{mg} / _l	aquatic organisms	water	intermittent release
Sodium 2-(2-dodecyl- oxyethoxy)ethyl sulphate	3088-31-1	PNEC	589 ^{mg} / _l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Sodium 2-(2-dodecyl- oxyethoxy)ethyl sulphate	3088-31-1	PNEC	3,222 ^{mg} / _{kg}	aquatic organisms	freshwater sediment	short-term (single instance)
Sodium 2-(2-dodecyl- oxyethoxy)ethyl sulphate	3088-31-1	PNEC	3,222 ^{mg} / _{kg}	aquatic organisms	marine sediment	short-term (single instance)
Sodium 2-(2-dodecyl- oxyethoxy)ethyl sulphate	3088-31-1	PNEC	1,527 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eve/face protection

Wear eye/face protection.

Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties Appearance

United States: en Page: 5 / 13



acc. to 29 CFR 1910.1200 App D

Foam Bomb

Version number: GHS 1.0 Date of compilation: 2023-03-15

Physical state	liquid (viscous)
Color	pearlescent - blue
Particle	not relevant (liquid)
Odor	fruity - citrus
Other safety parameters	
pH (value)	7-7.5 (25 °C)
Melting point/freezing point	not determined
Initial boiling point and boiling range	100 °C
Flash point	not determined
Evaporation rate	Not determined
Flammability (solid, gas)	not relevant, (fluid)
Vapor pressure	32 hPa at 25 °C
Density	1 ^g / _{cm³} at 25 °C
Vapor density	this information is not available
Solubility(ies)	
- Water solubility	miscible in any proportion
Partition coefficient	
- n-octanol/water (log KOW)	this information is not available
Auto-ignition temperature	
Viscosity	not determined
Explosive properties	none
Oxidizing properties	none
	there is no additional information

United States: en Page: 6 / 13



acc. to 29 CFR 1910.1200 App D

Foam Bomb

Version number: GHS 1.0 Date of compilation: 2023-03-15

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

Oxidizers

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Acute toxicity

Shall not be classified as acutely toxic.

Acute toxicity estimate (ATE) of components of the mixture

Name of substance	CAS No	Exposure route	ATE
sodium laureth sulfate	68585-34-2	dermal	≥2,000 ^{mg} / _{kg}

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitization

Shall not be classified as a respiratory or skin sensitizer.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

United States: en Page: 7 / 13



acc. to 29 CFR 1910.1200 App D

Foam Bomb

Version number: GHS 1.0 Date of compilation: 2023-03-15

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

SECTION 12: Ecological information

12.1 Toxicity

Toxic to aquatic life with long lasting effects.

Aquatic toxicity (acute) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
sodium laureth sulfate	68585-34-2	LC50	7.1 ^{mg} / _l	fish	96 h
sodium laureth sulfate	68585-34-2	EC50	7.2 ^{mg} / _l	aquatic invertebrates	48 h
sodium laureth sulfate	68585-34-2	ErC50	27 ^{mg} / _l	algae	72 h
cocamidopropylhy- droxysultaine	68139-30-0	LC50	1.7 – 2 ^{mg} / _l	algae	72 h
cocamidopropylhy- droxysultaine	68139-30-0	LC50	1.7 – 2 ^{mg} / _l	daphnia	48 h
cocamidopropylhy- droxysultaine	68139-30-0	LC50	1.7 – 2 ^{mg} / _l	fish	96 h
cocamidopropylhy- droxysultaine	68139-30-0	EC50	11 ^{mg} / _l	aquatic invertebrates	48 h
cocamidopropylhy- droxysultaine	68139-30-0	ErC50	0.32 ^{mg} / _l	algae	72 h

Aquatic toxicity (chronic) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
sodium laureth sulfate	68585-34-2	EC50	0.37 ^{mg} / _l	aquatic invertebrates	21 d
sodium laureth sulfate	68585-34-2	LC50	0.74 ^{mg} / _l	aquatic invertebrates	21 d

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB. Does not contain a PBT-/vPvB-substance in a concentration of $\geq 0.1\%$.

United States: en Page: 8 / 13



acc. to 29 CFR 1910.1200 App D

Foam Bomb

Version number: GHS 1.0 Date of compilation: 2023-03-15

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (EDC) in a concentration of $\geq 0.1\%$.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packages

Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SECTION 14: Transport information

14.1	UN number	not subject to transport regulations

14.2 UN proper shipping name not relevant

14.3 Transport hazard class(es) none

14.4 Packing group not assigned

14.5 Environmental hazards non-environmentally hazardous acc. to the dangerous

goods regulations

14.6 Special precautions for user

There is no additional information.

14.7 Transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

Information for each of the UN Model Regulations

Transport of dangerous goods by road or rail (49 CFR US DOT)

Not subject to transport regulations.

International Maritime Dangerous Goods Code (IMDG)

Not subject to IMDG.

International Civil Aviation Organization (ICAO-IATA/DGR)

Not subject to ICAO-IATA.

United States: en Page: 9 / 13



acc. to 29 CFR 1910.1200 App D

Foam Bomb

Version number: GHS 1.0 Date of compilation: 2023-03-15

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question

National regulations (United States)

Toxic Substance Control Act (TSCA)

all ingredients are listed

Right to Know Hazardous Substance List

Cleaning Product Right to Know Act Substance List (CA-RTK)

0 0	,		
Name of substance	CAS No	Functionality	Authoritative Lists
water	7732-18-5	solvent	
sodium laureth sulfate	68585-34-2	surfactant	
cocamidopropylhydroxysultaine	68139-30-0	surfactant	
Sodium 2-(2-dodecyloxyethoxy)ethyl sulphate	3088-31-1	surfactant	
sodium chloride	7647-14-5	viscosity modifier	
glycol stearate	111-60-4	lubricant	
polyethylene oxide lauryl ether	9002-92-0	surfactant	
Glycerine	56-81-5	humectant	
polydimethylsiloxane	63148-62-9	surface modifier	
trimethylsiloxysilicate	68988-56-7	resin	
d-limonene	5989-27-5		EU Fragrance Allergens
linalool	78-70-6	fragrance	EU Fragrance Allergens

California Environmental Protection Agency (Cal/EPA): Proposition 65 - Safe Drinking Water and Toxic Enforcement Act of 1987

Proposition 65 List of chemicals

Name acc. to inventory	CAS No	Wt%	Remarks	Type of the toxicity		
ethylene oxide	75-21-8	0.000041		cancer		
ethylene oxide	75-21-8	0.000041		female		
ethylene oxide	75-21-8	0.000041		developmental, male		
1,4-dioxane	123-91-1	0.00041		cancer		

VOC content

- Regulated Volatile Organic Compounds (VOC-EPA)

0.07%

- Regulated Volatile Organic Compounds (VOC-Cal ARB)

0.072 %

Industry or sector specific available guidance(s)

NPCA-HMIS® III

Hazardous Materials Identification System. American Coatings Association.

United States: en Page: 10 / 13



acc. to 29 CFR 1910.1200 App D

Foam Bomb

Version number: GHS 1.0 Date of compilation: 2023-03-15

Category	Rating	Description
Chronic	*	chronic (long-term) health effects may result from repeated overexposure
Health	3	major injury likely unless prompt action is taken and medical treatment is given
Flammability	1	material that must be preheated before ignition can occur
Physical hazard	0	material that is normally stable, even under fire conditions, and will not react with water, polymerize, decompose, condense, or self-react. Non-explosive
Personal protection	-	

Chronic: chronic hazard Flammability: flammability hazards health hazard Health:

Personal protection: personal protective equipment (PPE) for normal use

Physical hazard: reactivity

NFPA® 704

National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States).

Category	Degree of hazard	Description
Flammability	1	material that must be preheated before ignition can occur
Health	3	material that, under emergency conditions, can cause serious or permanent injury
Instability	0	material that is normally stable, even under fire conditions
Special hazard		

National inventories

Country	Inventory	Status
CA	DSL	all ingredients are listed
EU	REACH Reg.	not all ingredients are listed
US	TSCA	all ingredients are listed as "ACTIVE"
AU	AIIC	all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	not all ingredients are listed
JP	CSCL-ENCS	not all ingredients are listed
JP	ISHA-ENCS	not all ingredients are listed
KR	KECI	all ingredients are listed
MX	INSQ	not all ingredients are listed
NZ	NZIoC	all ingredients are listed
PH	PICCS	all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed

Legend

AllC Australian Inventory of Industrial Chemicals
CICR Chemical Inventory and Control Regulation
CSCL-ENCS List of Existing and New Chemical Substances (CSCL-ENCS)

United States: en Page: 11 / 13



acc. to 29 CFR 1910.1200 App D

Foam Bomb

Version number: GHS 1.0 Date of compilation: 2023-03-15

Legend

DSL Domestic Substances List (DSL)

EC Substance Inventory (EINECS, ELINCS, NLP) **ECSI**

IECSC Inventory of Existing Chemical Substances Produced or Imported in China

National Inventory of Chemical Substances INSQ

ISHA-ENCS Inventory of Existing and New Chemical Substances (ISHA-ENCS)

KECI NZIoC Korea Existing Chemicals Inventory

New Zealand Inventory of Chemicals
Philippine Inventory of Chemicals and Chemical Substances (PICCS) PICCS

REACH Reg. REACH registered substances Taiwan Chemical Substance Inventory **TCSI**

TSCA Toxic Substance Control Act

Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information, including date of preparation or last revision

Indication of changes (revised safety data sheet)

Alignment to regulation: Globally Harmonized System of Classification and Labelling of Chemicals ("Purple book"). Restructuring: section 9, section 14

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
49 CFR US DOT	49 CFR U.S. Department of Transportation
Acute Tox.	Acute toxicity
ATE	Acute Toxicity Estimate
Cal ARB	California Air Resources Board
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EPA	Environmental Protection Agency. An agency of the federal government of the United States charged with protecting human health and the environment
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval

United States: en Page: 12 / 13



acc. to 29 CFR 1910.1200 App D

Foam Bomb

Version number: GHS 1.0 Date of compilation: 2023-03-15

Abbr.	Descriptions of used abbreviations
NLP	No-Longer Polymer
NPCA-HMIS® III	National Paint and Coatings Association: Hazardous Materials Identification System - HMIS® III, Third Edition
OSHA	Occupational Safety and Health Administration (United States)
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
RTECS	Registry of Toxic Effects of Chemical Substances (database of NIOSH with toxicological information)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative

Key literature references and sources for data

OSHA Hazard Communication Standard (HCS), 29 CFR 1910.1200.

Transport of dangerous goods by road or rail (49 CFR US DOT). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

United States: en Page: 13 / 13