

Intramedullary Tibial Nail









## **INDICATIONS**

The ARZZT Intramedullary Tibial Nail is intended to stabilize fractures of the tibia. Specifically it is intended for Grade I and Grade II open diaphyseal fractures: high energy, unstable closed fracture patterns; comminuted fractures of tibias with small medullary canals; and certain pre- and postisthmic fractures.

## **CHARACTERISTICS**

The ARZZT Intramedullary Tibial Nail is a solid or cannulated nail with proximal and distal locking configurations, which provides a choice of locking options, both static and dynamic, to accommodate the fracture pattern and soft- tissue injury.

The alloy of the nail guarantee their resistance thanks to the TITANIUM 6AI4V in which it is manufactured, to be used at the discretion of the orthopaedic surgeon.

## **BENEFITS**

One of the principal benefits in the use of this implant is the anterior posterior multiplanar proximal block, which generates greater stability. The simplicity and practicality of the surgical technique, in addition to the constant symmetry between instruments and implants, reduces the use of image intensifier.

These innovations impact in the success of the surgical procedure, significantly reducing the time of surgery for the benefit of the patient.

## SYSTEM ASSEMBLY



Diameter	Length					
10 mm			280 mm	300 mm	320 mm	340 mm

 Locking Screw
 Length

 4.15 mm
 | 30 mm | 35 mm | 40 mm | 45 mm | 50 mm | 55 mm | 60 mm | 65 mm | 70 mm | 75 mm | 80 mm |