



# Certificate of Analysis

## COMPLIANCE FOR RETAIL

Sample: DA30418011-001  
Harvest/Lot ID: MCTM2423  
Batch#: MCTM2423  
Seed to Sale# MCTM2423  
Sample Size Received: 20 ml  
Total Amount: 1 units  
Retail Product Size: 30 ml  
Ordered : 04/17/23  
Sampled : 04/17/23  
Completed: 04/21/23  
Sampling Method: SOP.T.20.010.FL

**PASSED**


Pages 1 of 5

Apr 21, 2023 | HIGH ROLLER PRIVATE LABEL LLC

4095N 28TH WAY  
HOLLYWOOD, FL, 33020, US




PRODUCT IMAGE



SAFETY RESULTS



Pesticides  
**PASSED**



Heavy Metals  
**PASSED**



Microbials  
**PASSED**



Mycotoxins  
**PASSED**



Residuals Solvents  
**PASSED**



Filtration  
**PASSED**



Water Activity  
**PASSED**



Moisture  
NOT TESTED



Terpenes  
NOT TESTED

MISC.



Cannabinoid

**PASSED**



Total THC  
**ND**

Total THC/Container : 0 mg



Total CBD  
**3.694%**

Total CBD/Container : 1041.708 mg



Total Cannabinoids  
**3.712%**

Total Cannabinoids/Container : 1046.784 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	ND	ND	3.694	ND	ND	ND	ND	ND	ND	0.018	ND
mg/unit	ND	ND	1108.2	ND	ND	ND	ND	ND	ND	5.4	ND
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:  
3605, 1665, 585, 1440

Weight:  
3.0045g

Extraction date:  
04/19/23 10:59:36

Extracted by:  
3605

Analysis Method : SOP.T.40.031, SOP.T.30.031  
Analytical Batch : DA058981POT  
Instrument Used : DA-LC-007  
Analyzed Date : 04/19/23 11:09:07

Reviewed On : 04/20/23 09:25:46  
Batch Date : 04/19/23 09:36:22

Dilution : 400  
Reagent : 040323.01; 071222.35; 071222.01  
Consumables : 250346; CE0123; 12617-306CD-306C; 61633-125C6-125E; R1KB14270  
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Jorge Segredo**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164



Signature  
04/21/23



# Certificate of Analysis

**PASSED**

HIGH ROLLER PRIVATE LABEL LLC

Sample : DA30418011-001

Harvest/Lot ID: MCTM2423

Batch# : MCTM2423

Sampled : 04/17/23

Ordered : 04/17/23

Sample Size Received : 20 ml

Total Amount : 1 units

Completed : 04/21/23 Expires: 04/21/24

Sample Method : SOP Client Method

4095N 28TH WAY  
HOLLYWOOD, FL, 33020, US  
Telephone: (954) 505-4481  
Email: admin@highrollerllc.com

Page 2 of 5



## Pesticides

**PASSED**

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
<b>TOTAL CONTAMINANT LOAD (PESTICIDES)</b>	0.01	ppm	30	PASS	ND	<b>OXAMYL</b>	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	3	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	1	PASS	ND	PHOSMET	0.01	ppm	0.2	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	1	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	3	PASS	ND	PRALLETHRIN	0.01	ppm	0.4	PASS	ND
TOTAL SPINOSAD	0.01	ppm	3	PASS	ND	PROPICONAZOLE	0.01	ppm	1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.3	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	3	PASS	ND	PYRIDABEN	0.01	ppm	3	PASS	ND
ACEQUINOCLYL	0.01	ppm	2	PASS	ND	SPIROMESIFEN	0.01	ppm	3	PASS	ND
ACETAMIPRID	0.01	ppm	3	PASS	ND	SPIROTETRAMAT	0.01	ppm	3	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	3	PASS	ND	TEBUCONAZOLE	0.01	ppm	1	PASS	ND
BIFENAZATE	0.01	ppm	3	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.5	PASS	ND	THIAMETHOXAM	0.01	ppm	1	PASS	ND
BOSCALID	0.01	ppm	3	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	3	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.2	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	3	PASS	ND	CAPTAN *	0.07	PPM	3	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	3	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.5	PASS	ND	CYFLUTHRIN *	0.05	PPM	1	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	1	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	3	PASS	ND	<b>Analyzed by:</b>	<b>Weight:</b>	<b>Extraction date:</b>	<b>Extracted by:</b>		
DICHLORVOS	0.01	ppm	0.1	PASS	ND	3379, 585, 1440	0.2214g	04/19/23 12:33:45	450,585		
DIMETHOATE	0.01	ppm	0.1	PASS	ND						
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	<b>Analysis Method :</b>					
ETOFENPROX	0.01	ppm	0.1	PASS	ND	SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),					
ETOXAZOLE	0.01	ppm	1.5	PASS	ND	SOP.T.40.102.FL (Davie)					
FENHEXAMID	0.01	ppm	3	PASS	ND	<b>Analytical Batch :</b>					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	DA058992PES					
FENPYROXIMATE	0.01	ppm	2	PASS	ND	<b>Instrument Used :</b>					
FIPRONIL	0.01	ppm	0.1	PASS	ND	DA-LCMS-003 (PES)					
FLONICAMID	0.01	ppm	2	PASS	ND	<b>Analyzed Date :</b>					
FLUDIOXONIL	0.01	ppm	3	PASS	ND	04/19/23 16:27:32					
HEXYTHIAZOX	0.01	ppm	2	PASS	ND	<b>Dilution :</b>					
IMAZALIL	0.01	ppm	0.1	PASS	ND	250					
IMIDACLOPRID	0.01	ppm	1	PASS	ND	<b>Reagent :</b>					
KRESOXIM-METHYL	0.01	ppm	1	PASS	ND	041723.R01; 041723.R02; 041823.R35; 041423.R01; 041123.R05; 041923.R01; 040521.11					
MALATHION	0.01	ppm	2	PASS	ND	<b>Consumables :</b>					
METALAXYL	0.01	ppm	3	PASS	ND	6697075-02					
METHIOCARB	0.01	ppm	0.1	PASS	ND	<b>Pipette :</b>					
METHOMYL	0.01	ppm	0.1	PASS	ND	DA-093; DA-094; DA-219					
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MYCLOBUTANIL	0.01	ppm	3	PASS	ND	<b>Analyzed by:</b>	<b>Weight:</b>	<b>Extraction date:</b>	<b>Extracted by:</b>		
NALED	0.01	ppm	0.5	PASS	ND	450, 585, 1440	0.2214g	04/19/23 12:33:45	450,585		
						<b>Analysis Method :</b>					
						SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
						<b>Analytical Batch :</b>					
						DA058996VOL					
						<b>Instrument Used :</b>					
						DA-GCMS-001					
						<b>Analyzed Date :</b>					
						04/20/23 11:11:34					
						<b>Dilution :</b>					
						250					
						<b>Reagent :</b>					
						041823.R35; 040521.11; 040723.R43; 040723.R44					
						<b>Consumables :</b>					
						6697075-02; 14725401					
						<b>Pipette :</b>					
						DA-080; DA-146; DA-218					
						Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Jorge Segredo**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164



Signature  
04/21/23



# Certificate of Analysis

**PASSED**

HIGH ROLLER PRIVATE LABEL LLC

4095N 28TH WAY  
HOLLYWOOD, FL, 33020, US  
Telephone: (954) 505-4481  
Email: admin@highrollerllc.com

Sample : DA30418011-001  
Harvest/Lot ID: MCTM2423  
Batch# : MCTM2423  
Sampled : 04/17/23  
Ordered : 04/17/23

Sample Size Received : 20 ml  
Total Amount : 1 units  
Completed : 04/21/23 Expires: 04/21/24  
Sample Method : SOP Client Method

Page 3 of 5



## Residual Solvents

**PASSED**

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

Analyzed by: 850, 585, 1440	Weight: 0.0216g	Extraction date: 04/20/23 14:47:16	Extracted by: 850
--------------------------------	--------------------	---------------------------------------	----------------------

Analysis Method : SOP.T.40.041.FL	Reviewed On : 04/21/23 11:36:26 Batch Date : 04/19/23 17:25:45
Analytical Batch : DA05900550L	
Instrument Used : DA-GCMS-003	
Analysis Date : 04/20/23 17:01:31	

Dilution : 1  
Reagent : 030420.09  
Consumables : G201.062; G201.062  
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.







# Certificate of Analysis

**PASSED**

HIGH ROLLER PRIVATE LABEL LLC

4095N 28TH WAY  
HOLLYWOOD, FL 33020, US  
Telephone: (954) 505-4481  
Email: admin@highrollerllc.com

Sample : DA30418011-001  
Harvest/Lot ID: MCTM2423  
Batch# : MCTM2423  
Sampled : 04/17/23  
Ordered : 04/17/23

Sample Size Received : 20 ml  
Total Amount : 1 units  
Completed : 04/21/23 Expires: 04/21/24  
Sample Method : SOP Client Method

Page 4 of 5

	<b>Microbial</b>	<b>PASSED</b>		<b>Mycotoxins</b>	<b>PASSED</b>
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ECOLI SHIGELLA			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000

**Analyzed by:** 3621, 3336, 3390, 585, 1440  
**Weight:** 1.003g  
**Extraction date:** 04/21/23 11:58:40  
**Extracted by:** 3336,3390  
**Analysis Method :** SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL  
**Analytical Batch :** DA058970MIC  
**Instrument Used :** DA-265 Gene-UP RTPCR  
**Analyzed Date :** 04/19/23 10:30:54  
**Reviewed On :** 04/21/23 12:33:07  
**Batch Date :** 04/19/23 08:24:06  
**Dilution :** 1  
**Reagent :** 033123.R30; 041823.R24  
**Consumables :** 2125220  
**Pipette :** N/A

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02

**Analyzed by:** 3379, 585, 1440  
**Weight:** 0.2214g  
**Extraction date:** 04/19/23 12:33:45  
**Extracted by:** 450,585  
**Analysis Method :** SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)  
**Analytical Batch :** DA058995MYC  
**Instrument Used :** N/A  
**Analyzed Date :** 04/19/23 16:27:59  
**Reviewed On :** 04/21/23 10:30:18  
**Batch Date :** 04/19/23 10:34:28  
**Dilution :** 250  
**Reagent :** 041723.R01; 041723.R02; 041823.R35; 041423.R01; 041123.R05; 041923.R01; 040521.11  
**Consumables :** 6697075-02  
**Pipette :** DA-093; DA-094; DA-219

**Analyzed by:** 3390, 585, 1440  
**Weight:** 1.003g  
**Extraction date:** 04/19/23 10:16:16  
**Extracted by:** 3336,3390  
**Analysis Method :** SOP.T.40.208 (Gainesville), SOP.T.40.209.FL  
**Analytical Batch :** DA058985TYM  
**Instrument Used :** Incubator (25-27C) DA-096  
**Analyzed Date :** 04/19/23 10:53:16  
**Reviewed On :** 04/21/23 13:47:42  
**Batch Date :** 04/19/23 10:13:47  
**Dilution :** 10  
**Reagent :** 011323.24  
**Consumables :** 007109  
**Pipette :** N/A

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

	<b>Heavy Metals</b>	<b>PASSED</b>
---	---------------------	---------------

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	5
ARSENIC	0.02	ppm	ND	PASS	1.5
CADMIUM	0.02	ppm	ND	PASS	0.5
MERCURY	0.02	ppm	ND	PASS	3
LEAD	0.02	ppm	ND	PASS	0.5

**Analyzed by:** 1022, 585, 1440  
**Weight:** 0.2385g  
**Extraction date:** 04/19/23 11:13:33  
**Extracted by:** 1879,1022,3807  
**Analysis Method :** SOP.T.30.082.FL, SOP.T.40.082.FL  
**Analytical Batch :** DA058979HEA  
**Instrument Used :** DA-ICPMS-003  
**Analyzed Date :** 04/19/23 14:41:55  
**Reviewed On :** 04/20/23 09:49:44  
**Batch Date :** 04/19/23 09:15:08  
**Dilution :** 50  
**Reagent :** 040623.R23; 031423.R18; 041423.R38; 040723.R30; 031423.R36; 041423.R37; 040323.R21; 020123.02  
**Consumables :** 179436; 210508058; 12620-307CD-307D  
**Pipette :** DA-061; DA-261

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.





# Certificate of Analysis

**PASSED**

HIGH ROLLER PRIVATE LABEL LLC

4095N 28TH WAY  
HOLLYWOOD, FL, 33020, US  
Telephone: (954) 505-4481  
Email: admin@highrollerllc.com

Sample : DA30418011-001  
Harvest/Lot ID: MCTM2423  
Batch# : MCTM2423  
Sampled : 04/17/23  
Ordered : 04/17/23

Sample Size Received : 20 ml  
Total Amount : 1 units  
Completed : 04/21/23 Expires: 04/21/24  
Sample Method : SOP Client Method

Page 5 of 5



**Filth/Foreign Material** PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.1	%	ND	PASS	1

Analyzed by: 1879, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
----------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090  
Analytical Batch : DA058963FIL  
Instrument Used : Filth/Foreign Material Microscope  
Analyzed Date : 04/19/23 10:57:03  
Reviewed On : 04/19/23 12:30:50  
Batch Date : 04/18/23 23:18:44

Dilution : N/A  
Reagent : N/A  
Consumables : N/A  
Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



**Water Activity** PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.01	aw	0.533	PASS	0.85

Analyzed by: 2926, 585, 1440	Weight: 0.815g	Extraction date: 04/19/23 12:09:46	Extracted by: 2926
---------------------------------	-------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019  
Analytical Batch : DA058943WAT  
Instrument Used : DA-028 Rotronic HygroPalm  
Analyzed Date : 04/18/23 14:44:06  
Reviewed On : 04/19/23 12:49:34  
Batch Date : 04/18/23 11:49:41

Dilution : N/A  
Reagent : 100522.09  
Consumables : PS-14  
Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

