




Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30208008-003
Harvest/Lot ID: FSMD1423
Batch#: FSMD1423
Cultivation Facility:
Processing Facility :
Distributor Facility :
Source Facility :
Seed to Sale# N/A
Batch Date: N/A
Sample Size Received: 15 ml
Total Amount: 15 ml
Retail Product Size: 30 ml
Ordered : 02/07/23
Sampled : 02/07/23
Completed: 02/14/23
Sampling Method: SOP.T.20.010.FL

Feb 14, 2023 | HIGH ROLLER PRIVATE LABEL LLC


4095N 28TH WAY
HOLLYWOOD, FL, 33020, US



PASSED

Pages 1 of 5


PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
PASSED



Filtration
PASSED



Water Activity
NOT TESTED



Moisture
NOT TESTED



Terpenes
NOT TESTED

MISC.



Cannabinoid

PASSED



Total THC
0.031%

Total THC/Container : 8.742 mg



Total CBD
5.249%

Total CBD/Container : 1480.218 mg



Total Cannabinoids
5.372%

Total Cannabinoids/Container : 1514.904 mg

| | D9-THC | THCA | CBD | CBDA | D8-THC | CBG | CBGA | CBN | THCV | CBDV | CBC |
|-------|--------|--------|-------|--------|--------|-------|-------|-------|-------|-------|-------|
| % | 0.031 | <0.001 | 5.249 | <0.001 | ND | 0.032 | ND | 0.003 | ND | 0.026 | 0.031 |
| mg/ml | 0.291 | <0.009 | 49.34 | <0.009 | ND | 0.3 | ND | 0.028 | ND | 0.244 | 0.291 |
| LOD | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 |
| % | % | % | % | % | % | % | % | % | % | % | % |

Analyzed by:
1665, 53, 1440

Weight:
3.0484g

Extraction date:
02/08/23 12:09:49

Extracted by:
1665

Analysis Method : SOP.T.40.031, SOP.T.30.031
Analytical Batch : DA055817POT
Instrument Used : DA-LC-007
Running on : 02/08/23 10:07:20

Reviewed On : 02/13/23 23:11:28
Batch Date : 02/08/23 09:28:46

Dilution : 40
Reagent : 020123.01; 063022.20; 071222.01; 020723.R04; 020723.R02
Consumables : 239146; CE123; 210803-059; 61633-125C6-125E; R1KB45277
Pipette : DA-055; DA-063; DA-067

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation P/LA-
Testing 97164



Signature

02/14/23

Signed On



Certificate of Analysis

PASSED

HIGH ROLLER PRIVATE LABEL LLC

4095N 28TH WAY
HOLLYWOOD, FL, 33020, US
Telephone: (954) 505-4481
Email: admin@highrollerllc.com

Sample : DA30208008-003
Harvest/Lot ID: FSM1423

Batch# : FSM1423
Sampled : 02/07/23
Ordered : 02/07/23

Sample Size Received : 15 ml
Total Amount : 15 ml
Completed : 02/14/23 Expires: 02/14/24
Sample Method : SOP Client Method

Page 2 of 5



Pesticides

PASSED

| Pesticide | LOD | Units | Action Level | Pass/Fail | Result | Pesticide | LOD | Units | Action Level | Pass/Fail | Result |
|-------------------------------------|------|-------|--------------|-----------|--------|----------------------------------|------|-------|--------------|-----------|--------|
| TOTAL CONTAMINANT LOAD (PESTICIDES) | 0.01 | ppm | 30 | PASS | ND | OXAMYL | 0.01 | ppm | 0.5 | PASS | ND |
| TOTAL DIMETHOMORPH | 0.01 | ppm | 3 | PASS | ND | PACLOBUTRAZOL | 0.01 | ppm | 0.1 | PASS | ND |
| TOTAL PERMETHRIN | 0.01 | ppm | 1 | PASS | ND | PHOSMET | 0.01 | ppm | 0.2 | PASS | ND |
| TOTAL PYRETHRINS | 0.01 | ppm | 1 | PASS | ND | PIPERONYL BUTOXIDE | 0.01 | ppm | 3 | PASS | ND |
| TOTAL SPINETORAM | 0.01 | ppm | 3 | PASS | ND | PRALLETHRIN | 0.01 | ppm | 0.4 | PASS | ND |
| TOTAL SPINOSAD | 0.01 | ppm | 3 | PASS | ND | PROPICONAZOLE | 0.01 | ppm | 1 | PASS | ND |
| ABAMECTIN B1A | 0.01 | ppm | 0.3 | PASS | ND | PROPOXUR | 0.01 | ppm | 0.1 | PASS | ND |
| ACEPHATE | 0.01 | ppm | 3 | PASS | ND | PYRETHRIN I | 0.01 | ppm | 1 | PASS | ND |
| ACEQUINOCYL | 0.01 | ppm | 2 | PASS | ND | PYRETHRIN II | 0.01 | ppm | 1 | PASS | ND |
| ACETAMIPRID | 0.01 | ppm | 3 | PASS | ND | PYRIDABEN | 0.01 | ppm | 3 | PASS | ND |
| ALDICARB | 0.01 | ppm | 0.1 | PASS | ND | SPIROMESIFEN | 0.01 | ppm | 3 | PASS | ND |
| AZOXYSTROBIN | 0.01 | ppm | 3 | PASS | ND | SPIROTETRAMAT | 0.01 | ppm | 3 | PASS | ND |
| BIFENAZATE | 0.01 | ppm | 3 | PASS | ND | SPIROXAMINE | 0.01 | ppm | 0.1 | PASS | ND |
| BIFENTHRIN | 0.01 | ppm | 0.5 | PASS | ND | TEBUCONAZOLE | 0.01 | ppm | 1 | PASS | ND |
| BOSCALID | 0.01 | ppm | 3 | PASS | ND | THIACLOPRID | 0.01 | ppm | 0.1 | PASS | ND |
| CARBARYL | 0.01 | ppm | 0.5 | PASS | ND | THIAMETHOXAM | 0.01 | ppm | 1 | PASS | ND |
| CARBOFURAN | 0.01 | ppm | 0.1 | PASS | ND | TRIFLOXYSTROBIN | 0.01 | ppm | 3 | PASS | ND |
| CHLORANTRANILIPROLE | 0.01 | ppm | 3 | PASS | ND | PENTACHLORONITROBENZENE (PCNB) * | 0.01 | PPM | 0.2 | PASS | ND |
| CHLORMEQUAT CHLORIDE | 0.01 | ppm | 3 | PASS | ND | PARATHION-METHYL * | 0.01 | PPM | 0.1 | PASS | ND |
| CHLORPYRIFOS | 0.01 | ppm | 0.1 | PASS | ND | CAPTAN * | 0.07 | PPM | 3 | PASS | ND |
| CLOFENTEZINE | 0.01 | ppm | 0.5 | PASS | ND | CHLORDANE * | 0.01 | PPM | 0.1 | PASS | ND |
| COUMAPHOS | 0.01 | ppm | 0.1 | PASS | ND | CHLORFENAPYR * | 0.01 | PPM | 0.1 | PASS | ND |
| DAMINOZIDE | 0.01 | ppm | 0.1 | PASS | ND | CYFLUTHRIN * | 0.05 | PPM | 1 | PASS | ND |
| DIAZINON | 0.01 | ppm | 3 | PASS | ND | CYPERMETHRIN * | 0.05 | PPM | 1 | PASS | ND |
| DICHLORVOS | 0.01 | ppm | 0.1 | PASS | ND | | | | | | |
| DIMETHOATE | 0.01 | ppm | 0.1 | PASS | ND | | | | | | |
| ETHOPROPHOS | 0.01 | ppm | 0.1 | PASS | ND | | | | | | |
| ETOFENPROX | 0.01 | ppm | 0.1 | PASS | ND | | | | | | |
| ETOXAZOLE | 0.01 | ppm | 1.5 | PASS | ND | | | | | | |
| FENHEXAMID | 0.01 | ppm | 3 | PASS | ND | | | | | | |
| FENOXYCARB | 0.01 | ppm | 0.1 | PASS | ND | | | | | | |
| FENPYROXIMATE | 0.01 | ppm | 2 | PASS | ND | | | | | | |
| FIPRONIL | 0.01 | ppm | 0.1 | PASS | ND | | | | | | |
| FLONICAMID | 0.01 | ppm | 2 | PASS | ND | | | | | | |
| FLUDIOXONIL | 0.01 | ppm | 3 | PASS | ND | | | | | | |
| HEXYTHIAZOX | 0.01 | ppm | 2 | PASS | ND | | | | | | |
| IMAZALIL | 0.01 | ppm | 0.1 | PASS | ND | | | | | | |
| IMIDACLOPRID | 0.01 | ppm | 3 | PASS | ND | | | | | | |
| KRESOXIM-METHYL | 0.01 | ppm | 1 | PASS | ND | | | | | | |
| MALATHION | 0.01 | ppm | 2 | PASS | ND | | | | | | |
| METALAXYL | 0.01 | ppm | 3 | PASS | ND | | | | | | |
| METHIOCARB | 0.01 | ppm | 0.1 | PASS | ND | | | | | | |
| METHOMYL | 0.01 | ppm | 0.1 | PASS | ND | | | | | | |
| MEVINPHOS | 0.01 | ppm | 0.1 | PASS | ND | | | | | | |
| MYCLOBUTANIL | 0.01 | ppm | 3 | PASS | ND | | | | | | |
| NALED | 0.01 | ppm | 0.5 | PASS | ND | | | | | | |

Analyzed by: 3379, 585, 1440 **Weight:** 0.214g **Extraction date:** 02/08/23 13:19:17 **Extracted by:** 585

Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)

Analytical Batch : DA055827PES **Reviewed On :** 02/10/23 09:05:22

Instrument Used : DA-LCMS-003 (PES) **Batch Date :** 02/08/23 10:00:49

Running on : 02/08/23 13:58:13

Dilution : 250

Reagent : 020623.R01; 020723.R08; 020723.R32; 012423.R21; 020823.R01; 040521.11

Consumables : 6697075-02

Pipette : DA-093; DA-094; DA-219

Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Analyzed by: 450, 53, 1440, 585 **Weight:** 0.214g **Extraction date:** N/A **Extracted by:** 585, 450

Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL

Analytical Batch : DA055829VOL **Reviewed On :** 02/10/23 11:08:56

Instrument Used : DA-GCMS-001 **Batch Date :** 02/08/23 10:04:19

Running on : 02/08/23 14:07:33

Dilution : 25

Reagent : 020723.R32; 040521.11; 020223.R55; 020223.R56

Consumables : 6697075-02; 14725401

Pipette : DA-080; DA-146; DA-218

Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED

HIGH ROLLER PRIVATE LABEL LLC

4095N 28TH WAY
HOLLYWOOD, FL, 33020, US
Telephone: (954) 505-4481
Email: admin@highrollerllc.com

Sample : DA30208008-003
Harvest/Lot ID: FSM1423
Batch# : FSM1423
Sampled : 02/07/23
Ordered : 02/07/23

Sample Size Received : 15 ml
Total Amount : 15 ml
Completed : 02/14/23 Expires: 02/14/24
Sample Method : SOP Client Method

Page 3 of 5



Residual Solvents

PASSED

| Solvents | LOD | Units | Action Level | Pass/Fail | Result |
|---------------------------------------|------|-------|--------------|-----------|--------|
| 1,1-DICHLOROETHENE | 0.8 | ppm | 8 | PASS | ND |
| 1,2-DICHLOROETHANE | 0.2 | ppm | 5 | PASS | ND |
| 2-PROPANOL | 50 | ppm | 500 | PASS | ND |
| ACETONE | 75 | ppm | 5000 | PASS | ND |
| ACETONITRILE | 6 | ppm | 410 | PASS | ND |
| BENZENE | 0.1 | ppm | 2 | PASS | ND |
| BUTANES (N-BUTANE) | 500 | ppm | 2000 | PASS | ND |
| CHLOROFORM | 0.2 | ppm | 60 | PASS | ND |
| DICHLOROMETHANE | 12.5 | ppm | 600 | PASS | ND |
| ETHANOL | 500 | ppm | 5000 | PASS | ND |
| ETHYL ACETATE | 40 | ppm | 5000 | PASS | ND |
| ETHYL ETHER | 50 | ppm | 5000 | PASS | ND |
| ETHYLENE OXIDE | 0.5 | ppm | 5 | PASS | ND |
| HEPTANE | 500 | ppm | 5000 | PASS | ND |
| METHANOL | 25 | ppm | 3000 | PASS | ND |
| N-HEXANE | 25 | ppm | 290 | PASS | ND |
| PENTANES (N-PENTANE) | 75 | ppm | 5000 | PASS | ND |
| PROPANE | 500 | ppm | 2100 | PASS | ND |
| TOLUENE | 15 | ppm | 890 | PASS | ND |
| TOTAL XYLENES | 15 | ppm | 150 | PASS | ND |
| TRICHLOROETHYLENE | 2.5 | ppm | 80 | PASS | ND |
| XYLENES-M&P (1,3&1,4-DIMETHYLBENZENE) | 27 | ppm | 2170 | PASS | ND |
| XYLENES-O (1,2-DIMETHYLBENZENE) | 13.5 | ppm | 2170 | PASS | ND |

| | | | |
|---------------------------------|-----------------|------------------------------------|-------------------|
| Analyzed by: 850, 53, 1440, 585 | Weight: 0.0291g | Extraction date: 02/09/23 14:21:19 | Extracted by: 850 |
|---------------------------------|-----------------|------------------------------------|-------------------|

| | |
|-----------------------------------|---|
| Analysis Method : SOP.T.40.041.FL | Reviewed On : 02/09/23 15:24:48 Batch Date : 02/08/23 13:47:11 |
| Analytical Batch : DA055859SOL | |
| Instrument Used : DA-GCMS-002 | |
| Running on : 02/09/23 13:42:09 | |

Dilution : 1
Reagent : 030420.09
Consumables : 27296; KF140
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED

HIGH ROLLER PRIVATE LABEL LLC

4095N 28TH WAY
HOLLYWOOD, FL, 33020, US
Telephone: (954) 505-4481
Email: admin@highrollerllc.com

Sample : DA30208008-003
Harvest/Lot ID: FSMD1423
Batch#: FSMD1423
Sampled : 02/07/23
Ordered : 02/07/23

Sample Size Received : 15 ml
Total Amount : 15 ml
Completed : 02/14/23 Expires: 02/14/24
Sample Method : SOP Client Method

Page 4 of 5

| | | | | | |
|---|------------------|---------------|---|-------------------|---------------|
|  | Microbial | PASSED |  | Mycotoxins | PASSED |
|---|------------------|---------------|---|-------------------|---------------|

| Analyte | LOD | Units | Result | Pass / Fail | Action Level |
|---|-----|-------|-------------|-------------|--------------|
| ESCHERICHIA COLI SHIGELLA SPP | | | Not Present | PASS | |
| SALMONELLA SPECIFIC GENE | | | Not Present | PASS | |
| ASPERGILLUS FLAVUS | | | Not Present | PASS | |
| ASPERGILLUS FUMIGATUS | | | Not Present | PASS | |
| ASPERGILLUS TERREUS | | | Not Present | PASS | |
| ASPERGILLUS NIGER | | | Not Present | PASS | |
| TOTAL YEAST AND MOLD | 10 | CFU/g | <10 | PASS | 100000 |
| Analyzed by: 3336, 3621, 53, 1440 Weight: 0.9823g Extraction date: 02/08/23 11:59:12 Extracted by: 3621 | | | | | |
| Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA055830MIC Reviewed On : 02/10/23 11:11:51 Instrument Used : PathogenDx Scanner DA-111 Batch Date : 02/08/23 10:07:30 Running on : 02/08/23 11:11:13 | | | | | |
| Dilution : N/A Reagent : 110822.16; 120222.R60; 072122.24 Consumables : N/A Pipette : N/A | | | | | |

| Analyte | LOD | Units | Result | Pass / Fail | Action Level |
|--|-------|-------|--------|-------------|--------------|
| AFLATOXIN B2 | 0.002 | ppm | ND | PASS | 0.02 |
| AFLATOXIN B1 | 0.002 | ppm | ND | PASS | 0.02 |
| OCHRATOXIN A | 0.002 | ppm | ND | PASS | 0.02 |
| AFLATOXIN G1 | 0.002 | ppm | ND | PASS | 0.02 |
| AFLATOXIN G2 | 0.002 | ppm | ND | PASS | 0.02 |
| Analyzed by: 3379, 585, 53, 1440 Weight: 0.214g Extraction date: N/A Extracted by: 585 | | | | | |
| Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA055828MYC Reviewed On : 02/10/23 07:19:32 Instrument Used : DA-LCMS-003 (MYC) Batch Date : 02/08/23 10:04:15 Running on : 02/08/23 13:58:39 | | | | | |
| Dilution : 250 Reagent : 020623.R01; 020723.R08; 020723.R32; 012423.R21; 020823.R01; 040521.11 Consumables : 6697075-02 Pipette : DA-093; DA-094; DA-219 | | | | | |
| Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | |

| Analyte | LOD | Units | Result | Pass / Fail | Action Level |
|---|------|-------|--------|-------------|--------------|
| TOTAL CONTAMINANT LOAD METALS | 0.11 | ppm | ND | PASS | 5 |
| ARSENIC | 0.02 | ppm | ND | PASS | 1.5 |
| CADMIUM | 0.02 | ppm | ND | PASS | 0.5 |
| MERCURY | 0.02 | ppm | ND | PASS | 3 |
| LEAD | 0.05 | ppm | ND | PASS | 0.5 |
| Analyzed by: 1022, 53, 1440, 585 Weight: 0.4477g Extraction date: 02/08/23 12:18:56 Extracted by: 1022, 3619 | | | | | |
| Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA055818HEA Reviewed On : 02/09/23 10:42:04 Instrument Used : DA-ICPMS-003 Batch Date : 02/08/23 09:31:12 Running on : 02/08/23 13:40:20 | | | | | |
| Dilution : 50 Reagent : 012523.R01; 121922.R11; 123022.R14; 020323.R24; 020723.R33; 020323.R22; 020323.R23; 012323.R43; 020723.R34; 100622.35 Consumables : 179436; 210508058; 210803-059 Pipette : DA-061; DA-216 | | | | | |
| Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | |

| Metal | LOD | Units | Result | Pass / Fail | Action Level |
|---|------|-------|--------|-------------|--------------|
| [Hg] Heavy Metals PASSED | | | | | |
| TOTAL CONTAMINANT LOAD METALS | 0.11 | ppm | ND | PASS | 5 |
| ARSENIC | 0.02 | ppm | ND | PASS | 1.5 |
| CADMIUM | 0.02 | ppm | ND | PASS | 0.5 |
| MERCURY | 0.02 | ppm | ND | PASS | 3 |
| LEAD | 0.05 | ppm | ND | PASS | 0.5 |
| Analyzed by: 1022, 53, 1440, 585 Weight: 0.4477g Extraction date: 02/08/23 12:18:56 Extracted by: 1022, 3619 | | | | | |
| Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA055818HEA Reviewed On : 02/09/23 10:42:04 Instrument Used : DA-ICPMS-003 Batch Date : 02/08/23 09:31:12 Running on : 02/08/23 13:40:20 | | | | | |
| Dilution : 50 Reagent : 012523.R01; 121922.R11; 123022.R14; 020323.R24; 020723.R33; 020323.R22; 020323.R23; 012323.R43; 020723.R34; 100622.35 Consumables : 179436; 210508058; 210803-059 Pipette : DA-061; DA-216 | | | | | |
| Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | |



Certificate of Analysis

PASSED

HIGH ROLLER PRIVATE LABEL LLC

4095N 28TH WAY
HOLLYWOOD, FL, 33020, US
Telephone: (954) 505-4481
Email: admin@highrollerllc.com

Sample : DA30208008-003
Harvest/Lot ID: FSMD1423
Batch# : FSMD1423
Sampled : 02/07/23
Ordered : 02/07/23

Sample Size Received : 15 ml
Total Amount : 15 ml
Completed : 02/14/23 Expires: 02/14/24
Sample Method : SOP Client Method

Page 5 of 5



**Filth/Foreign
Material**

PASSED

| Analyte | LOD | Units | Result | P/F | Action Level |
|----------------------------|-----|-------|--------|------|--------------|
| Filth and Foreign Material | 0.5 | % | ND | PASS | 1 |

Analyzed by: 1879, 1440 Weight: NA Extraction date: N/A Extracted by: N/A

Analysis Method : SOP.T.40.090 Reviewed On : 02/08/23 23:47:20
Analytical Batch : DA055856FIL Batch Date : 02/08/23 12:57:28
Instrument Used : Filth/Foreign Material Microscope
Running on : 02/08/23 23:43:54

Dilution : N/A
Reagent : N/A
Consumables : N/A
Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.