



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30523008-002
 Harvest/Lot ID: FSVM2423
 Batch#: FSVM2423
 Sample Size Received: 25 ml
 Total Amount: 1 units
 Retail Product Size: 60 gram
 Sample Density: 0.94 g/mL
 Ordered: 05/19/23
 Sampled: 05/19/23
 Completed: 05/26/23
 Sampling Method: SOP.T.20.010.FL

PASSED

May 26, 2023 | HIGH ROLLER PRIVATE LABEL LLC

4095N 28TH WAY
 HOLLYWOOD, FL, 33020, US



Pages 1 of 5


PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
PASSED



Filtration
PASSED



Water Activity
NOT TESTED



Moisture
NOT TESTED



Terpenes
NOT TESTED

MISC.



Cannabinoid

PASSED



Total THC
0.229%

Total THC/Container : 129.156 mg



Total CBD
8.479%

Total CBD/Container : 4782.156 mg



Total Cannabinoids
8.817%

Total Cannabinoids/Container : 4972.788 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.229	ND	8.479	ND	ND	0.037	ND	0.011	ND	0.037	0.024
mg/unit	137.4	ND	5087.4	ND	ND	22.2	ND	6.6	ND	22.2	14.4
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:
1665, 585, 1440

Weight:
3.0109g

Extraction date:
05/23/23 11:23:02

Extracted by:
3112.1665

Analysis Method : SOP.T.40.031, SOP.T.30.031
 Analytical Batch : DA060522POT
 Instrument Used : DA-LC-007
 Analyzed Date : 05/23/23 11:33:14

Reviewed On : 05/24/23 12:40:56
 Batch Date : 05/23/23 09:34:37

Dilution : 400
 Reagent : 050123.01; 052323.R05; 071222.35; 070121.27; 052323.R02
 Consumables : 280670723; CE0123; 61633-125C6-125E; R1KB45277
 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo
 Lab Director

State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJLA-
 Testing 97164



Signature
 05/26/23



Certificate of Analysis

PASSED

HIGH ROLLER PRIVATE LABEL LLC

Sample : DA30523008-002

Harvest/Lot ID: FFSVM2423

4095N 28TH WAY
HOLLYWOOD, FL, 33020, US
Telephone: (954) 505-4481
Email: admin@highrollerllc.com

Batch# : FFSVM2423

Sampled : 05/19/23

Ordered : 05/19/23

Sample Size Received : 25 ml

Total Amount : 1 units

Completed : 05/26/23 Expires: 05/26/24

Sample Method : SOP Client Method

Page 2 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCLYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	0.1	PASS	ND	Analized by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.01	ppm	0.1	PASS	ND	3379, 585, 1440	0.2995g	05/23/23 14:22:21	3379,450,585		
DIMETHOATE	0.01	ppm	0.1	PASS	ND						
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	Analysis Method :					
ETOFENPROX	0.01	ppm	0.1	PASS	ND	SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),					
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA060532PES			Reviewed On :	05/24/23 10:24:15	
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)			Batch Date :	05/23/23 10:03:20	
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Analized Date : 05/23/23 13:46:29					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Dilution : 250					
FLONICAMID	0.01	ppm	0.1	PASS	ND	Reagent : 051923.R02; 052223.R02; 052223.R01; 051923.R01; 042623.R45; 051723.R01; 040521.11					
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02					
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
IMAZALIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND	Analized by:	Weight:	Extraction date:	Extracted by:		
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	450, 585, 1440	0.2995g	N/A	450,3379		
MALATHION	0.01	ppm	0.2	PASS	ND	Analysis Method :					
METALAXYL	0.01	ppm	0.1	PASS	ND	SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA060534VOL			Reviewed On :	05/24/23 12:40:59	
METHOMYL	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-001			Batch Date :	05/23/23 10:09:56	
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Analized Date : 05/23/23 14:24:54					
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND	Dilution : 25					
NALED	0.01	ppm	0.25	PASS	ND	Reagent : 052223.R01; 040521.11; 051823.R43; 051823.R44					
						Consumables : 6697075-02; 14725401					
						Pipette : DA-080; DA-146; DA-218					
						Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164



Signature
05/26/23



Certificate of Analysis

PASSED

HIGH ROLLER PRIVATE LABEL LLC

4095N 28TH WAY
HOLLYWOOD, FL, 33020, US
Telephone: (954) 505-4481
Email: admin@highrollerllc.com

Sample : DA30523008-002

Harvest/Lot ID: FSVM2423

Batch# : FSVM2423

Sampled : 05/19/23

Ordered : 05/19/23

Sample Size Received : 25 ml

Total Amount : 1 units

Completed : 05/26/23 Expires: 05/26/24

Sample Method : SOP Client Method

Page 3 of 5



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

Analyzed by:
850, 585, 1440

Weight:
0.0273g

Extraction date:
05/24/23 13:34:44

Extracted by:
850

Analysis Method : SOP.T.40.041.FL
Analytical Batch : DA06054850L
Instrument Used : DA-GCMS-003
Analysis Date : 05/24/23 13:46:32

Reviewed On : 05/24/23 16:27:58
Batch Date : 05/23/23 12:42:07

Dilution : 1
Reagent : 030420.09
Consumables : R2017.167; G201.167
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.





Certificate of Analysis

PASSED

HIGH ROLLER PRIVATE LABEL LLC

4095N 28TH WAY
HOLLYWOOD, FL, 33020, US
Telephone: (954) 505-4481
Email: admin@highrollerllc.com

Sample : DA30523008-002
Harvest/Lot ID: FSVM2423

Batch# : FSVM2423
Sampled : 05/19/23
Ordered : 05/19/23

Sample Size Received : 25 ml
Total Amount : 1 units
Completed : 05/26/23 Expires: 05/26/24
Sample Method : SOP Client Method

Page 4 of 5

	Microbial	PASSED
	Mycotoxins	PASSED

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ECOLI SHIGELLA			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000

Analyzed by: 3621, 3336, 585, 1440
Weight: 0.8325g
Extraction date: 05/23/23 10:58:34
Extracted by: 3336
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL
Analytical Batch : DA060538MIC
Reviewed On : 05/26/23 13:36:40
Batch Date : 05/23/23 10:53:36
Instrument Used : PathogenDx Scanner DA-111, Applied Biosystems Thermocycler DA-171, fisherbrand Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021
Analyzed Date : 05/23/23 14:16:30
Dilution : N/A
Reagent : 031523.15; 042623.R85; 092122.05; 092122.09
Consumables : 7563002010
Pipette : N/A

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02

Analyzed by: 3379, 585, 1440
Weight: 0.2995g
Extraction date: N/A
Extracted by: 3379,450
Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)
Analytical Batch : DA060533MYC
Instrument Used : N/A
Analyzed Date : 05/23/23 14:05:09
Dilution : 250
Reagent : 051923.R02; 052223.R02; 052223.R01; 051923.R01; 042623.R45; 051723.R01; 040521.11
Consumables : 6697075-02
Pipette : DA-093; DA-094; DA-219
Reviewed On : 05/24/23 10:22:23
Batch Date : 05/23/23 10:09:53
 Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1
ARSENIC	0.02	ppm	ND	PASS	0.2
CADMIUM	0.02	ppm	ND	PASS	0.2
MERCURY	0.02	ppm	ND	PASS	0.2
LEAD	0.02	ppm	ND	PASS	0.5

Analyzed by: 1022, 585, 1440
Weight: 0.2305g
Extraction date: 05/23/23 11:46:48
Extracted by: 3807,1022
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL
Analytical Batch : DA060517HEA
Instrument Used : DA-ICPMS-003
Analyzed Date : N/A
Dilution : 50
Reagent : 050923.R24; 042623.R82; 051923.R19; 051923.R16; 051923.R17; 051923.R18; 050423.R32; 050923.01; 051823.R28
Consumables : 179436; 15021042; 210508058
Pipette : DA-061; DA-191; DA-216

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1
ARSENIC	0.02	ppm	ND	PASS	0.2
CADMIUM	0.02	ppm	ND	PASS	0.2
MERCURY	0.02	ppm	ND	PASS	0.2
LEAD	0.02	ppm	ND	PASS	0.5

Analyzed by: 1022, 585, 1440
Weight: 0.2305g
Extraction date: 05/23/23 11:46:48
Extracted by: 3807,1022
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL
Analytical Batch : DA060517HEA
Instrument Used : DA-ICPMS-003
Analyzed Date : N/A
Dilution : 50
Reagent : 050923.R24; 042623.R82; 051923.R19; 051923.R16; 051923.R17; 051923.R18; 050423.R32; 050923.01; 051823.R28
Consumables : 179436; 15021042; 210508058
Pipette : DA-061; DA-191; DA-216
 Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.





Certificate of Analysis

PASSED

HIGH ROLLER PRIVATE LABEL LLC

4095N 28TH WAY
HOLLYWOOD, FL, 33020, US
Telephone: (954) 505-4481
Email: admin@highrollerllc.com

Sample : DA30523008-002

Harvest/Lot ID: FFSVM2423

Batch# : FFSVM2423

Sampled : 05/19/23

Ordered : 05/19/23

Sample Size Received : 25 ml

Total Amount : 1 units

Completed : 05/26/23 Expires: 05/26/24

Sample Method : SOP Client Method

Page 5 of 5

	Filth/Foreign Material	PASSED
---	-------------------------------	---------------

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.1	%	ND	PASS	1

Analyzed by: 1879, 1440	Weight: NA	Extraction date:	Extracted by: N/A
----------------------------	---------------	------------------	----------------------

Analysis Method : SOP.T.40.090	Reviewed On : 05/24/23 13:35:46
Analytical Batch : DA060597FIL	Batch Date : 05/24/23 12:46:08
Instrument Used : Filth/Foreign Material Microscope	
Analyzed Date : 05/24/23 13:22:00	

Dilution : N/A
Reagent : N/A
Consumables : N/A
Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164



Signature
05/26/23