

Dell P2719H(DELL-P2719H)

Dell 27 Monitor P2719H - 68.6cm (27") Black UK \*Same as 210-APXF\*



This screen with 3-sided ultra-thin bezels is designed for seamless multi-display productivity with your all in one. Its small base frees valuable workspace.

## Main Specifications

Product Description	Dell P2719H - LED monitor - Full HD (1080p) - 27"
Device Type	LED-backlit LCD monitor - 27"
Energy Class	Class A+
Energy Consumption per Year	27 kWh
Power Consumption (On mode)	18 W
Features	USB 3.0 hub
Panel Type	IPS
Aspect Ratio	16:9
Native Resolution	Full HD (1080p) 1920 x 1080 at 60 Hz
Pixel Pitch	0.311 mm
Brightness	300 cd/m <sup>2</sup>
Contrast Ratio	1000:1
Response Time	8 ms (normal);5 ms (fast)
Colour Support	16.7 million colours
Input Connectors	HDMI,VGA,DisplayPort
Display Position Adjustments	Height,pivot (rotation),swivel,tilt
Screen Coating	Anti-glare,3H Hard Coating
Dimensions (WxDxH) - with stand	60.99 cm x 18.5 cm x 39.43 cm
Weight	6.28 kg
Environmental Standards	TCO Certified Displays 8,ENERGY STAR Qualified
Compliant Standards	Plug and Play,DDC/CI,RoHS,EDID compatible,DisplayPort 1.2
Manufacturer Warranty	3-year warranty
Bundled Services	3-Years Advanced Exchange Service and Premium Panel Guarantee
Designed For	Latitude 7400 2-in-1;XPS 13 9380,15 9570

## Extended Specification

### General

Display Type	LED-backlit LCD monitor / TFT active matrix
Energy Class	Class A+
Energy Consumption per Year	27 kWh
Power Consumption (On mode)	18 W
Diagonal Size	27"

Viewable Size	27"
Built-in Devices	USB 3.0 hub
Panel Type	IPS
Aspect Ratio	16:9
Native Resolution	Full HD (1080p) 1920 x 1080 at 60 Hz
Pixel Pitch	0.311 mm
Pixel Per Inch	82
Brightness	300 cd/m <sup>2</sup>
Contrast Ratio	1000:1
Colour Support	16.7 million colours
Response Time	8 ms (normal); 5 ms (fast)
Vertical Refresh Rate	56 - 76 Hz
Horizontal Refresh Rate	30 - 83 kHz
Horizontal Viewing Angle	178
Vertical Viewing Angle	178
Screen Coating	Anti-glare, 3H Hard Coating
Backlight Technology	LED backlight
OSD Languages	Chinese (simplified), Brazilian Portuguese, English, German, French, Russian, Spanish, Japanese
Features	72% (CIE 1931) colour gamut, LED edgelight system, stand lock, Dell Custom Color, Flicker Free technology, BFR/PVC-free, Mercury free, Dell ComfortView, arsenic free
Dimensions (WxDxH)	60.99 cm x 18.5 cm x 39.43 cm - with stand
Weight	6.28 kg

## Connectivity

Interfaces	DisplayPort VGA HDMI USB 3.0 upstream (Type B) 2 x USB 3.0 downstream (Type A) 2 x USB 2.0 downstream (Type A)
------------	---

## Mechanical

Display Position Adjustments	Height, pivot (rotation), swivel, tilt
Tilt Angle	-5/+21
Swivel Angle	90
Rotation Angle	180
Height Adjustment	130 mm
VESA Mounting Interface	100 x 100 mm

## Miscellaneous

Features	Security lock slot (cable lock sold separately), LED indicator, VESA interface support
Cables Included	1 x DisplayPort cable - DisplayPort to DisplayPort 1 x SuperSpeed USB cable
Compliant Standards	Plug and Play, DDC/CI, RoHS, EDID compatible, DisplayPort 1.2
Security Slot Type	Kensington security slot

## Power

Voltage Required	AC 120/230 V (50/60 Hz)
------------------	-------------------------

Power Consumption Operational	19 Watt
-------------------------------	---------

Power Consumption Stand by	0.3 Watt
----------------------------	----------

Power Consumption (Off Mode)	0.3 Watt
------------------------------	----------

#### Software / System Requirements

Included Software	Dell Display Manager
-------------------	----------------------

OS Required	Microsoft Windows 7 / 8 / 8.1 / 10
-------------	------------------------------------

#### Dimensions &Weight

Dimensions &Weight Details	Without stand - width: 60.99 cm - depth: 4.28 cm - height: 36.3 cm - weight: 4.35 kg With stand - width: 60.99 cm - depth: 18.5 cm - height: 39.43 cm - weight: 6.28 kg
----------------------------	--

#### Dimensions &Weight (Shipping)

Shipping Weight	9.05 kg
-----------------	---------

#### Environmental Standards

TCO Certified	TCO Certified Displays 8
---------------	--------------------------

ENERGY STAR Certified	Yes
-----------------------	-----

#### Manufacturer Warranty

Service &Support	Limited warranty - parts and labour - 3 years
------------------	---

Bundled Services	3-Years Advanced Exchange Service and Premium Panel Guarantee
------------------	---

#### Environmental Parameters

Min Operating Temperature	0 °C
---------------------------	------

Max Operating Temperature	40 °C
---------------------------	-------

Humidity Range Operating	20 - 80% (non-condensing)
--------------------------	---------------------------

#### Compatibility Information

Designed For	Dell Latitude 7400 2-in-1 Dell XPS 13 9380,15 9570
--------------	---

## What's in the box

Dell P2719H  
DisplayPort cable  
SuperSpeed USB cable  
Software

Product data is provided by CNET,we do not warrant the accuracy and completeness of the material contained in this data sheet