

Kiwi Cattle Yards







Kiwi designed and built, for kiwi farmers

We are a small family owned business based on a farm near Levin in the Horowhenua. We pride ourselves on making top quality cattle handling products designed for farms of all sizes. We design, manufacture, market and ship our products meaning you will get top quality service and attention to detail.

Delivery

We offer delivery of our products nationwide. All our products include free delivery to your nearest Mainfreight depot or we can arrange on farm delivery for you.

Fully Galvanized

All our products are fully hot dipped galvanized after manufacture to meet AS/NZS 4680 (2006). This ensures all parts are covered in a protective zinc coating which means they will stay in excellent condition for many years.

Affordable

We work hard to design and manufacture products that offer great value for money. As we come from a farming family we understand farming systems and we won't sell you something that you don't need.





HEADBAILS

- 4 Standard Headbail
- 4 Heavy Duty Headbail
- 5 Boss Headbail
- 5 Ultimate Headbail

CATTLE YARDS

- 6 Beef Series Cattle Yards
- 10 Lifestyle Series Cattle Yards

CRUSHES

- 12 Master Crush
- 12 Grooming Chute
- 13 Cadet Crush
- 13 Multihandler

CALF EQUIPMENT

- 14 Calf Headbail
- 14 Calf Loading Ramp

LOADING RAMPS

- 15 Portable Loading Ramp
- 16 Heavy Duty Loading Ramp
- 16 Flat Top Loading Ramp
- 17 Lifestyle Loading Ramp
- 17 Adjustable Loading Ramp

WOODEN YARD COMPONENTS

- 18 Cattle Yard Gates
- 18 Slam Latches
- 19 Sliding Gates
- 19 Antibacking Ratchets

Standard Headbail

Our Standard Headbail is designed to handle any age of cattle and is one of the most affordable on the market.



Our No.1 Seller

Our Standard Headbail was our first product that launched Kiwi Cattle Yards and still proves to be as popular as ever.

Easy to use

Simple to set up, can be operated very easily by one person and from behind the animal.

Simple to install

Comes complete with installation instructions and fitting kit including gudgeons and latch.
Can be mounted on your steel or wooden yards.

Suits all ages of cattle

Easily adjustable yoke width. 100mm closing width allows small calves to be held. Weight limit of 550kg.

Left and right hand operation

Our unique design can easily be changed from right hand to left hand operation.

Technical Information

Dimensions: 1500mm high x 830mm wide Weight: 45kg Construction: Hot dip galvanized steel frame.

'Just a quick note to say I have the headbail and I am thrilled with it. Branded 41 calves on Saturday and they worked like a dream. Really love the way they are made. Our family has been farming on banks peninsula since 1856. Always used rope and wooden crush with a pin to stop the bail moving once the head was caught. This is such a major improvement it's not funny. Certainly will pass on ur details to anyone who wants one.

John Thacker Banks Peninsular Standard Headbail

Heavy Duty Headbail

Based on our popular design of the Standard Headbail, but beefed up to be one of the strongest headbails available.



Bigger is Better

Our Heavy Duty Headbail is exactly that, Heavy Duty! Great if your animals are a little bit stroppy from time to time.

Easy to use

Simple to set up, can be operated very easily by one person and from behind the animal.

Simple to install

Comes complete with installation instructions and fitting kit including gudgeons and latch.
Can be mounted on your steel or wooden yards.

Suits all ages of cattle

Easily adjustable yoke width. 100mm closing width allows small calves to be held. No weight limit.

Left and right hand operation

Our unique design can easily be changed from right hand to left hand operation.

Technical Information

Dimensions: 1500mm high x 850mm wide Weight: 55kg Construction: Hot dip galvanized steel frame.

Boss Headbail

Our entry level walk-thru headbail, great for the dairy shed or small to medium yards.



Economical and effective

Due to customer demand we now have a low cost quality, walk through headbail.

Easy to use

Locks in any position and is easily opened by lifting the lock.

Simple to install

Comes complete with installation instructions and fitting kit to bolt onto existing yards.

Can be mounted on your steel or wooden yards.

Suits all ages of cattle

Easily adjustable yoke width.

100mm closing width allows small calves to be held

Left or right hand models available

Just let us know at time of ordering, headbail pictured is right hand operation.

Technical Information

Dimensions: 2000mm high x 1600mm wide Weight: 130kg Construction: Hot dip galvanized steel frame.

Ultimate Headbail

Our top of the line headbail, for the professional farmer. Ultimate Headbail is a vital piece of equipment for your yard that makes handling your cattle easier and safer.



Fast and efficient!

Need to put big numbers through your yards? short on time? then this is the headbail for you!

Automatic and manual operation

Use as a conventional manual headbail, or set to auto-catch to make bailing your animals faster and easier.

Simple to install

Comes complete with installation instructions and fitting kit to bolt onto existing yards.
Can be mounted on your steel or wooden yards.

Suits all ages of cattle

Easily adjustable yoke width. 100mm closing width allows small calves to be held.

Left or right hand models available

Just let us know at time of ordering, headbail pictured is right hand operation.

Technical Information

Dimensions: 2200mm high x 1300mm wide Weight: 180kg

Construction: Hot dip galvanized steel frame.

Beef Series Cattle Yards

Our beef cattle yards are heavier, stronger and aimed at the professional farmer. Choose from one of our plans on the next page or we can custom design a cattle yard to suit you.

The Beef Cattle Yard Packages comes either as a kit set with detailed assembly instructions, or our team can come and project manage the installation of your new yards. Our unique bolt together system means your cattle yards become a complete rigid unit when assembled and will not move about. The designs are either pegged down to a metal pad or bolted to a concrete pad, with no post or brackets required to be precast into the slab. In addition to our wide range of cattle yard designs, we also offer the option to design yards tailored to suit your needs. Contact us to have one of our experienced staff members discuss your stock handling requirements with you in more detail.

'A vast improvement over the old wooden yards we had, it's easy and safe to work my cattle by myself now.'

> Dennis Sieverts Bunnythorpe BYP-90 Cattle Yard

Some key features that make our beef series cattle yards superior:

- Super wide catwalks make drenching and loading safe and easy
- Large 3m yard entry gates help stock flow into your yard
- Post caps on all panels and gates finish the look of the yards and provide extra safety.
- All components bolt together to make a very strong unit
- Our modular system makes it easy to change or add to your yards at a later date
- All components fully hot dip galvanized
- All panels and gates 1.8m high
- Wide 70mm x 45mm Cattle rail on all contact areas ensures your stock remain in top condition.



Yard Features



Yard Gates

Our Yard Gates are self supported in their own 2.2m high frame, they come in either two or three metre widths and can swing both ways, they are secured with a 20mm slam latch.

Yard Panels

Our Panels are 1.8m high with 6 rails. The standard length is 2.1m but we can custom make these to any length.





Sliding Gates

Our Sliding Gates run on four nylon wheels and have an auto locking handle. We also have an optional top handle so you can operate the gate from your catwalk.

Access Gates

Our Access Gates can be placed anywhere throughout the yard and allows easy access between pens. The small 600mm wide gate is easy to open and close, this is also a great safety feature if you need to quickly move out of the way.






Catwalks

Our Catwalks are designed for safety and ease of use. At 700mm wide they give you plenty of room to work, you can also safely walk past your co-worker. There are steps at each end of the catwalk to make it easy to get up and down. A handrail is also an optional extra.

BYP-35




Features:

- 35 Head holding capacity
- 1 holding pen
- 1 forcing pen
- Loading ramp
- 3-way drafting
- 1.8m high heavy duty panels

Specifications:

Total size 8.6m x 12.3m Pen sizes, 43m2 and 12m2 Total yard area, 56m2

BYP-45




Features:

- 45 Head holding capacity
- 1 holding pen
- 1 forcing pen
- Loading ramp
- Catwalk
- 3-way drafting
- 1.8m high heavy duty panels

Specifications:

Total size 8.2m x 14.5m Pen sizes, 58m2 and 12m2 Total yard area, 70m2

BYP-50



Specifications:

Total size 15.4m x 10.6m


Total yard area, 95m2

Pen sizes, 47m2 and 37m2

Features:

- 50 Head holding capacity
- 2 holding pens
- 1 forcing pen Loading ramp
- Catwalk
- 3-way drafting
- 1.8m high heavy duty panels

BYP-55




Features:

- 55 Head holding capacity
- 2 holding pens
- 1 forcing pen
- Loading ramp
- Catwalk
- 3-way drafting
- 1.8m high heavy duty panels

Specifications:

Total size 12.4m x 14.1m Pen sizes 49m2 and 32m2 Total yard area, 92m2

BYP-60



Features:

60 Head holding capacity

- 2 holding pens
- 1 forcing pen


Loading ramp Catwalk

- 3-way drafting
- 1.8m high heavy duty panels

Specifications:

Total size 12m x 16m Pen sizes 48m2 and 35m2 Total yard area, 105m2

BYP-90



Features:

90 Head holding capacity

- 3 holding pens
- 1 forcing pen

Loading ramp


Catwalk

- 3-way drafting
- 1.8m high heavy duty panels

Specifications:

Total size 16.8 m x 13.8m Pen sizes, 90m2, 24m2 and 21m2 Total yard area, 153m2

BYP-100



Features:

100 Head holding capacity

2 holding pens

1 forcing pen

Loading ramp


Catwalk

3-way drafting

1.8m high heavy duty panels

Specifications: Total size 21.7m x 14m Pen sizes, 106m2 and 47m2 Total yard area, 173m2

BYP-110



Features:

110 Head holding capacity

2 holding pens

1 forcing pen

Loading ramp

Catwalk 3-way drafting

1.8m high heavy duty panels

Specifications:

Total size 19m x 15m Pen sizes, 81m2 and 79m2 Total yard area, 170m2

Lifestyle Series Cattle Yards

Our Lifestyle Cattle Yard Series has been designed with the small block holder in mind and offers a complete handling system at a great price.



With 5, 10 and 20 animal sizes available, this package is ideal for making loading, bailing, weighing and drenching your animals easy.

Yard package includes:

Multihandler

Includes headbail, loading ramp, sliding gate and weight platform, the all-in-one tool for making your stock work easy.

Panels

1.6m high with six rails

Easily slam shut with our specially designed spring loaded slam latch with 20mm pin.

Antibacking bar

For moving forward those stubborn cattle.

Loading ramp

With five adjustable heights to suit any vehicle.

Bolt together system

Our unique system that eliminates noise associated with other steel yards.


Ground Pegs

400mm long pegs to secure your yards.

Lifestyle Yard Package #5



- The smallest full yard package available
- Designed to hold up to five animals at a time.
- Great for the lifestyle farmer who occasionally need to tend to their animals.




Lifestyle Yard Package #10



- Lifestyle Yard Package #20

- The same basic design as Lifestyle Package #5 but with a slightly bigger yard.
- Designed to hold up to ten animals at a time.




"We had a family Xmas afternoon putting the yards together to work up an appetite. Great yards and all the families real farmers are very impressed. Yards are the talk of our road and they work really well with our Galloway cattle.

Thanks very much for your yards and great service." Regards Wally Kopae

Regards Wally Kopae Invercargill LSP-10 Cattle yard

- This yard package includes two pens.
- Great for drafting or separating cattle.
- Designed to hold up to 20 animals at a time.



Master Crush

Our Master Crush - quality at an affordable price with features not standard on many other crushes.



Our Master Crush is strong, simple and easy to use. This affordable unit will make your cattle handling a breeze.

Standard features

Ultimate headbail, with automatic and manual operation and rear operation handle. Auto locking sliding gate.

Side opening gates with slam latches.

Loadbar mounts.

Antibacking ratchets.

Steel floor.

Optional features

Rubber floor Offside drafting handle Rear vet area.

Heavy duty build

No weight limit.

Left or right hand models available

Just let us know at time of ordering, left hand operation pictured.

Technical Information

Dimensions: 2000mm high x 850mm wide x 3000mm long Weight: 670kg Construction: Hot dip galvanized.

'Thanks for the Chute we are happy with it'

Cheers Wayne & Leeanne Taylor Waitara **Grooming Chute**

Grooming Chute

Keep your show animals looking great with our easy to use Grooming Chute.



Our Grooming Chute makes showing your animals easy. Look out for one at a show near you!

Simple to set up in minutes, easy pin together design.

Fold down design

Folds down for easy transport and storage.

Suits all ages of cattle

Easily adjustable yoke width. 100mm closing width allows small calves to be

Movable side rails

Side rail height can be adjusted to suit animal. Side rails can also be installed vertically.

Rope loops

9 rope loops for securing your halter rope.

Technical Information

Dimensions: 2000mm high x 850mm wide x 2600mm long Weight: 90kg Construction: Hot dip galvanized

Cadet Crush

This Heavy Duty crush, easily handles your animals without blowing your budget.



Make this a great addition to your existing yards, or use to form a completely new yard system.

Standard features

Boss headbail and sliding gate. Side opening gates with slam latches. Loadbar mounts.

Optional

Antibacking ratchets. Steel or rubber floor. Rear operation handle. Rear vet area.

Heavy duty build

No weight limit.

Left or right hand models available

Just let us know at time of ordering, left hand operation pictured.

Technical Information

Dimensions: 2000mm high x 850mm wide x 2800mm long Weight: 570kg Construction: Hot dip galvanized

> 'The Multihandler has already been put to good use over the weekend and really excellent piece of equipment thanks. Keep up the good work.' Ngā mihi

> > Dr Phil Schroeder Christchurch LSP-20 Cattle yard

Multihandler

Our Multihandler combines a crush, loading ramp and weighing platform in one easy to use unit.



Designed for the lifestyle farmer do it all with this all in one unit!

Features

Standard headbail and sliding gate. Drop down sides for easy animal access. Antibacking bar.

Adjustable height loading

Winch to raise and lower ramp Load trailers, utes and full size stock trucks.

Great for smaller animals

Weight limit of 550kg

Attach to our panels and gates

Or add to your existing wooden yards.

Use for weighing

Bolt you loadbars to the platform..

Technical Information

Dimensions: 3000mm high x 850mm wide x 2200mm long Weight: 400kg Construction: Hot dip galvanized

Calf Headbail

Our Calf Headbail is designed to handle your calves safely and easily.



Hold your calves securely for ear tagging or debudding, the removable chin cradle stops them from moving around improving safety for the animal and farmer.

Easy to use

Simple to set up, easy one-handed operation to open and close.

Simple to install

Comes complete with installation instructions and fitting kit including gudgeons and latch. Can be mounted on your steel or wooden yards.

Left and right-hand operation

Our unique design can easily be changed from right-hand to left-hand operation.

Technical Information

Dimensions:1200mm high x 450mm wide Weight: 25kg Construction: Fully hot dipped galvanized

Calf Loading Ramp

Our Calf Loading Ramp will ensure you comply with the regulations while making your job safer and easier.



Our Calf Loading Ramp is ideal for loading calves and young stock.

Strong Construction

Heavy duty 40x40mm main frame

Non slip floor

40mm thick treated pine floor 40mm high pine cleats give great grip.

Tough and durable sides

12mm thick ply sides not only look good but will last the test of time.

Full loading height

1100mm loading height for full sized stock trucks.

Technical Information

Dimensions: Overall 2200mm high x 1650mm wide x 3000mm long Loading height: 1100mm Ramp angle: 20 degrees Weight: 195kg

Construction: Hot dip galvanized steel frame, ply sides, treated pine floor.

Portable Loading Ramp

Our Portable Loading Ramp trailer kit makes moving your loading ramp fast and easy.



Optional Transport Kit

Our Loading Ramp Transport Kit suits our Lifestyle Loading Ramp and Adjustable Loading Ramp only.

The trailer frame simply clips onto the ramp and lifts it off the ground.

Great for moving between sets of yards or blocks of land.

Strong Construction

75x50mm main frame

Quality Components

14 inch galvanized wheels 1 7/8 coupling.

Simple operation

Easy to attach by just one person.

Designed for off road use only.

Alloy Weigh Platform

Drop our premium rubber lined weigh platform into your raceway for hassle free weighing.



Our Alloy Weigh Platform is ideal for weighing your animals.

Strong Construction

4mm one piece folded alloy design for superior strength.

Non-slip floor

Our platforms come standard with heavy duty non-slip rubber matting.

Multi-fit

Will fit all makes of 600mm wide loadbars.

Technical Information

Dimensions: Overall 2200mm long x 650mm wide Weight: 40kg

Construction: 4mm aluminium plate, 15mm non slip rubber matting.

Heavy Duty Loading Ramp

Our heavy duty loading ramp designed for the serious farmer.



Our Heavy Duty Loading Ramp is designed for heavy use by the serious farmer and is available with optional catwalk.

Strong Construction

Heavy duty 70x45mm cattle rail and 50x50mm main frame

Non slip floor

50mm thick treated pine floor 40mm square steel cleats give great grip.

Tough and durable sides

12mm thick polythene sides not only look good but will last the test of time.

Optional Catwalk

Available with optional 800mm wide catwalk, complete with hand rail.

Full loading height

1100mm loading height for full sized stock trucks.

Technical Information

Dimensions: Overall 3225mm high x 2100mm wide x 3000mm long Loading height: 1100mm

Ramp angle: 20 degrees

Weight: 260kg

Construction: Hot dip galvanized steel frame, polythene sides, treated pine floor.

Flat Top Loading Ramp

Our flat top loading ramp is great for improved animal flow and safety.



Move 'em Out!

Our Flat Top Loading Ramp is beast of all ramps. The flat top and access gate greatly improves cattle flow and safety.

Strong Construction

Heavy duty 70x45mm cattle rail and 50x50mm main frame

Non slip floor

50mm thick treated pine floor 40mm square steel cleats give great grip.

Tough and durable sides

12mm thick polythene sides not only look good but will last the test of time.

Full loading height

1100mm loading height for full sized stock trucks.

Technical Information

Dimensions: Overall 3225mm high x 2100mm wide x 4000mm long

Loading height: 1100mm Ramp angle: 20 degrees

Weight: 400kg

Construction: Hot dip galvanized steel frame, polythene sides, treated pine floor.

Lifestyle Loading Ramp

This medium duty loading ramp makes loading your livestock easy. Can also be made portable with our optional transport kit.



Our Lifestyle Series Loading Ramp is designed for occasional use and is available with optional transport kit.

Strong Construction

Heavy duty 55x35mm cattle rail and 40x40mm main frame

Non slip floor

40mm thick treated pine floor 40mm square steel cleats give great grip.

Tough and durable sides

12mm thick polythene sides not only look good but will last the test of time.

Optional transport kit

Available with optional transport kit to make this ramp portable.

Full loading height

1100mm loading height for full sized stock trucks.

Technical Information

Dimensions: Overall 3000mm high x 1650mm wide x 3000mm long Loading height: 1100mm Ramp angle: 20 degrees Weight: 210kg

Construction: Hot dip galvanized steel frame, polythene sides, treated pine floor.

Adjustable Loading Ramp

Our adjustable Loading Ramp makes loading livestock easy. Great for loading the ute, trailer or full size stock truck.



Easily adjust the ramp height from 500mm to 1100mm high for easy loading of different vehicles.

Strong Construction

Heavy duty 55x35mm cattle rail and 40x40mm main frame

Non slip floor

40mm thick treated pine floor 40mm square steel cleats give great grip.

Tough and durable sides

12mm thick polythene sides not only look good but will last the test of time.

Optional transport kit

Available with optional transport kit to make this ramp portable.

Technical Information

Dimensions: Overall 3000mm high x 1650mm wide x 3000mm long
Loading height: 500-1100mm
Ramp angle: 20 degrees
Weight: 210kg
Construction: Hot dip galvanized steel frame, polythene sides, treated pine floor.

Wooden Yard Components

We make a full range of steel yard components to compliment your wooden cattle yards. Our proucts will make your cattle handling safer and easier

Cattle Yard Gates

Our gates are lighter and stronger than wooden gates and won't sag or bow.



We got some from you a few years ago and we have been very happy with them

> Adam Kearney Waihi Cattle yard gates

Our Cattle Yard Gates never sag and are lighter and stronger than their wooden equivalents. Our gates come with 5 or 6 rails and in 8 standard lengths.

Strong construction

Heavy duty 70x45mm cattle rail and 50x50mm main frame.

Latch options

Designed to fit our range of Slam Latches. Can be used with traditional chain type latch.

20mm gudgeons

Will fit standard 20mm gate gudgeons.

Two heights available

1540 or 1220mm high.

Custom widths available

Contact us for more information.

Technical Information

Dimensions: 750mm - 3600mm wide, 1540mm high Weight: from 26kg (750mm wide gate) Construction: Hot dip galvanized steel frame,3 x 20mm hinges

'The Latch is epic as' Cheers

Steve Jackson - Hamilton 20mm slam latch

Slam Latches

Our slam latches are a great addition to your yards. Available in two sizes, either bolt them to our cattle yard gates or your existing wooden gates.



Install our Slam Latches to make your gates latch hands free, improving safety in your cattle yards.

Easy to use

The cam design means our latches are easily opened with minimal effort

Two sizes available

20mm latch designed for low pressure areas, holding pens etc.

25mm latch designed for high pressure areas, forcing pens, race entry/exit etc.

Simple to fit

Just bolt to your gate

Striker plate included

Curved design for post or rail

Left and right hand operation

Our unique design can easily be changed from right hand to left hand operation.

Technical Information

Dimensions: 75mm wide x 300mm long

Weight: 3kg

Construction: Hot dip galvanized, stainless steel spring and roll pin.

Sliding Gates

Our sliding gates are a great addition to your yards, making them safer and more efficient to use.



Our Sliding Gates are a great addition to a drenching race or crush area. Operate from outside of the danger zone and keep safe.

Strong construction

Heavy duty 70x45mm cattle rail and 50x50mm main frame.

Smooth running

4 replaceable nylon wheels ensure a smooth slide.

Fitting kit available

Post and rail brackets available to suit.

Automatic locking

Ensures the gate stays where you left it, no more escaping animals.

Made to last

Fully hot dipped galvanized

Fully sheeted option also available

Technical Information


Dimensions: Overall 2100mm high x 850mm wide x 250mm deep

Weight: 100kg

Construction: Hot dip galvanized steel frame, nylon wheels

Antibacking Ratchets

Our antibacking ratchets are designed to easily be fitted to your existing steel or wooden yards



'We've got the vet coming tomorrow, might have to use ratchets for "beast", otherwise quite happy with our purchase, hard to believe we not invested into it years ago!!!'

> Cheers Andrew McEwen Feilding Anti-backing Ratchets

These 1200mm long heavy duty ratchets make it easy to move that stubborn animal forward.

Everything you need

Includes a set of ratchets (left and right), backing bar, backing bar hooks, mounting bolts and instructions.

Built to last

10mm thick ratchets won't bend.

Versatile

Fit to wooden or steel yards.
Will bolt to rails with gap of 125mm - 300mm.

Backing bar

50mm round pipe minimizes bruising to your animal.

Stores neatly when not in use.

Technical Information

1200mm long x 40mm wide x 200mm high Weight: 35kg

Construction: Hot dip galvanized steel frame, heavy duty ratchets, comes complete with fitting kit and backing bar.





Visit our website kiwicattleyards.co.nz or give us a call (06) 210 2276