


GUILLOTINE TOWER

ASSEMBLY INSTRUCTIONS





WHAT COMES WITH THE BOX

A VERTICAL BEAMS
 B SUPPORT CROSS BEAM
 C GUILLOTINE FIXED BAR
 D FLOOR PLATE
 E LEG SPRINGS
 F GUILLOTINE SPRINGS
 G FOLDING MAT
 H PADDING SLING BAR ASSEMBLY
 I SHEEPSKIN LOOPS
 J LEG LOOPS
 K ALUMINUM & WOODEN HANDLES
 L ARM SPRINGS
 M GUILLOTINE MOUNTING ANGLES

STEP 1 - REMOVE CONTENTS FROM BOX

LOCATE THE MAIN VERTICAL ASSEMBLY &
 PARTS ON THE SURFACE YOU WILL INSTALL
 (FIGURE A)






FIGURE A

STEP 2 - CONNECTING MAT AND SPRINGS


USE YOUR DRILL TO FASTEN SCREWS THROUGH ALL PRE-DRILLED HOLES ON THE FOOT PLATE. ONCE FIRMLY SECURE, BRING THE GUILLOTINE MAT OVER AND ALIGN MAT WITH HOLES ON THE FOOT PLATE, USE YOUR DRILL TO SCREW INTO THE PRE-DRILLED HOLES ON THE FOOT PLATE.

PREP FOR USE: PRIOR TO USING MAKE SURE ALL SPRINGS ARE IN PLACE TO YOUR LIKING AND ARE PROPERLY ATTACHED.



STEP 3 - SCREW INTO BEAM OF CEILING

ARRANGE YOUR MOUNTING BRACKET. ONE SIDE FACES THE CEILING AND THE OTHER SIDE IS FLAT NEXT TO THE GUILLOTINE FRAME. THEN SCREW IN THE WOOD SCREWS INTO THE CEILING.



STEP 4 - SCREW INTO THE GUILLOTINE FRAME

ARRANGE YOUR MOUNTING BRACKET. ONE SIDE FACES THE CEILING AND THE OTHER SIDE IS FLAT NEXT TO THE GUILLOTINE FRAME. THEN SCREW IN THE SELF TAPPING METAL SCREWS INTO THE INSIDE OF THE GUILLOTINE FRAME.

STEP 5 - CLIP ON ACCESSORIES

ATTACH AND CLIP THE REST OF THE ACCESSOREIS TO YOUR PREFERENCE.