



**Model Number**

Video & Audio	Video Compression
	Video Input
	Video Output
	Audio Input
	Audio Output
	Supported Camera Types
	Analog HD Playback Resolution
	IPC Playback Resolution
	Max Playback Channel
	Protocols
Motion Detection 2.0	
Hard Drive	HDD
	HDD Capacity
External	Network interface

Interface	USB
General	Operating Power
	Working Temperature
	Dimensions(W x H x D)
	Weight (without hard disk)
<b>Pa</b>	
DVR	
USB Mouse	
Power Adapter	
1M network cable	
1.8M HDMI cable	
User's Manual For DVR	

- Up to 3K high definition live viewing
- Up to 3K Lite recording & playback
- Advanced H.265+ Video Compression
- Support TVI/AHD/CVI/CVBS/IPC input. 5 in 1
- Supports iPhone、 iPad、 Android mobile remote monitoring
- Deep learning based human and vehicle targets classification of Motion Detection 2.0 for all analog channels
- Quick search by object or event type
- Audio via coaxial cable

DW61LD

### **DVR**

H.264+/H.264/H.265/H.265+

16CH Analog HD/Analog + 2CH IP Video (up to 24 channel when IP enhanced mode on)

HDMI and VGA Up to 1080P

1-ch RCA, 16-ch via coaxial cable

1-ch RCA

Support HD TVI Input: 3K/5MP@20FPS, 4MP, 3MP, 1080p, 720p;

Support AHD Input: 4MP, 1080p, 720P;

Support CVI Input: 4MP, 1080p, 720P;

Support CVBS Input;

Support IP Video Input: 6MP/5MP/4MP/3MP/1080P/720P

3K Lite/5MP Lite/4MP Lite@12fps,1080p/720p@15fps

Up to 6MP

4-ch

TCP/IP, PPPoE, DHCP, DNS, DDNS, NTP, SADP, NFS, iSCSI, UPnP™, HTTPS

All analog channels support human and vehicle detection to reduce false alarm

1 SATA interface

Up to 10TB capacity

1, RJ45 10M/100M/1000M self-adaptive Ethernet interface

USB2.0x2
DC12V, ≤ 20W (without HDD)
-14 °F – 131 °F / -10 °C – 55 °C
260 × 222 × 45 mm (10.2 × 8.7 × 1.8 inch)
≤ 1.2 kg (2.6 lb)(without HDD)

**Packaging Contents**

1
1
1
1
1
1