

January 12, 2021

PURE GLOBAL INC
500 Capitol Mall
Sacramento, CA 95814

Order No. 518735
Sample No. 1067978

SAMPLE INFORMATION

Description RASPC50T5
Lot Number R-20L31
Category Non-Inhalable Edible
Received December 28, 2020

ANALYTICAL RESULTS

Analysis Cannabinoid Profile (LC-DAD)
Instrument Liquid Chromatography Diode Array Detector (LC-DAD)
Method MF12D012
Analysis Date December 28, 2020 to January 12, 2021

Cannabinoid	mg/g	%
Δ8-THC	ND	ND
Δ9-THC	0.81	0.081
Δ9-THCA	ND	ND
THCV	ND	ND
THCVA	ND	ND
CBD	8.29	0.829
CBDA	ND	ND
CBC	ND	ND
CBCA	ND	ND
CBDV	ND	ND
CBG	ND	ND
CBGA	ND	ND
CBN	ND	ND
Total THC	0.81	0.081
Total CBD	8.29	0.829
Total Cannabinoids	9.10	0.910
Total Active Cannabinoids	9.10	0.910

Reported by
Anresco, Inc.




Marybel Mendez
Compliance Manager

January 12, 2021

Limit of Detection: 0.1665 mg/g
Limit of Quantitation: 0.5 mg/g
ND = None Detected
<LOQ = Below Limit of Quantitation
<LOD = Below Limit of Detection

If there are any questions with this report, please contact "compliance@anresco.com".

January 12, 2021

PURE GLOBAL INC
500 Capitol Mall
Sacramento, CA 95814

Order No. 518891
Sample No. 1068513

SAMPLE INFORMATION

Description RASPC50T5
Lot Number R-20L31
Category Non-Inhalable Edible
Received January 05, 2021

ANALYTICAL RESULTS

Analysis Residual Solvent Screen ✔ Pass
Instrument Gas Chromatography Mass Spectrometry (GC/MS)
Method USP OVI<467>
Analysis Date January 05, 2021 to January 12, 2021

Analyte	LOD/LOQ (ppm)	Findings (ppm)	Limit (ppm)	Status
1,2-Dichloroethane	0.1/1	ND	1	Pass
Acetone	11/150	ND	5000	Pass
Acetonitrile	1/12	ND	410	Pass
Benzene	0.1/1	ND	1	Pass
n-Butane	48/160	ND	5000	Pass
Chloroform	0.1/1	ND	1	Pass
Ethanol	2/7	473.00	5000	Pass
Ethyl acetate	5/80	BLOQ	5000	Pass
Ethyl ether	17/50	ND	5000	Pass
Ethylene oxide	0.5/1	ND	1	Pass
n-Heptane	1/4	ND	5000	Pass
n-Hexane	2/10	ND	290	Pass
Isopropyl alcohol	5/100	ND	5000	Pass
Methanol	3/50	ND	3000	Pass
Methylene chloride	0.5/1	ND	1	Pass
n-Pentane	2/6	ND	5000	Pass
Propane	10/33	ND	5000	Pass
Toluene	2/30	ND	890	Pass
Total xylenes (ortho-, meta-, para-)	5/90	ND	2170	Pass
Trichloroethylene	0.1/1	ND	1	Pass

Reported by
Anresco, Inc.

ND = None Detected
<LOQ = Below Limit of Quantitation
<LOD = Below Limit of Detection




Marybel Mendez
Compliance Manager

January 12, 2021

If there are any questions with this report, please contact "compliance@anresco.com".

January 12, 2021

PURE GLOBAL INC
500 Capitol Mall
Sacramento, CA 95814

Order No. 518891
Sample No. 1068513

SAMPLE INFORMATION

Description RASPC50T5
Lot Number R-20L31
Category Non-Inhalable Edible
Received January 05, 2021

ANALYTICAL RESULTS

Analysis Heavy Metals
Instrument Inductively Coupled Plasma Mass Spectrometry (ICP-MS)
Method MF 24E020
Analysis Date January 05, 2021 to January 12, 2021

Analyte	LOD/LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)	Status
Arsenic	0.02/0.05	ND	1.5	Pass
Cadmium	0.02/0.05	ND	0.5	Pass
Mercury	0.02/0.05	ND	3	Pass
Lead	0.02/0.05	ND	0.5	Pass

Reported by
Anresco, Inc.

ND = None Detected
<LOQ = Below Limit of Quantitation
<LOD = Below Limit of Detection




Marybel Mendez
Compliance Manager

January 12, 2021

If there are any questions with this report, please contact "compliance@anresco.com".

January 12, 2021

PURE GLOBAL INC
500 Capitol Mall
Sacramento, CA 95814

Order No. 518891
Sample No. 1068513

SAMPLE INFORMATION

Description RASPC50T5
Lot Number R-20L31
Category Non-Inhalable Edible
Received January 05, 2021

ANALYTICAL RESULTS

Analysis Moisture
Instrument Vacuum or Forced Air Oven
Method AOAC 930.04
Analysis Date January 05, 2021 to January 12, 2021

Analyte	LOD/LOQ (%)	Method	Findings (%)
Moisture	0.05	'AOAC 930.04'	2.21

Reported by
Anresco, Inc.

ND = None Detected
<LOQ = Below Limit of Quantitation
<LOD = Below Limit of Detection




Marybel Mendez
Compliance Manager

January 12, 2021

If there are any questions with this report, please contact "compliance@anresco.com".

January 12, 2021

PURE GLOBAL INC
500 Capitol Mall
Sacramento, CA 95814

Order No. 518891
Sample No. 1068513

SAMPLE INFORMATION

Description RASPC50T5
Lot Number R-20L31
Category Non-Inhalable Edible
Received January 05, 2021

ANALYTICAL RESULTS

Analysis Microbiological Screen (Non-inhalables) ✔ Pass
Analysis Date January 05, 2021 to January 12, 2021

Analyte	Method	Findings	Status
Salmonella	AOAC 2016.01	Negative/1g	Pass
STEC	3M MDS STEC/EAE	Negative/1g	Pass

Reported by
Anresco, Inc.

ND = None Detected
<LOQ = Below Limit of Quantitation
<LOD = Below Limit of Detection




Marybel Mendez
Compliance Manager

January 12, 2021

If there are any questions with this report, please contact "compliance@anresco.com".

January 12, 2021

PURE GLOBAL INC
500 Capitol Mall
Sacramento, CA 95814

Order No. 518891
Sample No. 1068513

SAMPLE INFORMATION

Description RASPC50T5
Lot Number R-20L31
Category Non-Inhalable Edible
Received January 05, 2021

ANALYTICAL RESULTS

Analysis Water Activity
Instrument Decagon
Method MF 14G051
Analysis Date January 05, 2021 to January 12, 2021

Analyte	Findings	Limit	Status
Water Activity	0.28	0.85	Pass

Reported by
Anresco, Inc.

ND = None Detected
<LOQ = Below Limit of Quantitation
<LOD = Below Limit of Detection




Marybel Mendez
Compliance Manager

January 12, 2021

If there are any questions with this report, please contact "compliance@anresco.com".

January 12, 2021

PURE GLOBAL INC
 500 Capitol Mall
 Sacramento, CA 95814

Order No. 518891
 Sample No. 1068513

SAMPLE INFORMATION

Description RASPC50T5
Lot Number R-20L31
Category Non-Inhalable Edible
Received January 05, 2021

ANALYTICAL RESULTS

Analysis Pesticides Screen ✔ Pass
Instrument Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)
Method MF 21P030
Analysis Date January 05, 2021 to January 12, 2021

Analyte	LOD/LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)	Status
Abamectin	0.04/0.10	ND	0.3	Pass
Acephate	0.04/0.10	ND	5.0	Pass
Acequinocyl	0.04/0.10	ND	4.0	Pass
Acetamiprid	0.04/0.10	ND	5.0	Pass
Aldicarb	0.04/0.10	ND	0.04	Pass
Azoxystrobin	0.04/0.10	ND	40.0	Pass
Bifenazate	0.04/0.10	ND	5.0	Pass
Bifenthrin	0.20/0.50	ND	0.5	Pass
Boscalid	0.04/0.10	ND	10.0	Pass
Captan	0.25/0.70	ND	5.0	Pass
Carbaryl	0.20/0.50	ND	0.5	Pass
Carbofuran	0.04/0.10	ND	0.04	Pass
Chlorantraniliprole	0.04/0.10	ND	40.0	Pass
Chlordane	0.04/0.10	ND	0.04	Pass
Chlorfenapyr	0.04/0.10	ND	0.04	Pass
Chlorpyrifos	0.04/0.10	ND	0.04	Pass
Clofentezine	0.04/0.10	ND	0.5	Pass
Coumaphos	0.04/0.10	ND	0.04	Pass
Cyfluthrin	0.70/2.00	ND	1.0	Pass
Cypermethrin	0.35/1.00	ND	1.0	Pass
Daminozide	0.04/0.10	ND	0.04	Pass
DDVP (Dichlorovous)	0.04/0.10	ND	0.04	Pass
Diazinon	0.04/0.10	ND	0.2	Pass
Dimethoate	0.04/0.10	ND	0.04	Pass
Dimethomorph	0.04/0.10	ND	20.0	Pass
Ethoprop(hos)	0.04/0.10	ND	0.04	Pass
Etofenprox	0.04/0.10	ND	0.04	Pass
Etoxazole	0.04/0.10	ND	1.5	Pass
Fenhexamid	0.04/0.10	ND	10.0	Pass
Fenoxycarb	0.04/0.10	ND	0.04	Pass
Fenpyroximate	0.04/0.10	ND	2.0	Pass
Fipronil	0.04/0.10	ND	0.04	Pass
Flonicamid	0.04/0.10	ND	2.0	Pass

If there are any questions with this report, please contact "compliance@anresco.com".

Analyte	LOD/LOQ (µg/g)	Findings (µg/g)	Limit (µg/g)	Status
Fludioxanil	0.04/0.10	ND	30.0	Pass
Hexythiazox	0.04/0.10	ND	2.0	Pass
Imazalil	0.04/0.10	ND	0.04	Pass
Imidacloprid	0.04/0.10	ND	3.0	Pass
Kresoxim Methyl	0.04/0.10	ND	1.0	Pass
Malathion	0.20/0.50	ND	5.0	Pass
Metalaxyl	0.04/0.10	ND	15.0	Pass
Methiocarb	0.04/0.10	ND	0.04	Pass
Methomyl	0.04/0.10	ND	0.1	Pass
Methyl parathion	0.04/0.10	ND	0.04	Pass
Mevinphos	0.04/0.10	ND	0.04	Pass
Myclobutanil	0.04/0.10	ND	9.0	Pass
Naled	0.04/0.10	ND	0.5	Pass
Oxamyl	0.04/0.10	ND	0.2	Pass
Pacllobutrazol	0.04/0.10	ND	0.04	Pass
Pentachloronitrobenzene	0.04/0.10	ND	0.2	Pass
Permethrins	0.20/0.50	ND	20.0	Pass
Phosmet	0.04/0.10	ND	0.2	Pass
Piperonyl Butoxide	0.04/0.10	ND	8.0	Pass
Prallethrin	0.04/0.10	ND	0.4	Pass
Propiconazole	0.04/0.10	ND	20.0	Pass
Propoxur	0.04/0.10	ND	0.04	Pass
Pyrethrins	0.20/0.50	ND	1.0	Pass
Pyridaben	0.04/0.10	ND	3.0	Pass
Spinetoram	0.04/0.10	ND	3.0	Pass
Spinosad	0.04/0.10	ND	3.0	Pass
Spiromesifen	0.04/0.10	ND	12.0	Pass
Spirotetramat	0.04/0.10	ND	13.0	Pass
Spiroxamine	0.04/0.10	ND	0.04	Pass
Tebuconazole	0.04/0.10	ND	2.0	Pass
Thiacloprid	0.04/0.10	ND	0.04	Pass
Thiamethoxam	0.35/1.00	ND	4.5	Pass
Trifloxystrobin	0.04/0.10	ND	30.0	Pass

Reported by
Anresco, Inc.

ND = None Detected
 <LOQ = Below Limit of Quantitation
 <LOD = Below Limit of Detection




Marybel Mendez
 Compliance Manager

January 12, 2021

If there are any questions with this report, please contact "compliance@anresco.com".

ANALYTICAL RESULTS

Analysis Mycotoxins Screen ✔ Pass

Instrument Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)

Method MF 21P030

Analysis Date January 05, 2021 to January 12, 2021

Analyte	LOD/LOQ (µg/kg)	Findings (µg/kg)	Limit (µg/kg)	Status
Aflatoxin B1	1/5	ND	-	-
Afalatoxin B2	1/5	ND	-	-
Aflatoxin G1	1/5	ND	-	-
Aflatoxin G2	1/5	ND	-	-
Total Aflatoxins	10/20	ND	20	Pass
Ochratoxin A	10/20	ND	20	Pass

Reported by
Anresco, Inc.

ND = None Detected
<LOQ = Below Limit of Quantitation
<LOD = Below Limit of Detection




Marybel Mendez
Compliance Manager

January 12, 2021

If there are any questions with this report, please contact "compliance@anresco.com".