KCA Laboratories 232 North Plaza Drive Nicholasville, KY 40356

+1-833-KCA-LABS https://kcalabs.com KDA Lic.# P_0058

Client

USA

Pure Global Inc

500 Capitol Mall

Date Tested


04/24/2023

Sacramento, CA 95814

1 of 1

Status

Tested



11.4 %	59.0 %	73.7 %	Not Tested	Not Tested	Yes
Total ∆9-THC	Δ8-THC	Total Cannabinoids	Moisture Content	Foreign Matter	Internal Standard Normalization

Cannabinoids by HPLC-PDA, LC-MS/MS, and/or GC-MS/MS

		100		Desult
Analyte	LOD (%)	LOQ (%)	Result (%)	Result (mg/g)
СВС	0.0095	0.0284	ND	ND
СВСА	0.0181	0.0543	ND	ND
CBCV	0.006	0.018	ND	ND
CBD	0.0081	0.0242	ND	ND
CBDA	0.0043	0.013	ND	ND
CBDV	0.0061	0.0182	ND	ND
CBDVA	0.0021	0.0063	ND	ND
CBG	0.0057	0.0172	ND	ND
CBGA	0.0049	0.0147	ND	ND
CBL	0.0112	0.0335	ND	ND
CBLA	0.0124	0.0371	ND	ND
CBN	0.0056	0.0169	1.62	16.2
CBNA	0.006	0.0181	ND	ND
СВТ	0.018	0.054	ND	ND
Δ8-THC	0.0104	0.0312	59.0	590
Δ8-THCV	0.0067	0.02	ND	ND
Δ9-THC	0.0076	0.0227	0.149	1.49
Δ9-ΤΗCΑ	0.0084	0.0251	12.9	129
Δ9-THCV	0.0069	0.0206	ND	ND
Δ9-THCVA	0.0062	0.0186	ND	ND
∆8-iso-THC	0.0067	0.02	ND	ND
∆4,8-iso-THC	0.0067	0.02	0.107	1.07
Total Δ9-THC			11.4	114
Total			73.7	737

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; RL = Reporting Limit; Δ = Delta; Total Δ 9-THC = Δ 9-THCA * 0.877 + Δ 9-THC; Total CBD = CBDA * 0.877 + CBD;

Generated By: Ryan Bellone CCO Date: 04/24/2023

Tested By: Scott Caudill Senior Scientist Date: 04/24/2023



This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 170252017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories. KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories. KCA Laboratories can provide measurement uncertainty upon request.