

	А		В	С		G			
SIZE	TANK HEIGHT (mm)	TILT HEIGHT (mm)	OUTSIDE DIA. (mm)	ID (mm)	total Volume (L)	FOOT DIAMETER (mm)	GLYCOL VOLUME (L)	NO. JACKETS	SIZE OF PORTS (INCH-NPT)
3.5 BBL	1700	2000	960	800	488	120	3	2	3/4
5 BBL	2000	2300	1060	900	757	120	4	2	3/4
7 BBL	2000	2350	1160	1000	942	120	6	2	3/4
10 BBL	2700	2950	1160	1000	1445	120	9	2	3/4
15 BBL	2750	3100	1360	1200	2100	120	13	2	3/4
20 BBL	2900	3300	1510	1350	2792	120	20	2	1
30 BBL	3300	3700	1660	1500	4160	120	35	2	1
40 BBL	3700	4100	1760	1600	5314	200	50	2	1
60 BBL	4200	4650	1960	1800	8043	200	85	3	1
90 BBL	4500	5050	2260	2100	11802	200	120	3	1
120 BBL	5600	6050	2260	2100	15266	200	160	4	1

5

4

1

STANDARD SIZES

6

THE INFORMATION CONTAINED HEREIN IS FOR PLANN	IING PURPOSES ONLY
AND IS NOT AN ENGINEERING DRAWING .	

8

SINGLE WALL TANKS WITHOUT INSULATION AND COOLING JACKETS ARE ALSO AVAILABLE

7

						-	-	-			-
						REV.	DATE	DESCRIP	PTION	ZO	NE
105	PROPRIETARY AND CONFIDENTIAL	NOTES AND TO	LERANCES: (UNLESS OTHERWISE SPECIFIED)		•	PART	NAME			•	
IGE.	THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF CRAFT		1. INTERPRET DRAWING PER ASME Y14.5-1994 2. REMOVE ALL SHARP EDGES.	CRAFT	KETTLE		Cold Lic	juor Tank	K Planning Dimensions		ons
	KETTLE BREWING EQUIPMENT. ANY	INCHES TOLERANCES:	3. DO NOT SCALE FROM DRAWING.	SHIM BREWING	EQUIPMENT-	DESIG	NER	DWG. NC	).		REV.
BLE.	REPRODUCTION IN PART OR AS A WHOLE	0.5 ±				DRAFT	TER				
DLE.	WITHOUT THE WRITTEN PERMISSION OF CRAFT	ANGULAR ± °		NEXT ASSY		CHECK	KER				
	KETTLE BREWING EQUIPMENT IS PROHIBITED.		Material <not specified=""></not>			APPRO	OVAL	SIZE: B S	CALE:1:25 PRO	Jection: 🕀 🖯	SHEET: 2 OF 3
	6 5		4		3		2			1	

CLT\_Sales\_Dimensions, PART PDM REV: 0.1 **P** 

D

8

NOTES CONTINUED:

7

В

С

3

D

С

В

А

<b>STANDARD</b>	SI7FS

6

1

1

	А		В	С		G			
SIZE	TANK HEIGHT (IN)	TILT HEIGHT (IN)	Outside dia. (IN)	ID (IN)	TOTAL VOLUME (GAL)	FOOT DIAMETER (IN)	GLYCOL VOLUME (GAL)	NO. JACKETS	SIZE OF PORTS (INCH-NPT)
3.5 BBL	67	78	37.8	31.5	129.0	5	1	2	3/4
5 BBL	79	90	41.7	35.4	200.1	5	1	2	3/4
7 BBL	79	92	45.7	39.4	248.9	5	2	2	3/4
10 BBL	106	116	45.7	39.4	381.7	5	3	2	3/4
15 BBL	108	122	53.5	47.2	554.9	5	5	2	3/4
20 BBL	114	130	59.4	53.1	737.7	5	5	2	1
30 BBL	130	146	65.4	59.1	1099.0	5	10	2	1
40 BBL	146	162	69.3	63	1403.9	8	15	2	1
60 BBL	165	184	77.2	70.9	2125.0	8	25	3	1
90 BBL	177	200	89	82.7	3118.2	8	32	3	1
120 BBL	220	238	89	82.7	4033.3	8	42	4	1

5

4

T

THE INFORMATION CONTAINED HEREIN IS FOR PLANNING PURPOSES ONLY AND IS NOT AN ENGINEERING DRAWING .

8

ALL VOLUMES, DIMENSIONS, AND WEIGHTS ARE APPROXIMATE AND SUBJECT TO CHANGE CUSTOM SIZES ARE AVAILABLE PER REQUEST.

SINGLE WALL TANKS WITHOUT INSULATION AND COOLING JACKETS ARE ALSO AVAILABL

7

						-	-	-	-	
						REV.	DATE	DESCRIPTION	ZONE	
	PROPRIETARY AND CONFIDENTIAL	NOTES AND TO	LERANCES: (UNLESS OTHERWISE SPECIFIED)			PAR	t name			
NGE.			1. INTERPRET DRAWING PER ASME Y14.5-1994. 2. REMOVE ALL SHARP EDGES.	CRAFT	KETTLE		Cold Liq	uor Tank Planning	lanning Dimensions	
	KETTLE BREWING EQUIPMENT. ANY	INCHES TOLERANCES:	3. DO NOT SCALE FROM DRAWING.		EQUIPMENT - *****	DESIC	GNER	DWG. NO.		REV.
ABLE.	REPRODUCTION IN PART OR AS A WHOLE	0.5 ±				DRAF	TER			
ADLE.	WITHOUT THE WRITTEN PERMISSION OF CRAFT	ANGULAR ± °		NEXT ASSY		CHEC	KER			
	KETTLE BREWING EQUIPMENT IS PROHIBITED.		Material <not specified=""></not>			APPR	ROVAL	SIZE: B SCALE: 1:25 PRC	JECTION: 🕀 🖯 SH	HEET: 3 OF 3
	6 5		4		3		2		1	

С

В

8

NOTES CONTINUED:

7

3

1

I

D

С

В

А