

SUGGESTED FORMULA

Chloramphenicol 50mg, Sulfanilamide 50mg, Amphotericin B 5mg Otic Capsules #4

Version number: 1.0

Volume or quantity: 1 capsules

Chloramphenicol, USP	50mg	
Sufanilamide	50mg	
Amphotericin B, USP	5mg	
Capsule, size #4	1	

SUGGESTED COMPOUNDING PROCEDURES

To be used with the Sheehy-House Powder Insufflator or a bellows bottle with cannula tip. Capsules should be stored in refrigerator, except for capsule or capsule contents in the insufflator.

Weigh all ingredients

- 1. Triturate to reduce to fine powders as needed
- 2. Mix powders per pharmacy SOPs − (e.g. geometric dilution, blade, v-blend, RAM™)
- 3. Fill capsules in vented enclosure (hood)
- 4. Cap and "snap" each bottom into its lid.
- 5. Weigh sample capsules to check variability and standard deviation per pharmacy SOPs
- 6. Bottle and label with prescription label and appropriate auxiliary labels.
- 7. Suggested Quality assessments
 - a. % variability & % deviation from theoretical <10% (remake if >10%)
 - b. Capsule size
 - c. Capsule color
 - d. Quantity
 - e. Label auxiliary labels, storage, BUD, compounded medication

Store in air-tight container Refrigerated.

No claims are made as to the safety or efficacy of this preparation. This formulation is provided solely at the unsolicited request of the pharmacist.

Beyond-Use Dates of preparations are conservative estimates from reference books, peer-reviewed literature, intended duration of therapy, formulation from commercially available products, organoleptic observations and current USP guidelines. Compounders may have stability studies performed by a reputable laboratory if they wish to extend the Beyond-Use Date. It is recommended that you follow USP <795> recommendations for potency testing.

Beyond-Use Date estimated to be 180 days

Precautions:

Precautions should be taken when with hazardous chemicals. These may be absorbed through skin, mucous membranes and lungs. Wear appropriate personal protective equipment – and inform personnel of the risk. Mix and prepare in vented enclosure (hood).

06/15rd

