



TWO WAY RADIO ACCESSORIES

Harris XG-75

Waveband Communications was founded in April, 2002 to custom engineer and deliver products that better service two-way radio accessory needs. We're proud of our products, services, warranties, performance and reputation. Here are product and performance comments from customers who actually use and purchase Waveband Communications Two-Way Radio Accessories.

— “ —

"Purchased these for our plain clothes CID officers and have had no issues with the product. Fits all aftermarket and factory batteries. Great Customer Service."
(N.Taylor)



TABLE OF CONTENTS

- 03. Harris XG-75 Remote Speaker Microphones
- 04, 05. Harris XG-75 Radio Receive-Only Earpieces
- 06, 07. Harris XG-75 Radio Surveillance Kits
- 08. Harris XG-75 Radio Chargers, Conditioners, Analyzers
- 09. Harris XG-75 Two-way Radio Batteries
- 10. Harris XG-75 Two-way Radio Adapters
- 11, 12. Harris XG-75 Two-way Radio Antennas
- 13. Harris XG-75 Two-way Radio Headsets

HARRIS XG-75 REMOTE SPEAKER MICROPHONES

Harris XG-75 Two-way Radio Accessories

WX-8010-E4-3.5mm-EB



SPEAKER

- Impedance: $8\Omega \pm 15\%$ @ 1000Hz
- Rated Input Power: 500mW

MICROPHONE

- Sensitivity: $36\text{dB} \pm 3\text{dB}$ @ 1000Hz (0dB = 1V/Pa)
- Impedance: $2.2\text{k}\Omega$ @ 1kHz

Features:

- Rugged compact mic for Harris XG 75 handheld radio
- Includes 3.5 mm accessory jack
- IP54 waterproof
- Includes emergency button

WX-8000-M4-3.5mm



SPEAKER

- Impedance: $8 \pm 15\%$ @ 1KHz
- Frequency: response F0~9KHz

MICROPHONE

- Sensitivity: $-34 \pm 2\text{dB}$ @ 1KHz 2.2K 3V 0dB=1v/pa
- Frequency: 100Hz—16000Hz

Features:

- Public safety grade fully waterproof/submersible mic that is constructed to meet Mil Spec 810F standards
- Includes volume control
- Includes 3.5mm accessory jack

WX-8010-M4-3.5mm



SPEAKER

- Impedance: $8\Omega \pm 15\%$ @ 1000Hz
- Rated Input Power: 500mW

MICROPHONE

- Sensitivity : $-36\text{dB} \pm 3\text{dB}$ @ 1000Hz (0dB = 1V/Pa)
- Impedance: $2.2\text{k}\Omega$ @ 1kHz

Features:

- IP54 waterproof
- Crystal clear audio,
- Standard 3.5mm audio jack
- Kevlar reinforced cable

WX-8012-E4-3.5mm



SPEAKER

- Impedance: $8 \pm 15\%$ @ 1KHz
- Rated Input Power: 0.5W

MICROPHONE

- Sensitivity : $-34 \pm 2\text{dB}$ @ 1KHz 2.2K 3V 0dB=1v/pa
- Impedance: Max:2.2k @ 1KHz

Features:

- IP67 waterproof rated
- MIL-STD 810
- Ruggedized, waterproof polycarbonate casing
- Heavy duty anchored Kevlar™ coil cable

HARRIS XG-75 RADIO RECEIVE-ONLY EARPIECES

Harris XG-75 Two-way Radio Accessories



Receive-only earpiece with 3.5mm right-angle plug, high grade 30" coiled cord.

Features:

- Our WV1-10282 earpiece provides law enforcement professionals with covert radio communications
- Recommended for Police, Fire, Military, Security law enforcement professionals



Receive-only flexible earpiece for use with speaker microphone 3.5mm audio jacks.

Features:

- Right-angle plug connector fits
- Compatible with all remote speaker microphones that include a 3.5mm plug



Receive-only coiled acoustic tube with 2.5mm right angle plug. For use with the audio jack on speaker microphones.

Features:

- Lightweight earphone, rubber ear tip, radio connector, and clothing clip
- Listen-only earphone kit
- Flexible, high-grade cable for demanding applications

HARRIS XG-75 RADIO RECEIVE-ONLY EARPIECES

Harris XG-75 Two-way Radio Accessories



Receive-only earpiece features a coiled cord and 3.5mm right angle unthreaded plug

Features:

- Increase security and reduce noise by adding a Waveband listen-only ear piece to your shoulder microphone
- Over the ear receive-only earpiece



Rubber Eartip / Acoustic Tube (Black)

Features:

- 1 year warranty against manufacture defects



30" long straight cable

Features:

- Package of five
- Replacement medical-grade coiled acoustic tubes

HARRIS XG-75 RADIO SURVEILLANCE KITS

Harris XG-75 Two-way Radio Accessories

WV1-15022-E4-02



MICROPHONE:

- Frequency Range: 20-20KHz
- Sensitivity: -42dB \pm 3dB

SPEAKER:

- Sensitivity: 114dB \pm 5dB
- Frequency Range: F0-9KHz

Features:

- Designed for use with Harris XG75-7SP
- Rugged Kevlar re-enforced cable
- High-quality Knowles™ brand mic
- Field replaceable transducers

WV-SPM-3083



MICROPHONE:

- Sensitivity: -42dB \pm 3dB
- Frequency Range: 20-20KHz

SPEAKER:

- Sensitivity: 114dB \pm 5dB
- Frequency Range: F0-9KHz

Features:

- Heavy-duty cable with a strong polyurethane jacket and superior strain relief, polycarbonate housing, dual switch technology
- Easy to clean
- Compatible with all our ear tips including Buds, Semi-custom Ear molds, COMPLY Tips

WV1-15024-E4-HR



MICROPHONE:

- Sensitivity: -42dB \pm 3dB
- Frequency Range: 20-20KHz

SPEAKER:

- Sensitivity: 114dB \pm 5dB
- Frequency Range: F0-9KHz

Features:

- 3 wire kit comes with Kevlar reinforced cable, premium
- Knowles microphone
- Includes pig tail connector for discreet communication
- Allows for plug in to Ipod earphones



HARRIS XG-75 RADIO SURVEILLANCE KITS

Harris XG-75 Two-way Radio Accessories



MICROPHONE:

- Sensitivity: $-42\text{dB} \pm 3\text{dB}$
- Frequency Range: 20-20KHz

SPEAKER:

- Sensitivity: $114\text{dB} \pm 5\text{dB}$
- Frequency Range: F0-9KHz

Features:

- Discreet surveillance kit for use with Harris XG-75
- High quality Knowles™ brand MEMS surface mount mic
- Field replaceable transducers
- Heavy duty strain relief
- Note: Requires quick release adapter sold separately Part#WV1-10337X

HARRIS XG-75 CHARGERS, CONDITIONERS, ANALYZERS

Harris XG-75 Two-way Radio Accessories



In-Vehicle

Features:

- Designed for XG75P
- Mounting bracket with an integrated tie-down strap allows for floor or dash mounting
- It provides automatic recharging when a radio remains powered
- Compact footprint for easy installation



Desktop

Features:

- 6-Unit Conditioning Charger for Harris Ma/Com P5300, P5400, P7300, and XG-25, XG-75 Series Batteries
- May Be Used With Ni-MH or Lithium-Ion (Li) batteries
- Adapter plates are interchangeable



Desktop

Features:

- Multi-unit charger for Harris P7300 handheld radios
- Utilizes replacement pods allowing charger to be updated for future use
- Compatible with multiple radio models and brands
- Includes power supply and user manual



Desktop

Features:

- Rapid desktop charger for use with Harris P7300
- Utilizes replacement pods allowing charger to be updated for future use
- Compatible with multiple radio models and brands
- Includes power supply and user manual

HARRIS XG-75 TWO-WAY RADIO BATTERIES

Harris XG-75 Two-way Radio Accessories



7.4V | 4100 mAh | Li-Po

Features:

- High capacity battery for Harris/L3 XG-75P
- 4100 Mah Li-Po high capacity battery
- Includes new belt clip
- High quality Japanese cells
- Comes with a 12-month warranty



7.4V | 2500 mAh | 18.5 Wh
Pack of 5

Features:

- 2500 Mah Li-Ion high capacity battery
- We offer one-year and two-year no-questions-asked warranties
- Recorded less than a 1% return rate on our batteries since 2003



7.4V | 2500 mAh | 18.5 Wh | Li-Ion

Features:

- Our WV-LE234066LIIS is designed and guaranteed to meet or exceed the specifications of the original Harris Ma/Com battery
- Certified intrinsically safe
- Compatible with Harris /L3 original chargers

HARRIS XG-75 TWO-WAY RADIO ADAPTERS

Harris XG-75 Two-way Radio Accessories



6-Pin Hirose Quick Release

Features:

- WV1-10337X Quick Disconnect Adapter for MACOM / HARRIS Radio Models: JAGUAR P5300, P5400, P5500, P7300, XG-75, XG-15



HARRIS XG-75 TWO-WAY RADIO ANTENNA

Harris XG-75 Two-way Radio Accessories



WV-SPWH14832

Specific Frequency: 782-882 MHz

Antenna Length: 3.5 Inches

Antenna Material: Plastic

Features:

- Warranty: 2 years
- Compatible Portable Radio Models: Harris XG-75P



WV-SP51432

800-865MHz
BLUE DOT
1/4 WAVE

Features:

- This antenna is compatible with all Harris Ma/Com XG-75 Series radio



WV-KRE1011219/12

Antenna - 3", UHF, 400-420 MHz

Features:

- Compatible with XG-75P two-way radios



WV-SPEN14832

SPEN14832 806-866 MHz, UNITY GAIN, 1/2 WAVELENGTH

Features:

- Compatible with XG-75 series

HARRIS XG-75 TWO-WAY RADIO ANTENNA

Harris XG-75 Two-way Radio Accessories



Antenna - 3"
UHF
440-494 MHz

Features:

- Compatible with XG-15, XL-25, XL-75, XG-100, XL-200, and XL-185 radios



HARRIS XG-75 TWO-WAY RADIO HEADSETS

Harris XG-75 Two-way Radio Accessories



SPEAKER:

- Frequency Range 100Hz~3000Hz
- Resonance Fo 100Hz

MICROPHONE:

- Frequency 600Hz~12000Hz
- Sensitivity 0°-71 dB±3dB (at L=50cm)
(0dB=1V/Pa,1KHz)

Features:

- Noise-canceling headset for use with Harris/L3 XG-75 portable radio
- Includes removable cables
- 23-db noise canceling rating
- Push-to-talk included



Include velcro remote finger push to talk button

Features:

- Behind-the-head-headset for harris/L3 XG-75 handheld radio
- Noise canceling boom mic
- In-line push-to-talk