

SPSK60IPC

Cooker size N. of cavities with energy label Heat source first cavity Hob type Type of main oven Cleaning system main oven EAN code Energy efficiency class 60x60 cm 1 Electric Induction Thermo-ventilated Pyrolytic 8017709304997 A



Aesthetics

Aesthetics	Classic	Display	Touch
Series	Concert	No. of controls	6
Colour	Toniton Peach	Serigraphy colour	Black
Design	Standard	Handle	Smeg Classic
Door	With 2 horizontal strips	Handle Colour	Brushed stainless steel
Upstand	Yes	Glass type	Stopsol
Hob colour	Stainless steel Stainless	Feet	Silver
Command panel finish	steel	Storage compartment	Door
Control knobs	Smeg Classic Stainless	Logo	Assembled st/steel
Controls colour	steel	Logo position	Facia below the oven

Programme / Functions

No. of cooking functions Traditional cooking functions	9	
Static	Ean assisted	Circulaire
8		
Turbo (circulaire + bottom + upper +	ECO ECO	Small grill
fan)		
Large grill		🛞 Fan assisted base



Cleaning functions



Pyrolytic

Hob technical features



Total no. of cook zones 4				
Front left - Induction - single - 1.60 kW - Booster 1.85 kW - 21.1x19.1 cm				
Rear left - Induction - singl	e - 2.10 kW - Booster 2.30 kV	V - 21.1x19.1 cm		
Rear right - Induction - single - 2.10 kW - Booster 2.30 kW - Ø 21.0 cm				
Front right - Induction - giant - 1.20 kW - Booster 1.40 kW - Ø 18.0 cm				
No. of cooking zones with Booster	4	Minimum pan diameter indication	Yes	
Automatic switch off	Yes	Selected zone indicator	Yes	
when overheat		Residual heat indicator	Yes	
Automatic pan detection	Yes			

Main Oven Technical Features

701 📃 🗾 🔊 💭			
No. of lights	1	Total no. of door glasses	4
Fan number	1	No.of thermo-reflective	3
Net volume of the cavity	70 litres	door glasses	
Gross volume, 1st cavity	791	Safety Thermostat	Yes
Cavity material Shelf positions	Easy clean enamel 5	Heating suspended when door is opened	Yes
Type of shelves	S Metal racks	Cooling system	Tangential
Light type	Halogen	Door Lock During Pyrolisis	Yes
Light power Cooking time setting	40 W Start and Stop	Usable cavity space dimensions (HxWxD)	360x444x425 mm
Light when oven door is	Yes	Temperature control	Electro-mechanical
open Door opening	Flap down	Lower heating element power	1200 W
Removable door	Yes	Upper heating element -	1000 W
Full glass inner door	Yes	Power	
Removable inner door	Yes	Grill elememt	1700 W
		Large grill - Power	2700 W
		Circular heating element - Power	2000 W

Grill type

Options Main Oven

Timer	Yes	Minimum Temperature	50 °C
End of cooking acoustic alarm	Yes	Maximum temperature	280 °C

Electric




Accessories included for Main Oven & Hob

Rack with back and side stop	2	Telescopic Guide rails, partial Extraction	1
20mm deep tray	2	Meat Probe	1
40mm deep tray	1	Child Lock	1

Electrical Connection

Nominal power	10400 W	Voltage 2 (V)	380-415 V
Current	46 A	Frequency	50/60 Hz
Voltage	220-240 V	Terminal block	5 poles





Not included accessories



SFLK1

Child lock



SMOLD

Set of 7 silicone moulds for ice creams, ice lollies, pralines, ice cubes or to portion food. Usable from -60°C to +230°C

GTT



Totally extractable telescopic guides (1 level) Extraction: 433 mm Material: Stainless steel AISI 430 polished



SCRP

Induction and ceramic hobs and teppanyaki scraper

KITP60X9

Splashback, 90 cm, stainless steel, suitable for pyrolytic Concert cookers


GTP

Partially extractable telescopic guides (1 level) Extraction: 300 mm Material: Stainless steel AISI 430 polished

S



Symbols glossary





①)	Induction: The work of these hobs is based on the principle of electromagnetic induction. The heat is generated directly in the bottom of the pan during its contact with the hob.	旦	All glass inner door: All glass inner door, a single flat surface which is simple to keep clean.
	The inner door glass: can be removed with a few quick movements for cleaning.	0	Side lights: Two opposing side lights increase visibility inside the oven.
Þ	Pyrolitic: Pyrolitic cleaning cycles can be selected as necessary to automatically clean the oven interior.	Н	Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out.
<u>.</u> 5	The oven cavity has 5 different cooking levels.		Telescopic rails: allow you to pull out the dish and check it without having to remove it from the oven entirely.
70 R	The capacity indicates the amount of usable space in the oven cavity in litres.		

space in the oven cavity in litres.