


JUBEL BST 76

Forsix Design, 2018



COLLECTION


www.interracontract.com
info@interracontract.com
O: 949.497.0277



0,53 m³ - 33 kg
59x53x91 cm
66x55x63 cm
4 pcs [carton]

Upholstered techno-polymer seat, chromed or painted frame.

FRAME FINISHES



UPHOLSTERY

PU-Flex padded and upholstered shell.



UPHOLSTERY AVAILABLE FABRICS

- [DK] Kvadrat Fabric - Steelcut 2
- [DK] Kvadrat Fabric - Remix 2
- [E] Synthetic Leather Aurea
- [K] King Fabric

[TC] COM Fabric

Fabric required 1pc: Lin Mtrs 0,8 (h 1,40)

White flexible polyurethane foam, density 30kg/m³, flame retardant according to the method: UNI 9175 - UNI 9175 / FA1, Class 11M.

QUALITY IN THE NATURAL RESPECT

100% Demountable product
100% Recyclable material
100% Made in Italy

METAL

Gaber metal structures, in the full respect of our Natural Environment, are available with "trivalent" chroming and painted finishes. Prime-quality special Epoxy powder coating used on Gaber frames enhance color stability from batch to batch and over time, increasing its corrosion-resistance and achieving excellent resistance to atmospheric agents.

PADDINGS

The flexible polyurethane cold-pressed paddings Gaber uses on its upholstered articles do not contain CFC/HCFC (ODP=0: do not contribute the reduction of the atmospheric ozone layer), they are fire-retardant class 1-IM UNI 9175/CMHR following European Standards.

CARTON BOXES

Corrugated paperboard carton boxes, printed with environmentally friendly inks, are made of 90% recycled and recyclable materials. Packaging is sized in order to optimize storage and transport requirements, both helping the environment and saving on transport costs.

In all components, parts or materials used by Gaber to make its own products, be they plastic or metal, there are no dangerous substances within the certified limits of the following test methods reports:

- Cadmium UNI EN 13656:2004 + UNI EN 13657:2004 + UNI EN ISO 11885:2009
- Lead UNI EN 13656:2004 + UNI EN 13657:2004 + UNI EN ISO 11885:2009
- Mercury UNI EN 13656:2004 + UNI EN 13657:2004 + UNI EN ISO 11885:2009
- Arsenic UNI EN 13656:2004 + UNI EN 13657:2004 + UNI EN ISO 11885:2009
- Selenium UNI EN 13656:2004 + UNI EN 13657:2004 + UNI EN ISO 11885:2009
- Chrome VI CEI EN 62321:2009 Annex C
- Diisobutil ftalato (DIBP) CPSC-CH-C1001-09.3:2010
- Dibutil ftalato (DBP) CPSC-CH-C1001-09.3:2010
- Benzilbutil ftalato (BBP) CPSC-CH-C1001-09.3:2010
- Di-(2-etilesil) ftalato (DEHP) CPSC-CH-C1001-09.3:2010
- Di-n-ottil ftalato (DNOP) CPSC-CH-C1001-09.3:2010
- Diisonoil ftalato (DINP) CPSC-CH-C1001-09.3:2010
- Diisodecil ftalato (DIDP) CPSC-CH-C1001-09.3:2010
- Dipentil ftalato (DPP) CPSC-CH-C1001-09.3:2010
- Dimetossietil ftalato (DMEP) CPSC-CH-C1001-09.3:2010

- Gaber Material "Plastomero" Report n. 20205954-002
- Gaber Material "Polipropilene FVR" Report n. 20205954-003
- Gaber Material "Metal tube" Report n. 20205954-001
- Gaber Material "Metal Screws-Inserts" Report n. 20205139-001



JUBEL COLLECTION

The unique shape of the back and the clean design lines make Jubel stand out for its comfort, allowing it to be the star of hospitality or office installations.

