





FINISHES



Double-side thermoformed panel in polyester fiber with a weight of 3000gr/m² with fabric covering.

SUPPORT FINISHES

FREE-STANDING




DESK SETTINGS



Tune bracket support is suitable for 10-30mm desk thickness.

AVAILABLE DIMENSIONS

TUNE FREE-STANDING 80



TUNE FREE-STANDING 100



60.6"x39.4"x7.9" 14,5 kg

TUNE DESK SETTINGS 80



59.1"x31.5"x2.0" 8 kg

1

QUALITY IN THE NATURAL RESPECT

100% Demountable product 100% Recyclable material

100% Made in Italy

TECHNOPOLYMER

Gaber production employs exclusively high-tech thermoplastic materials, which are 100% recyclable. Gaber produces plastic injected materials without added chemicals. These materials are purchased within the European Union, so Gaber is exempted from registration with ECHA agency (European Agency for Chemicals Substances), in the complete respect of "Reach Regulation".

NAETAL

Gaber metal structures, in the full respect of our Natural Environment, are available with "trivalent" chroming and painted finishes. Prime-quality special Epoxy powder coating used on Gaber frames enhance color stability from batch to batch and over time, increasing its corrosion-resistance and achieving excellent resistance to atmospheric agents.

COVERINGS

Covering polyester materials follows fire retardant international standards.

UNI 9174 - 8456 Class C1, UNI 9175 Class 1 IM, DIN 4102 Class B1, NF 92501-7 Class M1, NF D 60013 Class AM18, EN 1021-1 & 2, BS Crib 5, BS 7176 Class Medium Hazard, EN 13773 Class 1, OENORM 3800-1 Class B1,Q1,TR1, California TB117, USA NFPA 701, USA NFPA 260, IMO A 652 (16) Part 8 Upholstery

CARTON BOXES

Corrugated paperboard carton boxes, printed with environmentally friendly inks, are made of 90% recycled and recyclable materials. Packaging is sized in order to optimize storage and transport requirements, both helping the environment and saving on transport costs.

In all components, parts or materials used by Gaber to make its own products, be they plastic or metal, there are no dangerous substances within the certified limits of the following test methods reports:

Cadmium UNI EN 13656:2004 + UNI EN 13657:2004 + UNI EN ISO 11885:2009
Lead UNI EN 13656:2004 + UNI EN 13657:2004 + UNI EN ISO 11885:2009
Mercury UNI EN 13656:2004 + UNI EN 13657:2004 + UNI EN ISO 11885:2009
Arsenic UNI EN 13656:2004 + UNI EN 13657:2004 + UNI EN ISO 11885:2009
Selenium UNI EN 13656:2004 + UNI EN 13657:2004 + UNI EN ISO 11885:2009
Chrome VI CEI EN 62321:2009 Annex C
Diisobutil ffalato (DIBP) CPSC-CH-C1001-09.3:2010
Dibutil ffalato (BBP) CPSC-CH-C1001-09.3:2010
Benzilbutil ffalato (BBP) CPSC-CH-C1001-09.3:2010
Di-(2-efilesil) ffalato (DEHP) CPSC-CH-C1001-09.3:2010

Di-n-ottil ftalato (DNOP) CPSC-CH-C1001-09.3:2010 Diisononil ftalato (DINP) CPSC-CH-C1001-09.3:2010 Diisodecil ftalato (DIDP) CPSC-CH-C1001-09.3:2010 Dipentil ftalato (DPP) CPSC-CH-C1001-09.3:2010 Dimetossietil ftalato (DMEP) CPSC-CH-C1001-09.3:2010

Gaber Material "Polipropilene" Report n. 20205139-002 Gaber Material "Metal Screws-Inserts" Report n. 20205139-001



TUNE COLLECTION

The sound-absorbing free-standing panels of the Tune collection are designed both to furnish with elegance as well as to assure the precise function of reducing sound reverberation. Equipped with a matt painted metal base, they are made of polyester fiber and available in two different sizes. The sound-absorbing panels of the Tune collection fixed to the desk tops are practical screens to enhance privacy, improving acoustic comfort, facilitating concentration and well-being in the workplace.

