


# EXTREME

Stefano Sandonà Design, 2009



## COLLECTION

www.interracontract.com  
info@interracontract.com  
O: 949.497.0277




Only for painted frames



0,24 m<sup>3</sup> - 26 kg  
64x64x64cm  
4 pcs [carton]

Painted 4-Legged metal frame, techno-polymer multicolor shell.



## PERFORMED TEST

1. Safety requirements EN 15373:2007
2. Information for use EN 15373:2007
3. Seat and back static load test EN 1728:2000
4. Vertical load on back rest EN 15373:2007
5. Arm sideways static load test EN 1728:2000
6. Arm downwards static load test EN 1728:2000
7. Vertical upwards static load on arm rests EN 15373:2007
8. Seat and back fatigue test EN 1728:2000
9. Seat front edge durability test EN 1728:2000
10. Arm fatigue test EN 1728:2000
11. Leg forward static load test EN 1728:2000
12. Leg sideways static load test EN 1728:2000
13. Seat impact test EN 1728:2000
14. Back impact test EN 1728:2000
15. Arm impact test EN 1728:2000
16. Stability - EN 1022:2005



## FRAME FINISHES



## QUALITY IN THE NATURAL RESPECT

100% Demountable product  
100% Recyclable material  
100% Made in Italy

### TECHNOPOLYMER

Gaber production employs exclusively high-tech thermoplastic materials, which are 100% recyclable. Gaber produces plastic injected materials without added chemicals. These materials are purchased within the European Union, so Gaber is exempted from registration with ECHA agency (European Agency for Chemicals Substances), in the complete respect of "Reach Regulation".

### METAL

Gaber metal structures, in the full respect of our Natural Environment, are available with "trivalent" chroming and painted finishes. Prime-quality special Epoxy powder coating used on Gaber frames enhance color stability from batch to batch and over time, increasing its corrosion-resistance and achieving excellent resistance to atmospheric agents.

### PADDINGS

The flexible polyurethane cold-pressed paddings Gaber uses on its upholstered articles do not contain CFC/HCFC (ODP=0: do not contribute the reduction of the atmospheric ozone layer), they are fire-retardant class 1-IM UNI 9175/CMHR following European Standards.

### CARTON BOXES

Corrugated paperboard carton boxes, printed with environmentally friendly inks, are made of 90% recycled and recyclable materials. Packaging is sized in order to optimize storage and transport requirements, both helping the environment and saving on transport costs.

In all components, parts or materials used by Gaber to make its own products, be they plastic or metal, there are no dangerous substances within the certified limits of the following test methods reports:

Cadmium UNI EN 13656:2004 + UNI EN 13657:2004 + UNI EN ISO 11885:2009

Lead UNI EN 13656:2004 + UNI EN 13657:2004 + UNI EN ISO 11885:2009

Mercury UNI EN 13656:2004 + UNI EN 13657:2004 + UNI EN ISO 11885:2009

Arsenic UNI EN 13656:2004 + UNI EN 13657:2004 + UNI EN ISO 11885:2009

Selenium UNI EN 13656:2004 + UNI EN 13657:2004 + UNI EN ISO 11885:2009

Chrome VI CEI EN 62321:2009 Annex C

Diisobutil ftalato (DIBP) CPSC-CH-C1001-09.3:2010

Dibutil ftalato (DBP) CPSC-CH-C1001-09.3:2010

Benzilbutil ftalato (BBP) CPSC-CH-C1001-09.3:2010

Di-(2-etilesil) ftalato (DEHP) CPSC-CH-C1001-09.3:2010

Di-n-ottil ftalato (DNOP) CPSC-CH-C1001-09.3:2010

Diisononil ftalato (DINP) CPSC-CH-C1001-09.3:2010

Diisodecil ftalato (DIDP) CPSC-CH-C1001-09.3:2010

Dipentil ftalato (DPP) CPSC-CH-C1001-09.3:2010

Dimetossietil ftalato (DMEP) CPSC-CH-C1001-09.3:2010

Gaber Material "Plastomero" Report n. 20205954-002

Gaber Material "Polipropilene FVR" Report n. 20205954-003

Gaber Material "Metal tube" Report n. 20205954-001

Gaber Material "Metal Screws-Inserts" Report n. 20205139-001



---

## EXTREME COLLECTION

Young, dynamic and creative, a new family of chairs which combines its lightness and strength with an innovative and extrovert design.

