


# JUBEL IV

Forsix Design, 2018



## COLLECTION


www.interracontract.com  
info@interracontract.com  
O: 949.497.0277



0,38 m³ - 25 kg  
59x65x99cm  
4 pcs [carton]

Stackable  
Impilabile

4-legged polymer-steel coinjected structure, techno-polymer shell.



## FIRE RETARDANT

IGN Versions follows UNI 9177 certification in terms of Fire Resistance, Fire Reaction Class 1.




## PERFORMED TEST

1. Safety requirements EN 16139:2013+AC:2013
  2. Information for use EN 16139:2013+AC:2013
  3. Seat and back static load test EN 1728:2012+AC:2013
  4. Vertical load on back rest EN 1728:2012+AC:2013
  5. Seat and back fatigue test EN 1728:2012+AC:2013
  6. Seat front edge durability test EN 1728:2012+AC:2013
  7. Leg forward static load test EN 1728:2012+AC:2013
  8. Leg sideways static load test EN 1728:2012+AC:2013
  9. Seat impact test EN 1728:2012+AC:2013
  10. Back impact test EN 1728:2012+AC:2013
  11. Stability - EN 1022:2005
- 
1. Backrest strength test - Static ANSI-BIFMA X5.1-2017/6
  2. Drop test - Dynamic - ANSI-BIFMA X5.1-2017/7
  3. Seating durability test - Cyclic - ANSI-BIFMA X5.1-2017/10
  4. Stability test ANSI-BIFMA X5.1-2017/11
  5. Backrest durability test - Cyclic-Type II and III ANSI-BIFMA X5.1-2017/15
  6. Leg strength test - Front and Side application - ANSI-BIFMA X5.1-2017/17
  7. Structural durability test - Cyclic - ANSI-BIFMA X5.1-2017/24



## FRAME FINISHES



## ACCESSORIES

### CUSHION

Upholstered cushion.



### CUSHION AVAILABLE FABRICS

- [B] Blazer Fabric
- [DK] Kvadrat Fabric - Steelcut 2
- [DK] Kvadrat Fabric - Remix 2
- [E] Synthetic Leather Aurea
- [K] King Fabric

### [TC] COM Fabric

Cushion fabric required 4pcs: Lin Mtrs 1 (h 1,40)

White flexible polyurethane foam, density 30kg/m<sup>3</sup>, flame retardant according to the method: UNI 9175 - UNI 9175 / FA1, Class 1IM.

### UPHOLSTERY | TAPPEZZERIA

PU-Flex padded and upholstered shell.



### UPHOLSTERY AVAILABLE FABRICS

- [DK] Kvadrat Fabric - Steelcut 2
- [DK] Kvadrat Fabric - Remix 2
- [E] Synthetic Leather Aurea
- [K] King Fabric

### [TC] COM Fabric

Fabric required 1pc: Lin Mtrs 1 (h 1,40)


### FIRE RETARDANT

Products follows UNI 9175 -UNI 9175/FA, in terms of Fire Resistance, Fire Reation Class 1IM.



### CONNECTING SYSTEM | GANCIO CONNESSIONE

Extensible techno-polymer linking devices for in-line disposal.



### TROLLEY | CARRELLO

Trolley for chairs, black painted.



## QUALITY IN THE NATURAL RESPECT

100% Demountable product  
100% Recyclable material  
100% Made in Italy

### TECHNOPOLYMER

Gaber production employs exclusively high-tech thermoplastic materials, which are 100% recyclable. Gaber produces plastic injected materials without added chemicals. These materials are purchased within the European Union, so Gaber is exempted from registration with ECHA agency (European Agency for Chemicals Substances), in the complete respect of "Reach Regulation".

### PADDINGS

The flexible polyurethane cold-pressed paddings Gaber uses on its upholstered articles do not contain CFC/HCFC (ODP=0: do not contribute the reduction of the atmospheric ozone layer), they are fire-retardant class 1-IM UNI 9175/CMHR following European Standards.

### CARTON BOXES

Corrugated paperboard carton boxes, printed with environmentally friendly inks, are made of 90% recycled and recyclable materials. Packaging is sized in order to optimize storage and transport requirements, both helping the environment and saving on transport costs.

In all components, parts or materials used by Gaber to make its own products, be they plastic or metal, there are no dangerous substances within the certified limits of the following test methods reports:

Cadmium UNI EN 13656:2004 + UNI EN 13657:2004 + UNI EN ISO 11885:2009  
Lead UNI EN 13656:2004 + UNI EN 13657:2004 + UNI EN ISO 11885:2009  
Mercury UNI EN 13656:2004 + UNI EN 13657:2004 + UNI EN ISO 11885:2009  
Arsenic UNI EN 13656:2004 + UNI EN 13657:2004 + UNI EN ISO 11885:2009  
Selenium UNI EN 13656:2004 + UNI EN 13657:2004 + UNI EN ISO 11885:2009  
Chrome VI CEI EN 62321:2009 Annex C  
Diisobutil ftalato (DIBP) CPSC-CH-C1001-09.3:2010  
Dibutil ftalato (DBP) CPSC-CH-C1001-09.3:2010  
Benzilbutil ftalato (BBP) CPSC-CH-C1001-09.3:2010  
Di-(2-etilesil) ftalato (DEHP) CPSC-CH-C1001-09.3:2010

Di-n-ottil ftalato (DNOP) CPSC-CH-C1001-09.3:2010  
Diisonoil ftalato (DINP) CPSC-CH-C1001-09.3:2010  
Diisodecil ftalato (DIDP) CPSC-CH-C1001-09.3:2010  
Dipentil ftalato (DPP) CPSC-CH-C1001-09.3:2010  
Dimetossietil ftalato (DMEP) CPSC-CH-C1001-09.3:2010

Gaber Material "Plastomero" Report n. 20205954-002  
Gaber Material "Polipropilene FVR" Report n. 20205954-003  
Gaber Material "Metal tube" Report n. 20205954-001  
Gaber Material "Metal Screws-Inserts" Report n. 20205139-001



## JUBEL COLLECTION

The unique shape of the back and the clean design lines make Jubel stand out for its comfort, allowing it to be the star of hospitality or office installations.

