


JUBEL TB

Forsix Design, 2018



COLLECTION

www.interracontract.com
info@interracontract.com
O: 949.497.0277




Only for painted frames




0,31 m³ - 13 kg
61x55x93cm
2 pcs [carton]

Stackable on floor [4pcs]

Chromed or painted 4-Legged metal frame with armrests, techno-polymer shell.



FRAME FINISHES



ACCESSORIES

CUSHION

Upholstered cushion.



CUSHION AVAILABLE FABRICS

[DK] Kvadrat Fabric - Steelcut 2
[DK] Kvadrat Fabric - Remix 2
[E] Synthetic Leather Aurea
[K] King Fabric
[TF] Fenice Fabric

[TC] COM Fabric

Cushion fabric required 4pcs: Lin Mtrs 1 (h 1,40)

White flexible polyurethane foam, density 30kg/m³,
flame retardant according to the method:
UNI 9175 - UNI 9175 / FA1, Class 1IM.

UPHOLSTERY

PU-Flex padded and upholstered shell.



UPHOLSTERY AVAILABLE FABRICS

[DK] Kvadrat Fabric - Steelcut 2
[DK] Kvadrat Fabric - Remix 2
[E] Synthetic Leather Aurea
[K] King Fabric
[TF] Fenice Fabric

[TC] COM Fabric

Fabric required 1pc: Lin Mtrs 1 (h 1,40)


FIRE RETARDANT

Products follows UNI 9175 -UNI 9175/FA, in terms of
Fire Resistance, Fire Reaction Class 1IM.



CONNECTING SYSTEM

Extensible chromed linking devices for in-line disposal.



QUALITY IN THE NATURAL RESPECT

100% Demountable product

100% Recyclable material

100% Made in Italy

TECHNOPOLYMER

Gaber production employs exclusively high-tech thermoplastic materials, which are 100% recyclable. Gaber produces plastic injected materials without added chemicals. These materials are purchased within the European Union, so Gaber is exempted from registration with ECHA agency (European Agency for Chemicals Substances), in the complete respect of "Reach Regulation".

METAL

Gaber metal structures, in the full respect of our Natural Environment, are available with "trivalent" chroming and painted finishes. Prime-quality special Epoxy powder coating used on Gaber frames enhance color stability from batch to batch and over time, increasing its corrosion-resistance and achieving excellent resistance to atmospheric agents.

PADDINGS

The flexible polyurethane cold-pressed paddings Gaber uses on its upholstered articles do not contain CFC/HCFC (ODP=0: do not contribute the reduction of the atmospheric ozone layer), they are fire-retardant class 1-IM UNI 91 75/CMHR following European Standards.

CARTON BOXES

Corrugated paperboard carton boxes, printed with environmentally friendly inks, are made of 90% recycled and recyclable materials. Packaging is sized in order to optimize storage and transport requirements, both helping the environment and saving on transport costs.

In all components, parts or materials used by Gaber to make its own products, be they plastic or metal, there are no dangerous substances within the certified limits of the following test methods reports:

Cadmium UNI EN 13656:2004 + UNI EN 13657:2004 + UNI EN ISO 11885:2009
Lead UNI EN 13656:2004 + UNI EN 13657:2004 + UNI EN ISO 11885:2009
Mercury UNI EN 13656:2004 + UNI EN 13657:2004 + UNI EN ISO 11885:2009
Arsenic UNI EN 13656:2004 + UNI EN 13657:2004 + UNI EN ISO 11885:2009
Selenium UNI EN 13656:2004 + UNI EN 13657:2004 + UNI EN ISO 11885:2009
Chrome VI CEI EN 62321:2009 Annex C
Diisobutil ftalato (DIBP) CPSC-CH-C1001-09.3:2010
Dibutil ftalato (DBP) CPSC-CH-C1001-09.3:2010
Benzilbutil ftalato (BBP) CPSC-CH-C1001-09.3:2010
Di-(2-etilesil) ftalato (DEHP) CPSC-CH-C1001-09.3:2010
Di-n-ottil ftalato (DNOP) CPSC-CH-C1001-09.3:2010
Diisonoil ftalato (DINP) CPSC-CH-C1001-09.3:2010
Diisodecil ftalato (DIDP) CPSC-CH-C1001-09.3:2010
Dipentil ftalato (DPP) CPSC-CH-C1001-09.3:2010
Dimetossietil ftalato (DMEP) CPSC-CH-C1001-09.3:2010

Gaber Material "Plastomero/Elastomero" Report n. 20205954-002
Gaber Material "Polipropilene FVR" Report n. 20205954-003
Gaber Material "Metal tube" Report n. 20205954-001
Gaber Material "Metal Screws-Inserts" Report n. 20205139-001



JUBEL COLLECTION

The unique shape of the back and the clean design lines make Jubel stand out for its comfort, allowing it to be the star of hospitality or office installations.

