


# KANVAS NA

Stefano Sandonà Design, 2015



## COLLECTION

www.interracontract.com  
info@interracontract.com  
O: 949.497.0277




Only for painted frames



0,24 m<sup>3</sup> - 20 kg  
66x55x63cm  
4 pcs [carton]

Stackable on floor [6pcs]

Chromed, black or white painted 4-Legged metal frame, technopolymer shell.




## FIRE RETARDANT

IGN Versions follows UNI 9177 certification in terms of Fire Resistance, Fire Reaction Class 1.



## FRAME FINISHES



## PERFORMED TEST - UNI EN 16139:2013 LEVEL 2

1. Par. 4 Sicurezza. Par. 4.1 Generalità e 4.2 Punti di cesoiamento e schiacciamento UNI EN 16139:2013 + EC 1-2013
2. Par. 4 Sicurezza. Par. 4.3 Stabilità UNI EN 16139:2013 + EC 1-2013
3. Par. 6 Metodi di prova. Prova 1 Prova di carico statico sul sedile e sullo schienale  
UNI EN 16139:2013 + EC 1-2013 + UNI EN 1728:2012 + EC 1-2013 + EC 2-2013 + EC 3-2015
4. Par. 6 Metodi di prova. Prova 2 Prova di carico statico del bordo anteriore del sedile  
UNI EN 16139:2013 + EC 1-2013 + UNI EN 1728:2012 + EC 1-2013 + EC 2-2013 + EC 3-2015
5. Par. 6 Metodi di prova. Prova 3 Carico statico verticale sullo schienale  
UNI EN 16139:2013 + EC 1-2013 + UNI EN 1728:2012 + EC 1-2013 + EC 2-2013 + EC 3-2015
6. Par. 6 Metodi di prova. Prova 8 Prova di fatica del sedile e dello schienale  
UNI EN 16139:2013 + EC 1-2013 + UNI EN 1728:2012 + EC 1-2013 + EC 2-2013 + EC 3-2015
7. Par. 6 Metodi di prova. Prova 9 Prova di fatica del bordo anteriore del sedile  
UNI EN 16139:2013 + EC 1-2013 + UNI EN 1728:2012 + EC 1-2013 + EC 2-2013 + EC 3-2015
8. Par. 6 Metodi di prova. Prova 12 Prova di carico statico in avanti sulle gambe  
UNI EN 16139:2013 + EC 1-2013 + UNI EN 1728:2012 + EC 1-2013 + EC 2-2013 + EC 3-2015
9. Par. 6 Metodi di prova. Prova 13 Prova di carico statico laterale sulle gambe  
UNI EN 16139:2013 + EC 1-2013 + UNI EN 1728:2012 + EC 1-2013 + EC 2-2013 + EC 3-2015
10. Par. 6 Metodi di prova. Prova 14 Prova d'urto sul sedile  
UNI EN 16139:2013 + EC 1-2013 + UNI EN 1728:2012 + EC 1-2013 + EC 2-2013 + EC 3-2015
11. Par. 6 Metodi di prova. Prova 15 Prova d'urto sullo schienale  
UNI EN 16139:2013 + EC 1-2013 + UNI EN 1728:2012 + EC 1-2013 + EC 2-2013 + EC 3-2015
12. Par. 7 Informazioni per l'utilizzo UNI EN 16139:2013 + EC 1-2013
13. Appendice C Requisiti dimensionali per le sedie da ufficio per visitatori UNI EN 16139:2013 + EC 1-2013



## PERFORMED TEST - UNI EN 16139:2013 LEVEL 1

1. Safety requirements EN 16139:2013+AC:2013
2. Information for use EN 16139:2013+AC:2013
3. Seat and back static load test EN 1728:2012+AC:2013
4. Vertical load on back rest EN 1728:2012+AC:2013
5. Seat and back fatigue test EN 1728:2012+AC:2013
6. Seat front edge durability test EN 1728:2012+AC:2013
7. Leg forward static load test EN 1728:2012+AC:2013
8. Leg sideways static load test EN 1728:2012+AC:2013
9. Seat impact test EN 1728:2012+AC:2013
10. Back impact test EN 1728:2012+AC:2013
11. Stability - EN 1022:2005



## ACCESSORIES

### CUSHION

Upholstered cushion.



### FRONT UPHOLSTERY

Techno-polymer shell front upholstered.



### FULL UPHOLSTERY

Techno-polymer upholstered shell.



### AVAILABLE FABRICS

- [B] Blazer Fabric
- [DK] Kvadrat Fabric - Steelcut 2
- [DK] Kvadrat Fabric - Remix 2
- [E] Synthetic Leather Aurea
- [K] King Fabric

### [TC] COM Fabric

Cushion fabric required 4pcs: Lin Mtrs 1 (h 1,40)


Front fabric required 1pc: Lin Mtrs 0,6 (h 1,40)

Full fabric required 1pc: Lin Mtrs 1 (h 1,40)

White flexible polyurethane foam, density 30kg/m<sup>3</sup>, flame retardant according to the method:  
UNI 9175 - UNI 9175 / FA1, Class 1IM.

### TROLLEY

Painted grey adjustable dolly, for 4 legged chairs.



## QUALITY IN THE NATURAL RESPECT

100% Demountable product  
100% Recyclable material  
100% Made in Italy

Product made with certified materials deriving from rejects and/or pre-industrial waste (PIR) at least 50% of its weight.



CAM ARREDI  
Certificato n° 25/2021

### TECHNOPOLYMER

Gaber production employs exclusively high-tech thermoplastic materials, which are 100% recyclable. Gaber produces plastic injected materials without added chemicals. These materials are purchased within the European Union, so Gaber is exempted from registration with ECHA agency (European Agency for Chemicals Substances), in the complete respect of "Reach Regulation".

### METAL

Gaber metal structures, in the full respect of our Natural Environment, are available with "trivalent" chroming and painted finishes. Prime-quality special Epoxy powder coating used on Gaber frames enhance color stability from batch to batch and over time, increasing its corrosion-resistance and achieving excellent resistance to atmospheric agents.

### PADDINGS

The flexible polyurethane cold-pressed paddings Gaber uses on its upholstered articles do not contain CFC/HCFC (ODP=0: do not contribute the reduction of the atmospheric ozone layer), they are fire-retardant class 1-IM UNI 9175/CMHR following European Standards.

### CARTON BOXES

Corrugated paperboard carton boxes, printed with environmentally friendly inks, are made of 90% recycled and recyclable materials. Packaging is sized in order to optimize storage and transport requirements, both helping the environment and saving on transport costs.

In all components, parts or materials used by Gaber to make its own products, be they plastic or metal, there are no dangerous substances within the certified limits of the following test methods reports:

Cadmium UNI EN 13656:2004 + UNI EN 13657:2004 + UNI EN ISO 11885:2009  
Lead UNI EN 13656:2004 + UNI EN 13657:2004 + UNI EN ISO 11885:2009  
Mercury UNI EN 13656:2004 + UNI EN 13657:2004 + UNI EN ISO 11885:2009  
Arsenic UNI EN 13656:2004 + UNI EN 13657:2004 + UNI EN ISO 11885:2009  
Selenium UNI EN 13656:2004 + UNI EN 13657:2004 + UNI EN ISO 11885:2009  
Chrome VI CEI EN 62321:2009 Annex C  
Diisobutil ftalato (DIBP) CPSC-CH-C1001-09.3:2010  
Dibutil ftalato (DBP) CPSC-CH-C1001-09.3:2010  
Benzilbutil ftalato (BBP) CPSC-CH-C1001-09.3:2010  
Di-(2-etilesil) ftalato (DEHP) CPSC-CH-C1001-09.3:2010  
Di-n-ottil ftalato (DNOP) CPSC-CH-C1001-09.3:2010  
Diisononil ftalato (DINP) CPSC-CH-C1001-09.3:2010  
Diisodecil ftalato (DIDP) CPSC-CH-C1001-09.3:2010  
Dipentil ftalato (DPP) CPSC-CH-C1001-09.3:2010  
Dimetossietil ftalato (DMEP) CPSC-CH-C1001-09.3:2010

Gaber Material "Plastomero/Elastomero" Report n. 20205954-002  
Gaber Material "Polipropilene" Report n. 20205139-002  
Gaber Material "Metal tube" Report n. 20205954-001  
Gaber Material "Metal Screws-Inserts" Report n. 20205139-001



## KANVAS COLLECTION

Inspired by the beauty of neoclassical sculptures, Kanvas has a gently controlled flex that moves to provide comfort, Front and full upholstery , with countless combinations, complete the collection.

