


# LINK STOOL

Stefano Sandonà Design, 2009



## COLLECTION

www.interracontract.com  
info@interracontract.com  
O: 949.497.0277



0,43m<sup>3</sup> - 23 kg  
60x61x118cm  
2 pcs [carton]

Metal frame stackable stool painted for outdoor.



## ACCESSORIES

### CUSHION

Cushion with removable cover, suitable for outdoor purpose; high density bi-elastic rubber padding, stitching made with raised edge, fixed to the chair by Velcro straps.



### AVAILABLE FABRICS

[MG] Maglia Fabric

[SX] Silvertex Fabric

White flexible polyurethane foam, density 30kg/m<sup>3</sup>, flame retardant according to the method: UNI 9175 - UNI 9175 / FA1, Class 11M.

## QUALITY IN THE NATURAL RESPECT

100% Demountable product  
100% Recyclable material  
100% Made in Italy

### METAL

Gaber metal structures, in the full respect of our Natural Environment, are available with "trivalent" chroming and painted finishes. Prime-quality special Epoxy powder coating used on Gaber frames enhance color stability from batch to batch and over time, increasing its corrosion-resistance and achieving excellent resistance to atmospheric agents.

### PADDINGS

The flexible polyurethane cold-pressed paddings Gaber uses on its upholstered articles do not contain CFC/HCFC (ODP=0: do not contribute the reduction of the atmospheric ozone layer), they are fire-retardant class 1-IM UNI 9175/CMHR following European Standards.

### CARTON BOXES

Corrugated paperboard carton boxes, printed with environmentally friendly inks, are made of 90% recycled and recyclable materials. Packaging is sized in order to optimize storage and transport requirements, both helping the environment and saving on transport costs.

In all components, parts or materials used by Gaber to make its own products, be they plastic or metal, there are no dangerous substances within the certified limits of the following test methods reports:

Cadmium UNI EN 13656:2004 + UNI EN 13657:2004 + UNI EN ISO 11885:2009  
Lead UNI EN 13656:2004 + UNI EN 13657:2004 + UNI EN ISO 11885:2009  
Mercury UNI EN 13656:2004 + UNI EN 13657:2004 + UNI EN ISO 11885:2009  
Arsenic UNI EN 13656:2004 + UNI EN 13657:2004 + UNI EN ISO 11885:2009  
Selenium UNI EN 13656:2004 + UNI EN 13657:2004 + UNI EN ISO 11885:2009  
Chrome VI CEI EN 62321:2009 Annex C  
Diisobutil ftalato (DIBP) CPSC-CH-C1001-09.3:2010  
Dibutil ftalato (DBP) CPSC-CH-C1001-09.3:2010  
Benzilbutil ftalato (BBP) CPSC-CH-C1001-09.3:2010  
Di-(2-etilesil) ftalato (DEHP) CPSC-CH-C1001-09.3:2010  
Di-n-ottil ftalato (DNOP) CPSC-CH-C1001-09.3:2010  
Diisononil ftalato (DINP) CPSC-CH-C1001-09.3:2010  
Diisodecil ftalato (DIDP) CPSC-CH-C1001-09.3:2010  
Dipentil ftalato (DPP) CPSC-CH-C1001-09.3:2010  
Dimetossietil ftalato (DMEP) CPSC-CH-C1001-09.3:2010

Gaber Material "Plastomero/Elastomero" Report n. 20205954-002  
Gaber Material "Metal tube" Report n. 20205954-001



---

## LINK COLLECTION

Link metal collection is iconic for lightweight aesthetic, yet elegant look. The intersection of the various elements of the frame also serves as primary aesthetic element.

