



18.1





60x56x51cm 60x56x51cm

4-Legged wooden beech frame, techno-polymer shell.



## FRAME FINISHES



Felt Glides

## ACCESSORIES

CUSHION Removable upholstered cushion.



CUSHION AVAILABLE FABRICS [E] Synthetic Leather Aurea [K] King Fabric [TF] Fenice Fabric

[TC] COM Fabric Cushion fabric required 4pcs: Lin Mtrs 1 (h 1,40)

UPHOLSTERY Upholstered PU-FLEX shell.



UPHOLSTERY AVAILABLE FABRICS [P] Leather [E] Synthetic Leather Aurea [K] King Fabric

[TC] COM Fabric Fabric required 1pc: Lin Mtrs 1,5 (h 1,40)

White flexible polyurethane foam, density 30kg/m<sup>3</sup>, flame retardant according to the method: UNI 9175 - UNI 9175 / FA1, Class 1IM.

## QUALITY IN THE NATURAL RESPECT

100% Demountable product 100% Recyclable material 100% Made in Italy

#### TECHNOPOLYMER

Gaber production employs exclusively high-tech thermoplastic materials, which are 100% recyclable. Gaber produces plastic injected materials without added chemicals. These materials are purchased within the European Union, so Gaber is exempted from registration with ECHA agency (European Agency for Chemicals Substances), in the complete respect of "Reach Regulation".

### WOOD

Our wooden articles are produced in accordance with the European Regulations in force regarding formaldehyde emissions from wood-based products.

### PADDINGS

The flexible polyurethane cold-pressed paddings Gaber uses on its upholstered articles do not contain CFC/HCFC (ODP=0: do not contribute the reduction of the atmospheric ozone layer), they are fire-retardant class 1-IM UNI 9175/CMHR following European Standards.

### CARTON BOXES

Corrugated paperboard carton boxes, printed with environmentally friendly inks, are made of 90% recycled and recyclable materials. Packaging is sized in order to optimize storage and transport requirements, both helping the environment and saving on transport costs.

In all components, parts or materials used by Gaber to make its own products, be they plastic or metal, there are no dangerous substances within the certified limits of the following test methods reports:

Cadmium UNI EN 13656:2004 + UNI EN 13657:2004 + UNI EN ISO 11885:2009 Lead UNI EN 13656:2004 + UNI EN 13657:2004 + UNI EN ISO 11885:2009 Mercury UNI EN 13656:2004 + UNI EN 13657:2004 + UNI EN ISO 11885:2009 Arsenic UNI EN 13656:2004 + UNI EN 13657:2004 + UNI EN ISO 11885:2009 Selenium UNI EN 13656:2004 + UNI EN 13657:2004 + UNI EN ISO 11885:2009 Chrome VI CEI EN 62321:2009 Annex C Diisobutil ftalato (DIBP) CPSC-CH-C1001-09.3:2010 Dibutil ftalato (DBP) CPSC-CH-C1001-09.3:2010 Di/c2-etilesi) ftalato (DHP) CPSC-CH-C1001-09.3:2010 Di-c2-etilesi) ftalato (DHP) CPSC-CH-C1001-09.3:2010 Di-c4-etilesi) ftalato (DINP) CPSC-CH-C1001-09.3:2010 Disononil ftalato (DINP) CPSC-CH-C1001-09.3:2010 Diisodecil ftalato (DINP) CPSC-CH-C1001-09.3:2010 Diisodecil ftalato (DINP) CPSC-CH-C1001-09.3:2010 Diisodecil ftalato (DIP) CPSC-CH-C1001-09.3:2010 Dipentil ftalato (DIP) CPSC-CH-C1001-09.3:2010 Dipentil ftalato (DIP) CPSC-CH-C1001-09.3:2010 Dipentil ftalato (DIP) CPSC-CH-C1001-09.3:2010

Gaber Material "*Plastomero/Elastomero*" Report n. 20205954-002 Gaber Material "*Polipropilene FVR*" Report n. 20205954-003 Gaber Material "*Metal Screws-Inserts*" Report n. 20205139-001



# MOEMA COLLECTION

Moema is cozy, thanks to a simple wrap-around design, this collection is suitable both for indoors or outdoors purposes.

