#### **Series Soft-Faced Hammers**





**EAN**: 4013288001146 **Size**: 265x90x27 mm

 Part number:
 05000010001
 Weight:
 285 g

 Article number:
 100
 Country of origin:
 CZ

Customs tariff 82052000

number:


- Powerful hammering with surface protection
- Soft-face hammers with hammer head out of cellidor
- For demanding repair and maintenance jobs
- Inseparable and secure connection between the hammer handle and head
- High-quality ashwood handle

Wera soft-face hammers. Double-sided conical design for a secure, inseparable connection between the hammer handle and head. The hammer head is made out of cellidor; the handle out of high quality ash wood. For heavy-duty applications with diverse uses thanks to interchangeable soft-face hammer heads. Suitable for very demanding jobs.

#### **Series Soft-Faced Hammers**



### Wide range of applications



They come in soft, medium and hard designs for a wide range of applications from universal use to splinter-free applications on sharpedged work pieces.

## High quality ash wood



Powerful work is ensured with handles out of high quality ash wood.

### Colour guidance system



Colour

systemsystemsystemli>YellowRepair/maintenanceli>RedSuitable for hammering sharpedged work pieces; bodyshops, automotive, engineeringli>Veli>WhiteSuitable for metal processing and removal of dents; tent, large buildingdentsandconstructionli>

guidance

#### Secure



The double-sided conical design creates an unbreakable and secure link between the handle and head of the hammer.

#### Versatile



Versatile use thanks to the soft faced heads that can be retrospectively fitted.

05000010001 - 4013288001146

# **Series Soft-Faced Hammers**



# Further versions in this product family:

				A ·
	#	mm	mm	mm
05000005001 <sup>1)</sup>	1	23.0	76.0	250.0
05000010001 <sup>1)</sup>	2	28.0	87.0	265.0
05000015001 <sup>1)</sup>	3	33.0	96.0	280.0
05000020001 <sup>1)</sup>	4	36.0	102.0	290.0
05000025001 <sup>1)</sup>	5	41.0	108.0	320.0
050000300011)	6	51.0	117.0	340.0
050000350011)	7	61.0	131.0	380.0

<sup>1)</sup> This item will be discontinued from 28 February 2025.