

# 817 VDE Kraftform blade-holding handle, 9 x 98 mm

Kraftform Kompakt VDE



<b>EAN:</b>	4013288104359	<b>Size:</b>	102x33x33 mm
<b>Part number:</b>	05003990001	<b>Weight:</b>	66 g
<b>Article number:</b>	817 VDE	<b>Country of origin:</b>	CZ
		<b>Customs tariff number:</b>	82054000

- Kraftform Kompakt VDE Kraftform handle
- Exclusively for Wera VDE interchangeable blades
- Smooth hard zones for high speed turning, soft grip zones for high torque transfer
- Hexagonal anti-roll feature against rolling away

Premium VDE bitholding screwdriver solely for Wera VDE blades. The handle/blade system allows for lightning-fast change of the required blade and thus a wide range of applications. Kraftform Plus handle for comfortable ergonomic screwdriving, which avoids blisters and calluses. Hard handle zones for high working speeds, while soft handle zones guarantee a high torque transfer.

## Web link

[https://products.wera.de/en/tools\\_for\\_electricians\\_kraftform\\_kompakt\\_vde\\_817\\_vde.html](https://products.wera.de/en/tools_for_electricians_kraftform_kompakt_vde_817_vde.html)

Wera - 817 VDE  
05003990001 - 4013288104359

Wera Werkzeuge GmbH  
Korzerter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)

## Kraftform Kompakt VDE

### Individually tested



Why is the right tool so often missing at the workplace? The reason: too many tools and overly-heavy tool bags can make it bothersome to carry keep them with you. So for us it was a clear challenge: to develop a tool that is suitable for a whole host of applications and can be easily taken along to the workplace. Our solution: Kraftform Kompakt tools. A handle into which blades with a range of different profiles can be inserted. Compactly and protectively housed in a light and robust textile pouch - and they are even VDE-tested, too.




The individual testing at 10,000 volts, in accordance with IEC 60900, ensures safe working with loads up to 1,000 volts.

### Handle/interchangeable blade system



Solely for Wera VDE blades.

### Multi-component handle system



Wera produces the Kraftform handle out of several materials with different properties. A resistant plastic is used for the core which ensures that the blade is held securely even under high strain. A softer material is used for the coloured soft zones, which provides high frictional resistance and allows the transfer of high forces - resulting in less required screwdriving effort. The red sections with their hard surfaces prevent any "sticking" of the hand to the handle, making rapid repositioning of the hand possible.

### Web link

[https://products.wera.de/en/tools\\_for\\_electricians\\_kraftform\\_kompakt\\_vde\\_817\\_vde.html](https://products.wera.de/en/tools_for_electricians_kraftform_kompakt_vde_817_vde.html)

Wera - 817 VDE  
05003990001 - 4013288104359

Wera Werkzeuge GmbH  
Korzter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)

Kraftform Kompakt VDE

Kraftform



The basic idea for the prototype of the Kraftform handle - that the hand should dictate the design - has, right through to today, proved to be correct. In cooperation with the internationally recognised Fraunhofer IAO Institute, Wera developed a screwdriver handle designed to match the shape of the human hand as long ago as the 1960s. After a long development phase, the Wera Kraftform handle was launched to the market in 1968. It has been optimised through the years with new technologies, but has kept its proven shape. After all, the human hand has not changed either.

Further versions in this product family:



mm



mm

05003990001	9	98
-------------	---	----

Web link

[https://products.wera.de/en/tools\\_for\\_electricians\\_kraftform\\_kompakt\\_vde\\_817\\_vde.html](https://products.wera.de/en/tools_for_electricians_kraftform_kompakt_vde_817_vde.html)

Wera - 817 VDE

05003990001 - 4013288104359

Wera Werkzeuge GmbH

Korzter Straße 21-25

D-42349 Wuppertal

Tel: +49 (0)2 02 / 40 45-0

E-Mail: [info@wera.de](mailto:info@wera.de)