168 i VDE Insulated screwdriver for square socket head screws, # 3 x 150 mm

Kraftform Plus - Series 100 VDE







EAN: 4013288040909 **Size:** 262x40x40 mm

Part number:05004782001Weight:157 gArticle number:168 i VDECountry of origin:CZ

Customs tariff 82054000

number:



- Smooth hard zones for high speed turning, soft grip zones for high torque transfer
- Handle markings simplify finding and sorting of tools
- Hexagonal anti-roll feature against rolling away
- Zinc phosphate plated

Wera VDE screwdriver with multi-component Kraftform handle for fast and smooth work: Hard handle zones for high working speeds, while soft handle zones guarantee a high torque transfer. Individually tested at 10,000 V for safe working at the approved voltage of 1,000 V. The hexagon anti-roll protection avoids bits from rolling away annoyingly at the workplace. Colour-coded.







Kraftform Plus - Series 100 VDE

The individual testing at 10,000

volts, in accordance with IEC

60900, ensures safe working with

loads up to 1,000 volts.



Individually tested



The individual testing at 10,000 volts, in accordance with IEC 60900, ensures safe working with loads up to 1,000 volts.

Impact strength test



Impact strength tested at -40°C, guaranteeing safety even under extreme conditions.

Kraftform



The basic idea for the prototype of the Kraftform handle - that the hand should dictate the design has, right through to today, proved to be correct. In cooperation with the internationally recognised Fraunhofer IAO Institute, Wera developed a screwdriver handle designed to match the shape of the human hand as long ago as 1960s. After a long the development phase, the Wera Kraftform handle was launched to the market in 1968. It has been optimised through the years with new technologies, but has kept its proven shape. After all, the human hand has not changed either.


Web link

 $https://products.wera.de/en/tools_by_trade_tools_for_electricians_kraftform_plus__series_100_vde_168_i_vde.html$

Kraftform Plus - Series 100 VDE



Multicomponent Kraftform handle



Wera produces the Kraftform handle out of several materials with different properties. resistant plastic is used for the core which ensures that the blade is held securely even under high strain. A softer material is used for the coloured soft zones, which provides high frictional resistance and allows the transfer of high forces - resulting in less required screwdriving effort. The red sections with their hard surfaces prevent any "sticking" of the hand to the handle, making rapid repositioning of the hand possible.

Prevents hand injuries



The outstanding design of the Kraftform handle that fits perfectly into the hand prevents hand injuries such as blisters and calluses.

Identification marking



The screw symbol and tip size identification markings on the handle make it easier to find the right screwdriver in the tool case, or at the workplace.

Non-roll feature



The hexagonal non-roll feature prevents any rolling away at the workplace.

Further versions in this product family:

05004782001	rot_200C/schwarz_bl ackC	# 3	150	112	6"
05004784001	rot_200C/gelb_123C	# 2	200	105	8"
05004781001	rot_200C/gelb_123C	# 2	100	105	4"
05004783001	gruen_566C /gelb_123C	#1	150	98	6"
05004780001	gruen_566C /gelb_123C	# 1	80	98	3 1/8"
			mm	mm	inch
		0	A	A V	

Web link https://products.wera.de/en/tools_by_trade_tools_for_electricians_kraftform_plus__series_100_vde_168_i_vde.html Wera - 168 i VDE 05004782001 - 4013288040909