367/6 TORX® HF Kraftform Plus Screwdriver set with holding function and rack, 6 pieces $\label{eq:control}$

Kraftform Plus - Series 300













EAN: 4013288100764 **Size:** 285x210x55 mm

Part number:05028059001Weight:749 gArticle number: $367/6 \text{ TORX} \otimes \text{ HF}$ Country of origin:CZ

Customs tariff 82054000

number:

- Screwdriver for TORX® screws; holding function
- Multi-component Kraftform handle for fast and ergonomic screwdriving
- Handle markings simplify finding and sorting of tools
- Hexagonal anti-roll feature against rolling away
- Holding function for TORX® screws, chrome-plated

6-piece screwdriver set for TORX® screws. Multi-component Kraftform handle for fast and low-fatigue working. Kraftform Plus: hard gripping zones for high working speeds whereas soft zones ensure high torque transfer. Holding function: the wedging forces resulting from the contact pressure between the drive tip and the screw profile securely hold the screw on the tool. The hexagonal anti-roll feature prevents any bothersome rolling away at the workplace. Handle markings for simplified finding and sorting of the tool.

367/6 TORX® HF Kraftform Plus Screwdriver set with holding function and rack, 6 pieces

Kraftform Plus - Series 300

Kraftform Plus screwdrivers

ergonomics you can grasp. They

relieve the entire hand-arm system

even when used intensively. Along

with other technical and product

advantages such as the Lasertip

for a secure fit in the screw head,

Kraftform screwdrivers are the

ideal choice whenever manual

screwdriving jobs are concerned.



TORX® HF profile



In tight assembly or disassembly situations, for example in engine compartments, it is not possible to securely hold the screw with the hand on the screwdriver, and the screw subsequently often gets lost. Lengthy searches or the loss of the screw (with the associated danger that could bring about) are the consequence. The HF tools developed by Wera are ideal because they feature an optimised geometry of the original TORX® profile. The wedging forces surface resulting from the pressure between the drive tip and the screw profile mean that the screw is securely held on the tool!

Kraftform



The basic idea for the prototype of the Kraftform handle - that the hand should dictate the design has, right through to today, proved to be correct. In cooperation with internationally recognised Fraunhofer IAO Institute, Wera developed a screwdriver handle designed to match the shape of the human hand as long ago as 1960s. After a long the development phase, the Wera Kraftform handle was launched to the market in 1968. It has been optimised through the years with new technologies, but has kept its proven shape. After all, the human hand has not changed either.

Prevents hand injuries



The outstanding design of the Kraftform handle that fits perfectly into the hand prevents hand injuries such as blisters and calluses.

Rapid hand repositioning



The hard materials used for the handle ensure rapid hand repositioning without any danger of the skin "sticking" to the handle. The surrounding hard zones with large diameters glide like wheels through the hand.

Large contact area



The large contact area - with particularly high friction to the soft zones - results in high torque transfer without any bruising from the edges.

Identification marking



The screw symbol and tip size identification markings on the handle make it easier to find the right screwdriver in the tool case, or at the workplace.

Non-roll feature



The hexagonal non-roll feature prevents any rolling away at the workplace.

Web link

https://products.wera.de/en/screwdrivers_kraftform_plus__series_300_367_6_torx_hf.html

Wera - 367/6 TORX® HF 05028059001 - 4013288100764

367/6 TORX® HF Kraftform Plus Screwdriver set with holding function and rack, 6 pieces

Kraftform Plus - Series 300



Set contents:

367 TORX® HF Screwdriver with holding function for TORX® screws, TX 10 x 80 mm



 05028050001
 1x
 TX 10 x 80 mm

 05028051001
 1x
 TX 15 x 80 mm

 05028052001
 1x
 TX 20 x 100 mm

 05028053001
 1x
 TX 25 x 100 mm

 05028055001
 1x
 TX 30 x 115 mm

 05028056001
 1x
 TX 40 x 130 mm