

# Bit-Check 6 Wood TX HF 1, 6 pieces

## Bit-Checks Wood



<b>EAN:</b>	4013288226181	<b>Size:</b>	72x65x12 mm
<b>Part number:</b>	05056470001	<b>Weight:</b>	78 g
<b>Article number:</b>	Bit-Check 6 Wood TX HF 1	<b>Country of origin:</b>	CZ
		<b>Customs tariff number:</b>	82079030

- Particularly for wood applications
- For TORX® socket screws
- Holding function for TORX® screws
- Also suitable for Würth ASSY screws as well as Altenloh SPAX T-STAR plus screws
- 50 mm-long bits
- With Take it easy tool finder: colour coding by size
- Upright positionable Bit-Checks convince due to their functionality in a minimum of space
- Bit-Check plastic material ensures robustness and durability

Bit set, particularly suitable for woodworking. With their special geometry and as per the specification Acument Intellectual Properties, the 867/4 TORX® HF bits hold TORX® screws securely on the tool! This is particularly helpful in hard-to-reach work areas where the second hand cannot be used to hold the screw. They are also suitable for Würth ASSY screws as well as Altenloh SPAX T-STAR plus screws. With "Take it easy" tool finder: colour coding by size. The Bit-Check allows a quick overview of the available tools. Unused bits are simply put back in the holder and will not be lost. Easy transport e.g. in your shirt pocket. The Bit-Check can be set up at the work place, which allows for quick access of the tools.

### Web link

[https://products.wera.de/en/bits\\_holders\\_adaptors\\_and\\_sets\\_bit\\_sets\\_bit-checks\\_wood\\_bit-check\\_6\\_wood\\_tx\\_hf\\_1.html](https://products.wera.de/en/bits_holders_adaptors_and_sets_bit_sets_bit-checks_wood_bit-check_6_wood_tx_hf_1.html)

Wera - Bit-Check 6 Wood TX HF 1  
05056470001 - 4013288226181

Wera Werkzeuge GmbH  
Korzerter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)


## Bit-Checks Wood

### The HF profile



In tight assembly or disassembly situations, for example in engine compartments, it is not possible to securely hold the screw with the hand on the screwdriver, and the screw subsequently often gets lost. Lengthy searches or the loss of the screw (with the associated danger that could bring about) are the consequence. The HF tools developed by Wera are ideal because they feature an optimised geometry of the original TORX® profile. The wedging forces resulting from the surface pressure between the drive tip and the screw profile mean that the screw is securely held on the tool!

### Also for ASSY and SPAX T-STAR plus screws



The Wera 867/4 TX HF bits are also suitable for Würth ASSY screws as well as Altenloh SPAX T-STAR plus screws.

### At the workplace



The Bit-Checks can be positioned upright at the workplace so the tool is always quickly to hand.

### Web link

[https://products.wera.de/en/bits\\_holders\\_adaptors\\_and\\_sets\\_bit\\_sets\\_bit-checks\\_wood\\_bit-check\\_6\\_wood\\_tx\\_hf\\_1.html](https://products.wera.de/en/bits_holders_adaptors_and_sets_bit_sets_bit-checks_wood_bit-check_6_wood_tx_hf_1.html)

Wera - Bit-Check 6 Wood TX HF 1  
05056470001 - 4013288226181

Wera Werkzeuge GmbH  
Korzter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)

## Bit-Check 6 Wood TX HF 1, 6 pieces

### Bit-Checks Wood



#### Set contents:

#### 867/4 TORX® HF Bits with holding function, TX 20 x 50 mm



05060508001	2x	TX 20 x 50 mm
05060509001	2x	TX 25 x 50 mm
05060510001	1x	TX 30 x 50 mm
05060511001 <sup>1)</sup>	1x	TX 40 x 50 mm

1) Pound-thru hexagonal; no Take it easy.

#### Web link

[https://products.wera.de/en/bits\\_holders\\_adaptors\\_and\\_sets\\_bit\\_sets\\_bit-checks\\_wood\\_bit-check\\_6\\_wood\\_tx\\_hf\\_1.html](https://products.wera.de/en/bits_holders_adaptors_and_sets_bit_sets_bit-checks_wood_bit-check_6_wood_tx_hf_1.html)

Wera - Bit-Check 6 Wood TX HF 1  
05056470001 - 4013288226181

Wera Werkzeuge GmbH  
Korzter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)